






**NEW!  
PRO  
ONE**

**MARATHON  
E-PLUS**




**20**



**BICYCLE TIRES 2020**

**ENGLISH**

# GREEN MI



**GREENGUARD®**  
Honoured with the Eurobike Gold Award in 2010



**SCHWALBE SCHLAUCHRECYCLING**  
Honoured with the Eurobike GreenAward in 2015



**GREEN COMPOUND**  
Honoured with the Eurobike GreenAward in 2017



# SCHWALBE LESTONES

## TUBE RECYCLING

**Every Schwalbe tube is 100% recyclable.** Without any loss of quality we can use recycled material in the production of new tubes. We have developed in our own factory a special devulcanization process and for several years it has proved very successful. Right now every Schwalbe standard tube is made up of 20% recycled old tubes.

Taking into account all transport routes, the energy balance is positive. Just a fifth of the energy is used in comparison with the production of new butyl.

## GREEN COMPOUND

**Tread rubber with polymers only made from renewable and recycled raw materials.** Special technology from Schwalbe. For the first time it is possible to produce the tread rubber of a bicycle tire with polymers only from renewable and recycled raw materials in a demanding standard quality (grip/durability). This saves large amounts of energy and resources in the manufacture of tires.



## GREENGUARD



**Puncture protection with recycled natural rubber.** GreenGuard is the name of the 3 mm thick green puncture protection belt made of special India rubber. Highly elastic and partly made from recycled material, it is also used for Germany's best-selling bicycle tire, the Schwalbe Marathon.

## GOOD TO KNOW

**DO NOT CHANGE TIRES TOO EARLY.** A bicycle tire can still be used without problems even with a worn tread (exception: MTB tyres). The tire does not need to be replaced until the puncture protection belt or carcass threads become visible. However, as resistance to punctures is also influenced by the thickness of the tread, it may make sense to change the tire beforehand.

**PAY ATTENTION TO AIR PRESSURE** The sidewalls of bicycle tires often break before the tread has worn through. In the vast majority of cases, this premature wear is due to continued use with insufficient air pressure, causing unnecessarily high abrasion. Therefore, check the air pressure of tires at least once a month.

## 06 - 11 E-BIKE HIGHLIGHTS



## 12 - 25 ROAD RACE



## 26 - 31 GRAVEL | CROSS



## 32 - 43 DOWNHILL | ENDURO | TRAIL | ALL MOUNTAIN



## 44 - 46 X-COUNTRY



## 47 - 51 ALL TERRAIN | FATBIKE



## 52 - 53 DIRT | BMX



## 64 - 69 MARATHON



## 70 - 75 URBAN | CARGO



## 76 - 80 ACTIVE



## 82 - 83 WINTER



## 84 - 89 WHEELCHAIR



---

## 02 - 03 GREEN MILESTONES

---

## 14 - 15 TUBELESS TECHNOLOGY

---

## 34 - 37 ADDIX I MTB-TECH INFO

---

### 41 PROCORE I MTB PRESSURE PROF

---

## 54 - 55 KIDS UND YOUTH

---

## 56 - 59 COLOUR YOUR BIKE

---

## 62 - 63 PUNCTURE PROTECTION SYSTEM

---

### 81 SCHWALBE AIRLESS SYSTEM

---

## 90 - 93 TUBES

---

## 94 - 95 TOOLS & EQUIPMENT

---

### 96 RIM TAPES

---

### 97 ACCESSOIRES & VALVE PARTS

---

## 98 - 99 OVERVIEW & LEGEND

SITE	MODEL	SITE	MODEL	SITE	MODEL
	70 BIG APPLE		52 JUMPIN' JACK		87 RIGHTRUN
58   59   71	BIG BEN	54   54	KID PLUS	87	RIGHTRUN PLUS
	72 BIG BEN PLUS	53	KNOBBY	78	ROAD CRUISER
48   55	BLACK JACK	74	KOJAK	79	ROAD CRUISER PLUS
58   59   75	CITY JET	77	LAND CRUISER	40	ROCK RAZOR
48	CX COMP	77	LAND CRUISER PLUS	44   45   54   55	ROCKET RON
31	CX PRO	71	LITTLE BIG BEN	11	SCHWALBE E-ONE
76	DELTA CRUISER	54   55	LITTLE JOE	28   29	SCHWALBE G-ONE ALLROUND
76	DELTA CRUISER PLUS	25	LUGANO II	28   29	SCHWALBE G-ONE BITE
40	DIRTY DAN	24	LUGANO II ENDURANCE	28   29	SCHWALBE G-ONE SPEED
88	DOWNTOWN	24	LUGANO T	27	SCHWALBE G-ONE ULTRABITE
22	DURANO DD	53	MAD MIKE	20   21   89	SCHWALBE ONE
23	DURANO PLUS	38	MAGIC MARY	16   17	SCHWALBE PRO ONE
11	EDDY CURRENT FRONT   REAR	66	MARATHON	18	SCHWALBE PRO ONE HT
10	ENERGIZER PLUS	69	MARATHON ALMOTION	18	SCHWALBE PRO ONE TT
10	ENERGIZER PLUS TOUR	8   9	MARATHON E-PLUS	30	SCHWALBE X-ONE ALLROUND
58   59   74	FAT FRANK	67   82   83	MARATHON GT 365	31	SCHWALBE X-ONE BITE
46	FURIOUS FRED	67	MARATHON GT TOUR	31	SCHWALBE X-ONE SPEED
39   54   55	HANS DAMPF	67	MARATHON MONDIAL	75	SILENTO
80	HS110	64   65	MARATHON PLUS	50   51	SMART SAM
80	HS127	64   65	MARATHON PLUS MTB	50   51	SMART SAM PLUS
80	HS140	64   65	MARATHON PLUS TOUR	49	SPACE
80	HS159	67	MARATHON RACER	88	SPEEDAIR
80	HS166	68	MARATHON SUPREME	75	SPICER
80	HS180	82   83	MARATHON WINTER PLUS	73	SUPER MOTO-X
80	HS228	42   43	NOBBY NIC	52	TABLE TOP
47	HURRICANE	41	PROCORE	46	THUNDER BURT
82   83	ICE SPIKER PRO	44   45	RACING RALPH	49	TOUGH TOM
22	INSIDER	44   45	RACING RAY	55	TRACER
47	JUMBO JIM	49	RAPID ROB	82   83	WINTER

## SCHWALBE E-BIKE TIRES

# UNCOMPROMISINGLY E-BIKE

**E-BIKE TIRES** are our answer to the question “Which Schwalbe tires are the best choice for E-Bikes?” Grip, stability, puncture protection, braking power and lower rolling resistance. These are our demands.

On the following pages are detailed our undeniably

**special E-Bike tires**

A complete tire range, expertly crafted for the requirements particular to E-Bikes are listed in the special Schwalbe E-Tires Catalogue 2020 and can be found at any time at:

**E-Bike Tires Catalogue 2020**

**[www.e-biketires.com](http://www.e-biketires.com)**



E-Bike Tires Catalogue 2020

[e-biketires.com](http://e-biketires.com)









# MARATHON

# E-PLUS



**Flat-less especially for E-Bikes.** Maximum riding safety at high speeds and on long tours. Highest Marathon quality tires refined for the special demands of an E-Bike. **Safety:** Schwalbe puncture protection level 7. The patented SmartGuard protection layer is additionally supported by two layers of RaceGuard fabric. This “Smart-DualGuard” protects even better against sharp objects. **Control:** The ADDIX-E compound, specially developed for the use on E-Bikes, provides outstanding grip even at high speeds and also maximum durability. **Riding pleasure:** Marathon E-Plus rolls surprisingly well thanks to high-tech materials. The “anti-aging” sidewall prevents for much longer the unsightly cracks caused by use with low air pressure. The new carcass construction reinforces the sidewalls with a further layer of fabric and thus stabilizes the tire for even more load capacity. **Design:** The tread profile of the Marathon E-Plus is modern and dynamic. The E-Plus’s tread depth makes it extremely versatile for touring and trekking. **E-Bike:** Of course, ECE-R75 certification makes the tires ready for E-Bikes of all classes. The available sizes are consistently geared to the requirements of modern E-Bikes.



**NEW! MARATHON E-PLUS Performance Line, Wired tire – HS 498**

ETRTO	Size	!	⚡	⚙️	⚫	Skin	Bar	Psi	🏠	🏠	EPI	Index	Load	Art.-No.
27.5"	50-584 27.5x2.00,650B	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	2.5-4.5	35-65	1170	41	67	34B	118 kg	11159057
28"	37-622 28x1.40, 700x35C	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	4.0-6.0	60-85	930	33	67	28B	100 kg	11159077
	40-622 28x1.50, 700x38C	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	3.5-6.0	50-85	990	35	67	32B	112 kg	11159053
	47-622 28x1.75	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	3.0-5.0	45-70	1150	41	67	35B	121 kg	11159058
	50-622 28x2.00	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	2.5-4.5	35-65	1210	43	67	37B	128 kg	11159055
	55-622 28x2.15	Smart DualGuard	E-50	ADDIX E	Black-Reflex	Twin	2.0-4.0	30-60	1395	49	67	39B	136 kg	11159056








# ENERGIZER PLUS

# ENERGIZER PLUS TOUR

**Specially made for E-Bikes.** The Energizer Plus has an ultramodern, dynamic touring profile with a smooth center section and strong diamond sides. It rolls easily on the road and has good grip, even on unpaved ground. The newly created Addix E-Compound is specially optimized for maximum durability, low rolling resistance and exceptional grip even at high speed. The proven, 3mm GreenGuard guarantees reliable puncture protection in everyday touring. Of course, Energizer Plus is ECE-R75 certified.

**As long as the battery lasts.** Non-stop riding fun with the E-touring specialist Energizer Plus Tour. The 3 mm strong GreenGuard provides the same level of security as Energizer Plus, but with a durable trekking tread. For E-tours on the road or unpaved surfaces. Of course, it has a high-quality carcass (67 EPI carcass), specialized Energizer-compound and ECE-R75 certification for E-Bikes of all classes.



## ENERGIZER PLUS

*Performance Line, Wired tire – HS 492*

ETRTO	Size	!	⚡	⚙️	🌀	Skin	Bar	Psi	🏠	🏠	EPI	Index	Load	Art.-No.
26"	47-559 26x1.75	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	3.0-5.0	45-70	880	31	67	31B	109 kg	11101366
27.5"	50-584 27.5x2.00, 650B	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	2.5-4.5	35-65	1010	36	67	32B	112 kg	11101367
28"	37-622 28x1.40, 700x35C	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	4.0-6.0	60-85	735	26	67	26B	95 kg	11101368
	40-622 28x1.50, 700x38C	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	3.5-6.0	50-85	820	29	67	28B	100 kg	11101363
	47-622 28x1.75	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	3.0-5.0	45-70	980	35	67	31B	109 kg	11101370
	50-622 28x2.00	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	2.5-4.5	35-65	1080	38	67	35B	121 kg	11101371
<b>NEW!</b>	55-622 28x2.15	GreenGuard	E-50	ADDIX E	Black-Reflex	Twin	2.0-4.0	30-60	1210	43	67	38B	132 kg	11159059

## ENERGIZER PLUS TOUR

*Performance Line, Wired tire – HS 441*

26"	47-559 26x1.75	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.0-5.0	45-70	875	31	67	31B	109 kg	11100527
28"	37-622 28x1.40, 700x35C	GreenGuard	E-50	Energizer	Black-Reflex	Twin	4.0-6.0	55-85	730	26	67	26B	95 kg	11100528
	40-622 28x1.50, 700x38C	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.5-6.0	50-85	845	30	67	28B	100 kg	11100529
	47-622 28x1.75	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.0-5.0	45-70	985	35	67	33B	115 kg	11100532




FRONT

REAR

## EDDY CURRENT

**The revolution for E-MTB's.** Our first real E-MTB specialist for All Mountain and Enduro. It allows uncompromising riding even uphill, takes fierce acceleration as well as technical riding on the trails. Its solid appearance comes from the stable blocks, more rubber and the big widths. **Profile design:** Specially adapted tread design for front and rear wheel (Front and Rear). Blocks up to 20% more massive than other Enduro/All Mountain profiles. Aggressive arrangement, open design and concise V-Grooves in the center and side blocks for direct, precise steering characteristics and perfect transmission of engine power to the ground, with extreme durability. **Super Gravity version:** ADDIX Soft (orange). Extremely stable and puncture-proof yet very dynamic handling.



## SCHWALBE E-ONE

**Specially developed for E-Race bikes.** Fast racing tire specially designed for E-performance. The V-Guard puncture protection belt ensures high puncture resistance. The powerful Addix Race Compound offers tenacious grip at high cornering speeds and extensive durability in E-operation. 28 mm and 32 mm wide for added comfort on the home track as well as on the uphill, Alpine pass. Also the E-One has ECE-R75 approval for fast E-Bikes.



### EDDY CURRENT FRONT

Evolution Line, Folding tire – HS 496

	ETRTO	Size	!	⚡	⚙️	🌫️	Skin	Bar	Psi	🏎️	🏎️	EPI	Index	Load	Art.-No.
NEW!	27.5"	65-584	27.5x2.60, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	1405	50	67	115 kg	11654032
		70-584	27.5x2.80, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1430	50	67	115 kg	11653983
	29"	62-622	29x2.40	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1370	48	67	115 kg	11653984
		65-622	29x2.60	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	1430	50	67	115 kg	11654023

### EDDY CURRENT REAR

Evolution Line, Folding tire – HS 497

	ETRTO	Size	!	⚡	⚙️	🌫️	Skin	Bar	Psi	🏎️	🏎️	EPI	Index	Load	Art.-No.
NEW!	27.5"	65-584	27.5x2.60, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	1455	51	67	115 kg	11654033
		70-584	27.5x2.80, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1470	52	67	115 kg	11653985
	29"	65-622	29x2.60	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	1485	52	67	115 kg	11653986

### SCHWALBE E-ONE

Evolution Line, Folding tire – HS 464A

	ETRTO	Size	!	⚡	⚙️	🌫️	Skin	Bar	Psi	🏎️	🏎️	EPI	Index	Load	Art.-No.	
	28"	28-622	28x1.10	V-Guard	E-50	ADDIX RACE	Black	Lite	6.0-8.0	85-115	310	11	127	22B	85 kg	11653999
		32-622	28x1.25, 700x32C	V-Guard	E-50	ADDIX RACE	Black	Lite	6.0-8.0	85-115	345	12	127	22B	85 kg	11654000





SCHWALBE



# ROAD RACE







## SCHWALBE TUBELESS DEVELOPMENT ROAD RACE

2012

●  
First serial tubeless  
road bike tire.

2014

●  
Schwalbe One  
tubeless.

2016

●  
Schwalbe Pro One  
First Tubeless Easy  
road bike tire.  
Particularly easy to  
assemble.

2019

●  
Schwalbe Pro One.  
New: Integrated Tubeless  
Easy technology.  
Creating "souplesse".

# TUBELESS TECHNOLOGY

ALL DETAILS AND LATEST NEWS AT:  
[SCHWALBE.COM/TUBELESS-TECHNOLOGY](https://www.schwalbe.com/tubeless-technology)



**TUBELESS EASY** Our most advanced tubeless technology is the result of many years of research and development. The result is the highest level of safety and a dynamic riding experience combined with easy assembly and excellent weight. Tubeless Easy is exclusively available from Schwalbe.





**RIDING PLEASURE** Once you have ridden a road bike with Tubeless Easy tires, you won't want to ride anything else. The rider experiences unique levels of comfort and riding pleasure.

**EXPERIENCE** For more than 12 years Schwalbe has been convinced that tubeless is the tire technology of the future. Schwalbe tubeless tires have now proven themselves millions of times. The latest Tubeless Easy technology is our concentrated experience. Tubeless Easy, more than just tubeless.

**COLLABORATION** In order to attain the highest possible performance we continuously collaborate with the wheel industry as well as the ETRTO (The European Tire and Rim Technical Organisation).

**UNIQUE** We constantly test our Tubeless Easy tires in combination with various wheels for derailing safety, and easy assembly.


**EASY TO ASSEMBLE** Never before has the assembly of tubeless tires has been so easy.





CREATING

*Souplesse*



**NEW! SCHWALBE PRO ONE TUBELESS EASY** Evolution Line, Folding tire – HS 493

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	28-406	20x1.10*	MicroSkin, TLE	<i>ADDIX RACE</i>	Black	Micro	6.0-8.0	85-115	205	7	127	70 kg	11653951
26"	28-559	26x1.10*	MicroSkin, TLE	<i>ADDIX RACE</i>	Black	Micro	4.0-6.5	55-95	275	10	127	75 kg	11653950
27.5"	25-584	650x25B	V-Guard, TLE	<i>ADDIX RACE</i>	Black	Lite	5.0-7.5	70-110	235	8	127	70 kg	11654084
	28-584	650x28B	V-Guard, TLE	<i>ADDIX RACE</i>	Black	Lite	4.0-6.5	55-95	250	9	127	70 kg	11654085
28"	25-622	700x25C	V-Guard, TLE	<i>ADDIX RACE</i>	Black	Lite	5.0-7.5	70-110	245	9	127	70 kg	11653974
	28-622	700x28C	V-Guard, TLE	<i>ADDIX RACE</i>	Black	Lite	4.0-6.5	55-95	270	10	127	70 kg	11653975
	30-622	28x1.20, 700x30C	V-Guard, TLE	<i>ADDIX RACE</i>	Black	Lite	4.0-5.5	55-80	295	10	127	70 kg	11653976

\*Profil HS462





**NEW!**

### SCHWALBE PRO ONE TUBELESS EASY

**Creating “souplesse”. Tubeless Easy high-end road bike tire.** Combining “souplesse”, speed and control at the highest level. The best road bike tire Schwalbe has ever developed. With the latest Souplesse Carcass construction that integrates Tubeless Easy technology in the most progressive way. Pro One is the benchmark for Tubeless road bike tires, because no other tire provides the rider with as much control and safety as the Pro One. The riding characteristic is similar to the smooth behavior of a classic tubular tire. And it's fast. The integrated Tubeless Easy technology and the new ADDIX Race Compound are an unbeatable combination for maximum speed. At the same time, the Pro One remains controllable at all times - on the fastest descents, in extreme cornering, in all conditions. In addition to the high protection level of the TLE technology, the high-tech fabric V-Guard protects against cuts and punctures.

ⓘ The TLE tire is specially made for tubeless use and thus offers the very best performance.

### SCHWALBE PRO ONE TUBE TYPE

**High-end Tube Type road bike tire.** Combines “souplesse”, speed and control at the highest level. The best road bike tire Schwalbe has ever developed. With the latest Souplesse Carcass construction and the high-tech V-Guard protection fabric, this Pro One is the benchmark for tube type road bike tires. For racers who prefer to ride with tubes, but still want the best riding characteristics and “souplesse”, The use of the new ADDIX Race Compound is a promise for maximum speed and control - on the fastest descents, in extreme cornering, in all conditions. Schwalbe Pro One. Creating Souplesse.

ⓘ The Tube Type tire is specially made for use with a tube and cannot be used tubeless.

**NEW! SCHWALBE PRO ONE TUBE TYPE Evolution Line, Folding tire – HS 493A**

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
28"	23-622	700x23C	V-Guard	ADDIX RACE	Black	Lite	6.0-10.0	85-145	215	8	127	70 kg	11654013
	25-622	700x25C	V-Guard	ADDIX RACE	Black	Lite	6.0-9.0	85-130	235	8	127	70 kg	11653977
	28-622	700x28C	V-Guard	ADDIX RACE	Black	Lite	6.0-8.0	85-115	250	9	127	70 kg	11653978
	30-622	28x1.20, 700x30C	V-Guard	ADDIX RACE	Black	Lite	4.5-7.0	65-100	275	10	127	70 kg	11653979

ⓘ **Incorrect use is excluded:** All Pro One road bike tires are clearly marked with additional labels “TLE” or “TUBE ONLY”.





Foto: Ingo Kutsche



## SCHWALBE PRO ONE TT TUBELESS EASY

**Tubeless Easy High-End Time Trial and Triathlon Tire.** Uncompromisingly for competition. With the latest Souplesse Carcass construction that integrates Tubeless Easy technology in the most progressive way, the Pro One TT is the benchmark for tubeless time trial tires. Winner of the IRONMAN HAWAII 2018. TT stands for speed, lowest rolling resistance and minimum weight. The riding characteristic is nevertheless inimitably good. Pro One TT has Souplesse. With the new, powerful ADDIX Race compound, the rider has full control and safety on the track in every situation, in all conditions. Schwalbe Pro One TT. Creating Souplesse.

ⓘ TT stands for Time Trial.



## SCHWALBE PRO ONE HT HANDMADE TUBULAR

**The art of tire building.** There is real craftsmanship in this tire. Outstanding quality that can be felt. Following the classic standard, this high-end tubular tire is manufactured with a state-of-the-art polyester-cotton carcass together with the race-proven OneStar rubber compound. Thus Pro One TT ensures low rolling resistance and high puncture protection. The diamond profile indicates grip even in difficult conditions.

Mounting a tubular tire is also an art and requires a lot of experience. More information about tubular assembly at: [schwalbe.com/tech](http://schwalbe.com/tech)



### NEW! SCHWALBE PRO ONE TT TUBELESS EASY Evolution Line, Folding tire – HS 493

ETRTO	Size	!	ADDIX RACE	Classic-Skin	Light	Bar	Psi	g	oz	EPI	Load	Art.-No.	
28"	25-622	700x25C	TLE	ADDIX RACE	Classic-Skin	Lite	5.0-7.5	70-110	205	7	127	70 kg	11653972
	28-622	700x28C	TLE	ADDIX RACE	Classic-Skin	Lite	4.0-6.5	55-95	215	8	127	70 kg	11653973

### SCHWALBE PRO ONE HT Evolution Line, Tubular – HS 423

ETRTO	Size	Construction	OneStar	Black	Light	Bar	Psi	g	oz	EPI	Load	Art.-No.	
28"	25-622	700x25	Handmade Tubular, V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	290	10	107	70 kg	11101216
	27-622	700x27	Handmade Tubular, V-Guard	OneStar	Black	Lite	5.0-8.0	70-115	310	11	107	75 kg	11159011



Fix the tire securely to the **rim with tubular** cement. In a practical brush-can. For Aluminium and Carbon rims.

180 g Glue can, Art.-No. 3708, € 14,90

# PERFECT TIRES FOR ROAD BIKES

Best performance for all challenges and individual riding experiences.  
For race tracks and the road.

## RACING



**PRO ONE**  
TUBELESS EASY

**PRO ONE TT**  
TUBELESS EASY

**PRO ONE**  
TUBE TYPE

**PRO ONE HT**  
TUBULAR

## ALLROUND



**ONE**  
TUBELESS EASY

**ONE**  
TUBE TYPE

**DURANO DD**  
TUBE TYPE

**DURANO PLUS**  
TUBE TYPE

## SPORT



**LUGANO 2  
ENDURANCE**  
TUBE TYPE

**LUGANO 2**  
TUBE TYPE

**LUGANO T**  
TUBULAR



TUBE  
LESS  
EASY

**NEW!**



**SCHWALBE ONE**  
TUBELESS EASY

**Tubeless Easy all-round road bike tire.** Schwalbe One tubeless technology of the highest level makes it fast, reliable and agile. The award-winning 3x67 EPI carcass construction with additional RaceGuard protection is proven to be fast in tubeless use and at the same time it equips the Schwalbe One with a high level of safety. The high performance ADDIX compound is extremely durable and reliable in every situation - even on wet winter roads. Tubeless Easy Technology from Schwalbe implies perfect cornering behavior and stability, best suspension behavior and great damping. A real all-round alternative to the absolute top model Schwalbe Pro One.

⚠ The TLE tire is specially made for tubeless use and thus offers the very best performance.



**NEW! SCHWALBE ONE TUBELESS EASY** Performance Line, Folding tire – HS 462

	ETRTO	Size	!	ADDIX	●	Skin	Bar	Psi	g	o <sub>2</sub>	EPI	Load	Art.-No.
28"	25-622	700x25C	RaceGuard, TLE	ADDIX	Black	Micro	5.0-7.5	70-110	275	10	67	70 kg	11653952
			RaceGuard, TLE	ADDIX	Classic-Skin	Micro	5.0-7.5	70-110	275	10	67	70 kg	11654139
	28-622	700x28C	RaceGuard, TLE	ADDIX	Black	Micro	4.0-6.5	55-95	295	10	67	70 kg	11653953
			RaceGuard, TLE	ADDIX	Classic-Skin	Micro	4.0-6.5	55-95	295	10	67	70 kg	11654140
30-622	28x1.20, 700x30C	RaceGuard, TLE	ADDIX	Black	Micro	4.0-5.0	55-80	305	11	67	75 kg	11654051	

**INCORRECT USE  
IS EXCLUDED:**

All Schwalbe One road bike tires are clearly marked with additional labels "TLE" or "TUBE ONLY".



TUBE TYPE

NEW!



### SCHWALBE ONE TUBE TYPE

**All-round road bike tire.** Schwalbe One's road bike tire technology of the highest level is fast, reliable and agile. A perfect all-rounder for cyclists who prefer to ride with tubes. The RaceGuard protection belt provides excellent protection against flats. Balanced riding characteristics and comfort are due to the active 3x67 EPI carcass. The new ADDIX compound provides speed and grip. Schwalbe One is an impressive racing tire, for training or racing, for every situation and every season of the year. Always at the highest performance level.

ⓘ The Tube Type tire is specially made for the use with a tube and cannot be used tubeless.



#### NEW! SCHWALBE ONE TUBE TYPE Performance Line, Folding tire – HS 464A

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	28-406	20x1.10	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-115	200	7	67	70 kg	11653962
24"	23-520	24x0.90	RaceGuard	ADDIX	Black	Lite	6.0-10.0	85-145	195	7	67	60 kg	11653961
27.5"	23-571	650x23C	RaceGuard	ADDIX	Black	Lite	6.0-10.0	85-145	205	7	67	70 kg	11653980
	25-584	650x25B	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-115	220	8	67	75 kg	11653959
28"	23-622	700x23C	RaceGuard	ADDIX	Black	Lite	6.0-10.0	85-115	225	8	67	70 kg	11653954
	25-622	700x25C	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-145	245	9	67	70 kg	11653956
			RaceGuard	ADDIX	Blue Strips	Lite	6.0-9.0	85-130	245	9	67	70 kg	11653964
			RaceGuard	ADDIX	Classic-Skin	Lite	6.0-9.0	85-130	245	9	67	70 kg	11654037
			RaceGuard	ADDIX	Red Strips	Lite	6.0-9.0	85-130	245	9	67	70 kg	11653963
			RaceGuard	ADDIX	White Strips	Lite	6.0-9.0	85-130	245	9	67	70 kg	11653965
		28-622	700x28C	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-115	265	9	67	75 kg
	30-622	28x1.20, 700x30C	RaceGuard	ADDIX	Black	Lite	4.5-7.0	65-100	290	11	67	75 kg	11653958

#### NEW! SCHWALBE ONE TUBE TYPE Performance Line, Wired tire – HS 464A

20"	28-451	20x1 1/8	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-115	280	10	67	70 kg	11158993
28"	25-622	700x25C	RaceGuard	ADDIX	Black	Lite	6.0-8.0	85-115	405	14	67	70 kg	11158992



**NEW!**



**DURANO DD**

**With Double Defense technology for excellent all around protection.** In addition to the RaceGuard protection belt there is an effective fabric layer protecting the tire from bead to bead. Optimized with high performance Addix Compound, Durano DD becomes an even better all-round racing tire. Due to the high level of protection and the great riding characteristics Durano DD is also recommended for use on E-road bikes.



**INSIDER**

**Specifically for turbo trainers.** The compound has a much lower internal resistance thus making it particularly suitable for roller training.

⚠ Insider should not be used on the road!

**NEW! DURANO DD Performance Line, Folding tire – HS 464**

	ETRTO	Size	!	⚡	🌀	🌪	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	23-622	700x23C	DD, RaceGuard	E-25	ADDIX	Graphite-Skin	Snake	6.0-10.0	85-145	275	10	67	70 kg	11600740.01
	25-622	700x25C	DD, RaceGuard	E-25	ADDIX	Graphite-Skin	Snake	6.0-8.0	85-115	295	10	67	70 kg	11600739.01
	28-622	700x28C	DD, RaceGuard	E-25	ADDIX	Graphite-Skin	Snake	6.0-8.0	85-115	330	12	67	75 kg	11600812.01

**NEW! DURANO DD Performance Line, Wired tire – HS 464**

28"	25-622	700x25C	DD, RaceGuard	E-25	ADDIX	Graphite-Skin	Snake	6.0-8.0	85-115	385	14	67	70 kg	11158995
	28-622	700x28C	DD, RaceGuard	E-25	ADDIX	Graphite-Skin	Snake	6.0-8.0	85-115	430	15	67	75 kg	11158996

**INSIDER Performance Line, Folding tire**

26"	35-559	26x1.35	Performance		Roller	Blue	Twin	4.0-6.5	55-95	470	17	67	90 kg	11600063.02
28"	23-622	700x23C	Performance		Roller	Blue	Twin	6.0-10.0	85-145	310	11	67	70 kg	11600084.02
	35-622	700x35C	Performance		Roller	Blue	Twin	4.0-6.5	55-95	525	19	67	100 kg	11600564.01



**NEW!**



**DURANO PLUS**

**Maximum puncture protection for race bikes!** Due to SmartGuard puncture protection Durano Plus achieves a unique level of protection for road bike tires. This makes Durano Plus the most puncture-resistant road bike tire available. Optimized by the high-performance Addix Compound, mileage and grip are at the highest level. Professional athletes and ambitious cyclists rely on these qualities in their training.



**NEW! DURANO PLUS** Performance Line, Folding tire – HS 464

	ETRTO	Size	!	ADDIX	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	25-622	700x25C	SmartGuard	ADDIX	Black	Twin	6.0-8.0	85-115	385	14	67	70 kg	11653966
	28-622	700x28C	SmartGuard	ADDIX	Black-Reflex	Twin	6.0-8.0	85-115	450	16	67	70 kg	11653967

**NEW! DURANO PLUS** Performance Line, Wired tire – HS 464

28"	23-622	700x23C	SmartGuard	ADDIX	Black	Twin	6.0-10.0	85-145	410	14	67	70 kg	11100912.01
	25-622	700x25C	SmartGuard	ADDIX	Black	Twin	6.0-8.0	85-115	450	16	67	70 kg	11100913.01
	28-622	700x28C	SmartGuard	ADDIX	Black-Reflex	Twin	6.0-8.0	85-115	530	19	67	85 kg	11100915.01

**NEW!****LUGANO II ENDURANCE**

**Doesn't matter whether Fixie, road bike or urban bike.**

Lugano II Endurance is a sportive tire and the perfect choice for all big city adventures. The extra reinforced tread center – made of improved Silica Compound – is durable and grippy at the same time.

**LUGANO T**

**Lugano T is a tubular at the best price.** In the colors black and Beige-Skin it fits perfectly onto any classic road bike. Traditionally handcrafted for cyclists who want the feel of tubulars. The tire is protected by an additional K-Guard puncture protection belt. The presta valve is 32 mm long.

**NEW! LUGANO II ENDURANCE** Active Line, Wired tire – HS 471

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	25-622	700x25C	Reinforced	Silica	Black	Twin	6.0-8.0	85-115	490	17	50	65 kg	11159024

**LUGANO T** Active Line, Tubular – HS 424

28"	22-622	700x22	K-Guard	Silica	Beige-Skin	Lite	6.0-10.0	85-145	300	11	T30	65 kg	11100489.01
			K-Guard	Silica	Black	Lite	6.0-10.0	85-145	300	11	T30	65 kg	11100490.01
	25-622	700x25	K-Guard	Silica	Black	Lite	5.0-10.0	70-145	330	12	T30	70 kg	11101159

## LUGANO II

**Never before has an entry-level model from Schwalbe has been so good!** This update was really worth it. The K-Guard puncture protection, a smooth 50-EPI carcass and the improved Silica Compound give the Lugano II impressive race performance at an excellent price. In 25 mm width Lugano II is also available in attractive color options of Classic-Skin, Blue Stripes, Red Stripes and White Stripes.



### NEW! LUGANO II Active Line, Folding tire – HS 471

	ETRTO	Size	!	☉	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	23-622	700x23C	K-Guard	Silica	Black	Lite	6.0-9.0	85-130	260	9	50	65 kg	11654008
	25-622	700x25C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	280	10	50	65 kg	11654009
			K-Guard	Silica	Blue Stripes	Lite	6.0-8.0	85-115	280	10	50	65 kg	11654012
			K-Guard	Silica	Red Stripes	Lite	6.0-8.0	85-115	280	10	50	65 kg	11654011
28-622	700x28C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	310	11	50	65 kg	11654010	

### NEW! LUGANO II Active Line, Wired tire – HS 471

	ETRTO	Size	!	☉	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	23-622	700x23C	K-Guard	Silica	Black	Lite	6.0-9.0	85-130	325	11	50	65 kg	11159143
	25-622	700x25C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159018
			K-Guard	Silica	Blue Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159022
			K-Guard	Silica	Classic-Skin	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159025
			K-Guard	Silica	Red Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159021
			K-Guard	Silica	White Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159023
28-622	700x28C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	400	14	50	70 kg	11159019	
32-622	700x32C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	420	15	50	70 kg	11159020	





# GRAVEL - SCHWALBE G-ONE SERIES

The Gravel segment is as diverse as its possible fields of application and is also characterized by riders' personal ambitions.

At the core, however, is the simple idea of being able to ride safely on unpaved roads and trails in addition to paved roads. For this reason, special Gravel tires have a more pronounced tread design than classic road bike tires, are more robust and significantly also come in widths up to 70 mm. However, Gravel tires are by no means slower, because thanks to the latest tire technology they are breathtakingly fast and extremely versatile.

For Schwalbe, "Gravel" stands for absolute cycling freedom, whether on-road or off-road, whether racy or sedate, whether on an evening ride or an adventure trip.



## GRAVEL - BEST USE.

With the Gravel series "G-One" you get the best tire for every purpose. The overview shows which G-One is the best for you.

Do you ride mostly on roads, then use G-One Speed. Do you feel home offroad? Then decide for the new G-One Ultrabite. If you are in both worlds, then the "Allround" is the best choice.

VERSION \ SURFACE	TARMAC	GRAVEL	TRAIL DRY	TRAIL WET	MUD
<b>SPEED</b> 30 – 50 MM	■	■			
<b>ALLROUND</b> 35 – 40 MM	■	■	■		
<b>BITE</b> 40 – 50 MM		■	■	■	
<b>ULTRABITE<sup>®</sup></b> 40 – 50 MM		■	■	■	■


<sup>®</sup>perfect as a front tire in combination with G-One Bite or G-One Allround on the rear wheel.

## SCHWALBE G-ONE ULTRABITE

**Gravel without limits.** Created for off-road use. The aggressive tread design impresses with its compact “tape knobs” in the middle of the tread and provides full grip and unrivaled traction. The strong outer blocks provide the rider with safety at all times when cornering. The G-One Ultrabite’s off-road performance is noticeably enhanced by the stable construction and progressive Tubeless Easy technology. The tire is completed with the versatile Addix Speedgrip compound. In widths of 40mm and 50mm, the G-One Ultrabite is perfectly suited for the use on gravel roads, forest tracks and trails, even in challenging conditions.

The “Ultrabite” offers remarkable performance as a front tire in combination with G-One Bite or G-One Allround on the rear wheel.

ⓘ Thanks to TLE tubeless technology all versions of G-One Ultrabite can be used tubeless.



\*(This rating refers to tubeless operation.)

### NEW! SCHWALBE G-ONE ULTRABITE Evolution Line, Folding tire – HS 601

	ETRTO	Size	!	⚡	🌀	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	ADDIX	Black	Micro	3.0-5.0	45-70	480	17	127	100 kg	11654035.01
29"	50-622	29x2.00	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.5-4.5	35-65	520	18	67	100 kg	11654036.01

### NEW! SCHWALBE G-ONE ULTRABITE Performance Line, Folding tire – HS 601

	ETRTO	Size	!	⚡	🌀	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	40-622	28x1.50, 700x38C	RaceGuard, TLE	E-25	ADDIX	Classic-Skin	Lite	3.0-5.0	45-70	500	18	67	100 kg	11654067.01
29"	50-622	29x2.00	RaceGuard, TLE	E-25	ADDIX	Classic-Skin	Lite	2.5-4.5	35-65	560	20	67	100 kg	11654068.01



## SCHWALBE G-ONE

### BITE

**On-road or off-road - freedom on gravel bikes.** This G-One feels pretty good on the road but his true strength comes up offroad. G-One Bite is clearly made for off-road terrain. The open tread design and strong outer blocks provide stability when cornering and deliver this G-One the perfect "Bite".


! All versions of G-One Bite can be used tubeless thanks to TLE technology.




## SCHWALBE G-ONE

### ALLROUND

**The multi-purpose gravel tire.** It impresses with unique versatility and balanced riding characteristics, whether on tarmac roads, unpaved roads or even off-road. G-One Allround rolls easily and with low vibration, but grips safely and reliably on gravel roads and smoother, dry trails. Whether after work, or on an adventure trip, there are virtually no limits to the "Allrounder".



\*(This rating refers to tubeless operation.)



### SCHWALBE G-ONE BITE Evolution Line, Folding tire – HS 487

	ETRTO	Size	!	⚡	🌀	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	40-584	27.5x1.50, 650B	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11601094
	54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	2.0-4.0	30-55	550	19	67	110 kg	11601057
28"	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11601003
29"	50-622	29x2.00	SnakeSkin, TLE	E-25	OneStar	Black	Snake	2.5-4.5	35-65	500	18	67	100 kg	11601098

### SCHWALBE G-ONE BITE Performance Line, Folding tire – HS 487

<b>NEW!</b>	28"	40-622	28x1.50, 700x38C	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin Lite	3.0-5.0	45-70	470	17	67	70 kg	11654065
-------------	-----	--------	------------------	----------------	------	--------------	-------------------	---------	-------	-----	----	----	-------	----------

### SCHWALBE G-ONE ALLROUND Evolution Line, Folding tire – HS 473

27.5"	40-584	27.5x1.50, 650B	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11600792.01
	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.8-3.7	26-54	600	21	67	110 kg	11600954
28"	35-622	28x1.35, 700x35C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	400	14	127	75 kg	11600764.01
	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11600766.01
29"	57-622	29x2.25	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.8-3.7	26-54	630	22	67	120 kg	11600955







### SCHWALBE X-ONE SPEED

**For 100 % Speed.** The speed version of the X-One series is specially developed for dry Cyclo Cross tracks. For maximum speed the tread center is flat. The flat round knobs are supported by "Multi-Rip" blocks for excellent traction. Vertical side knobs give stability when cornering. Ultimate performance is derived from the X-One Speed Evo Line with Tubeless Easy technology.




\*(This rating refers to tubeless operation.)



### SCHWALBE X-ONE ALLROUND

**A Cyclo-cross tire for all conditions.** The sophisticated profile and OneStar rubber compound make this Schwalbe X-One the most versatile. Fast and grippy at the same time on paved and loose terrain, in dry or wet conditions. The "Allround" offers everything for the perfect cyclo-cross race. Best performance is provided by the X-One Allround with Tubeless Easy technology, used tubeless.



\*(This rating refers to tubeless operation.)

#### SCHWALBE X-ONE SPEED Evolution Line, Folding tire – HS 483

	ETRTO	Size	!	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	33-622	28x1.30, 700x33C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11600956

#### SCHWALBE X-ONE SPEED Performance Line, Folding tire – HS 483

28"	33-622	28x1.30, 700x33C	RaceGuard	Dual	Black	Lite	2.8-4.8	40-70	350	12	67	75 kg	11600957
-----	--------	------------------	-----------	------	-------	------	---------	-------	-----	----	----	-------	----------

#### SCHWALBE X-ONE ALLROUND Evolution Line, Folding tire – HS 467

27.5"	33-584	27.5x1.30	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11600959
28"	33-622	28x1.30, 700x33C*	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	360	13	127	75 kg	11601006
	35-622	28x1.35, 700x35C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11601005

#### SCHWALBE X-ONE ALLROUND Performance Line, Folding tire – HS 467

<b>NEW!</b>	28"	33-622	28x1.30, 700x33C*	RaceGuard, TLE	<b>ADDIX</b>	Classic-Skin	Lite	2.8-4.8	40-70	390	14	67	70 kg	11654083
		35-622	28x1.35, 700x35C	Performance	Dual	Black	Lite	2.8-4.8	40-70	350	12	67	75 kg	11601007

\*Profil HS 467A



### SCHWALBE X-ONE BITE

**The Cross specialist for mud and gunge.** The aggressive tread “bites” firmly into soft terrain on a cyclo-cross track and also on any muddy forest road during winter. For this reason the X-One Bite is available exclusively in Tubeless Easy version for best performance under difficult conditions.

The “Bite” offers remarkable performance used as a front tire in combination with X-One Allround or X-One Speed on the rear wheel.



### CX PRO

**High speed cross-country.** Classical tread design with excellent grip.



#### SCHWALBE X-ONE BITE Evolution Line, Folding tire – HS 481

ETRTO	Size	!			Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
28"	33-622	28x1.30, 700x33C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	41-70	390	14	127	75 kg	11600922

#### CX PRO Performance Line, Wired tire – HS 269

26"	35-559	26x1.35	Performance	Dual	Black	Lite	4.0-6.5	55-95	405	14	67	70 kg	11100185.02
28"	30-622	28x1.20, 700x30C	Performance	Dual	Black	Lite	4.0-6.5	55-95	400	14	67	65 kg	11100186.02

### SCHWALBE X-ONE – BEST USE

VERSION \ SURFACE	TARMAC	TRAIL DRY	TRAIL WET	MUD
<b>SPEED</b> 33 MM	██████████	██████████	██████████	██████████
<b>ALLROUND</b> 33 MM	██████████	██████████	██████████	██████████
<b>BITE</b> 33 MM	██████████	██████████	██████████	██████████

\*perfect as a front tire in combination with X-One Speed or X-One Allround on the rear wheel.

**Schwalbe Performance Tip:** In combination with the correct wheel you can run Schwalbe X-One tires with Tubeless Easy technology for cyclo-cross with extremely low air pressures without fear of “Burping” (unwanted air leakage). All the advantages of the tubeless technology at: [www.schwalbe.com/de/tubeless-technology.html](http://www.schwalbe.com/de/tubeless-technology.html)







# MTB

SUGAR TRAIL



ISRAEL





# ADDIX®

**THE COMPOUND FOR ALL  
LEGENDARY MTB TIRES.**





## **XC RACE**

**ADDIX SPEED** is the compound for XC race specialists. It catapults our XC tires into a new performance dimension.

## **XC / AM / TRAIL**

**ADDIX SPEEDGRIP**, the universal compound. It definitely has the widest range of use. Perfect for XC, AM and Trail.

**ADDIX** makes all of our legendary EVO mountain bike tires better. With four compounds – **SPEED**, **SPEEDGRIP**, **SOFT**, **ULTRA SOFT** – we can respond to every demand. The tests in the lab and in the field demonstrate that **ADDIX** performs better than any other compound before – in all disciplines: **XC, AM and TRAIL, ENDURO and DOWNHILL**. **ADDIX** is immediately recognizable by the label on the sidewall and the colored stripe in the tread.

TIRE		COMPOUND	XC RACE	XC / AM / TRAIL	ENDURO / DOWNHILL	ENDURO / DOWNHILL
						
EDDY CURRENT	FRONT	SG			•	
	REAR	SG			•	
MAGIC MARY	DH					•
	SG				•	•
	TLE APEX*				•	
	TLE				•	
DIRTY DAN	DH					•
	SG					•
HANS DAMPF	SG				•	
	TLE APEX*		•		•	
	TLE				•	
ROCK RAZOR	SG				•	
	TLE APEX*		•			
	TLE		•			
NOBBY NIC	TLE APEX*		•			
	TLE		•			
	LS		•			
ROCKET RON	TLE	•	•			
	LS	•				
RACING RALPH	TLE	•				
RACING RAY	TLE		•			
THUNDER BURT	TLE	•				
	LS	•				
FURIOUS FRED	LS	•				
JUMBO JIM	TLE		•			
	LS		•			

\*TLE Apex exclusively for 27.5+ and 29+



**ADDIX PERFORMANCE VERSION:** Very durable rubber compound, very versatile. Like Speedgrip it is a universal compound for MTB tires in the Performance Line.

#### ENDURO / DOWNHILL

**ADDIX SOFT** is a compound that bridges many disciplines. It's just as at home in the Enduro and downhill world as it is in the demanding discipline of all-mountain and trail riding.

#### ENDURO / DOWNHILL

**ADDIX ULTRA SOFT** is the ADDIX compound for hardcore use in enduro and downhill. It has sensationally good damping properties and also performs perfectly in cold weather.



**BEST  
USE**

**MTB  
TECH**

**THE PERFECT TIRE FOR MTB'S.**


It's not just the tread pattern and rubber compound that determine the perfect tire choice. Also the construction determines the characteristics and has an impact on performance, weight and puncture protection. All constructions and optimal use, can be seen in a compact overview:

**DH**  
DOWNHILL

**DOWNHILL.**

**PURPOSE:** Especially for downhill. On challenging tracks and aggressive riding.

**CONSTRUCTION:** Sturdy carcass construction. Double layered (2x67 EPI), 6 layers of carcass in the center and sturdy 7 fabric layers on the sidewall. With sturdy wired bead cores.




**SG**  
SUPER GRAVITY

**TUBE  
LESS  
EASY**

**SUPER GRAVITY.**

**PURPOSE:** For bikes with large travel. Perfect for downhill and enduro. When the rider and the track demand everything from the material.

**CONSTRUCTION:** Extremely stable. 5 fabric layers protect the center, 7 fabric layers protect the sidewalls. Due to the patented "Turn Up" construction the tread remains flexible. All Super Gravity tires are Tubeless Easy.



**BIKE  
PARK**  
PERFORMANCE

**BIKEPARK.**

**PURPOSE:** As the name suggests. Perfect for a day at the bike park or as training tires for downhill.

**CONSTRUCTION:** Unbelievably robust due to extremely stable special carcass fabric. Reinforced side walls. Incredibly durable. Wired bead cores.



**TLR**  
TUBELESS READY

**PERFORMANCE. TUBELESS READY.**

**PURPOSE:** For hardtails and bikes with moderate travel. For XC and All Mountain. Affordable alternative to Tubeless Easy.

**CONSTRUCTION:** Tubeless technology for Performance versions. High grade construction with rubber reinforced sidewalls. Folding bead cores. Slightly heavier than Tubeless Easy.






TERRAIN			MODEL	PURPOSE			
Hardpac	Mix	Soft		Competition	Sport/Fun	Tour	
█	█	█	EDDY CURRENT	█	█	█	Enduro / Trail
█	█	█	MAGIC MARY	█	█	█	DH / Enduro
█	█	█	HANS DAMPF	█	█	█	Enduro
█	█	█	ROCK RAZOR	█	█	█	Enduro
█	█	█	DIRTY DAN	█	█	█	DH
█	█	█	NOBBY NIC	█	█	█	Enduro / AM / Trail
█	█	█	RACING RALPH	█	█	█	XC / Marathon
█	█	█	RACING RAY	█	█	█	XC / Marathon
█	█	█	ROCKET RON	█	█	█	XC / Marathon
█	█	█	THUNDER BURT	█	█	█	XC / Marathon
█	█	█	FURIOUS FRED	█	█	█	
█	█	█	JUMBO JIM	█	█	█	
█	█	█	HURRICANE	█	█	█	
█	█	█	SMART SAM	█	█	█	



**APEX. REINFORCED.**

**PURPOSE:** Perfectly suited for bikes with medium travel. For intensive All Mountain and Trail riding, as well as the soft Enduro use.


**CONSTRUCTION:** MTB Tubeless Easy standard construction. Reinforced sidewalls (2 layers of motorcycle carcass). Special construction for lightweight tires in Plus sizes. For even more stability at low pressure. Folding bead cores.



**TUBELESS EASY.**

**PURPOSE:** Wide range of use for technical riding. Perfectly suited for hardtails and bikes with moderate travel. Lightweight tires for XC, All Mountain and Trail.


**CONSTRUCTION:** State-of-the-art Tubeless Easy construction. With SnakeSkin fabric for cut resistant sidewalls and easy tubeless conversion. Folding bead cores.



**PERFORMANCE. DOUBLE DEFENSE.**

**PURPOSE:** For the highest safety demands. For all MTB's in touring use with a moderate off-road ratio.


**CONSTRUCTION:** Double protection. High grade carcass construction with additional sidewall and tread protection. (Choose between a version with RaceGuard fabric or GreenGuard layer).



**LITESKIN.**

**PURPOSE:** For sportive use in XC, Marathon and All Mountain. When the weight counts.

**CONSTRUCTION:** The lightest option. High-quality carcass construction, extra-stable folding bead cores. Lowest weight. Not suitable for tubeless use.





**MAGIC MARY** SOFT ULTRA SOFT

**The ultimate gravity tire.** Undisputedly the favorite among Schwalbe downhill and Enduro athletes. Perfect all-round characteristics for almost all tracks and conditions. The sophisticated intermediate profile is combined with the best compounds and constructions and pushes the limits into unexpected dimensions. Strong shoulder studs and the aggressive, open tread design provide maximum braking traction and cornering grip even in extremely muddy terrain. **Downhill version:** Especially robust, double carcass design with downhill apex, clincher tires. **ADDIX Ultra Soft. Super Gravity version:** Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride. **ADDIX Soft or ADDIX Ultra Soft. Tubeless Easy version:** ADDIX Soft In 27.5+ and 29+ also with Apex. **Bikepark version:** A lot of tire for little money. Unbelievably robust with super long life.



	Rolling	Road Grip	Off-Road Grip	Protection	Durability
Downhill   Ultra Soft	█	█	█	█	█
Super Gravity   Ultra Soft	█	█	█	█	█
SuperGravity   Soft	█	█	█	█	█
TLE   Apex   Soft	█	█	█	█	█
TLE   Soft	█	█	█	█	█
Performance   Bikepark	█	█	█	█	█

**MAGIC MARY Performance Line, Wired tire – HS 447**

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	o2	EPI	Load	Art.-No.
26"	60-559	26x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1045	37	67	115 kg	11600513.02
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1045	37	67	115 kg	11600536.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	795	28	67	115 kg	11600538.02
27.5"	60-584	27.5x2.35, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600511.02
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600537.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	835	29	67	115 kg	11600539.02
			SuperGravity, TLE	E-25	ADDIX	Classic-Skin	Snake	1.6-3.5	23-50	1110	39	67	115 kg	11654046
NEW!	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1065	38	67	115 kg	11601010
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1280	45	67	115 kg	11601051.01
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1150	41	67	120 kg	11601012
29"	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.7-3.8	24-55	920	32	67	110 kg	11601026
			60-622	29x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1165	41	67
NEW!	60-622	29x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	885	31	67	125 kg	11600616.02
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1165	41	67	125 kg	11654090
			Super Gravity, TLE	E-25	ADDIX	Classic-Skin	Snake	1.6-3.5	23-50	1165	41	67	115 kg	11654047
NEW!	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1130	40	67	115 kg	11601102
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1370	48	67	115 kg	11654048

**MAGIC MARY Evolution Line, Wired tire – HS 447**


26"	60-559	26x2.35	Downhill	ADDIX	Black	Snake	1.6-3.5	23-50	1190	42	2x67	115 kg	11100746.02
	65-559	26x2.60	Downhill	ADDIX	Black	Snake	1.5-3.2	20-46	1410	50	2x67	120 kg	11100943.01
27.5"	60-584	27.5x2.35, 650B	Downhill	ADDIX	Black	Snake	1.6-3.5	23-50	1250	44	2x67	115 kg	11100747.02
	65-584	27.5x2.60, 650B	Downhill	ADDIX	Black	Snake	1.5-3.2	20-46	1470	52	2x67	120 kg	11100966.01
29"	60-622	29x2.35	Downhill	ADDIX	Black	Snake	1.6-3.5	23-50	1350	48	2x67	125 kg	11101361

**MAGIC MARY Performance Line, Wired tire – HS 447**

26"	60-559	26x2.35	BikePark	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	1400	49	20D2	115 kg	11100976.01
27.5"	60-584	27.5x2.35, 650B	BikePark	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	1475	52	20D2	115 kg	11100977.01

**HANS DAMPF** SPEEDGRIP SOFT

**Hans Dampf has everything to increase fun in Enduro.** Up to 2.80 width, SuperGravity carcass, Apex versions and of course Addix compounds. For gorgeous handling and the highest puncture protection on demanding trails - uphill as well as downhill. All in all very aggressive, Hans Dampf still remains good-natured at the limits and gives optimal feedback from the ground. **Super Gravity version:** Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride. **ADDIX Soft.** **Tubeless Easy version:** ADDIX Soft ADDIX Speedgrip. In 27.5+ and 29+ reinforced with Apex.



**HANS DAMPF Evolution Line, Folding tire – HS 491**

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	60-559	26x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	800	28	67	115 kg	11601125
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1060	37	67	115 kg	11601126
27.5"	60-584	27.5x2.35, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1110	39	67	115 kg	11601101
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	840	30	67	115 kg	11601104
NEW!	65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Classic-Skin	Snake	1.6-3.5	23-50	840	30	67	115 kg	11654042
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	900	32	67	115 kg	11601106
NEW!	70-584	27.5x2.80, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1100	39	67	115 kg	11654025
			SnakeSkin, TLE, Apex	E-25	ADDIX	Classic-Skin	Snake	1.2-2.6	17-38	900	32	67	115 kg	11654044
29"	60-622	29x2.35	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1000	35	67	120 kg	11601107
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	900	32	67	125 kg	11601108
NEW!	65-622	29x2.60	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1195	42	67	125 kg	11601109
			SnakeSkin, TLE	E-25	ADDIX	Classic-Skin	Snake	1.6-3.5	23-50	900	32	67	115 kg	11654043
NEW!	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	970	34	67	115 kg	11601110
NEW!			SnakeSkin, TLE, Apex	E-25	ADDIX	Classic-Skin	Snake	1.2-2.6	17-38	970	34	67	115 kg	11654045

**HANS DAMPF Performance Line, Folding tire – HS 491**

24"	60-507	24x2.35	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	770	27	67	115 kg	11601118
26"	60-559	26x2.35	Performance, TLR		ADDIX	Black	Twin	1.6-3.5	23-50	840	30	67	115 kg	11601124
27.5"	60-584	27.5x2.35, 650B	Performance, TLR		ADDIX	Black	Twin	1.6-3.5	23-50	880	31	67	115 kg	11601105
29"	60-622	29x2.35	Performance, TLR		ADDIX	Black	Twin	1.6-3.5	23-50	930	33	67	125 kg	11601119






SCHWALBE MTB

# Pressure PROF



TUNING FOR  
ULTIMATE  
PERFORMANCE.  
THE NEW TIRE  
PRESSURE  
CALCULATOR.

ASK NOW THE SCHWALBE  
PRESSURE PROF.:  
[schwalbe.com/pressureprof](http://schwalbe.com/pressureprof)



## PROCORE®

RIDE PROGRESSIVE



**SET OF 2 WITH ALL NECESSARY COMPONENTS,  
IN ORDER TO CONVERT A COMPLETE BIKE.**

2 x PROCORE inner tire  
2 x PROCORE special tube  
2 x AirGuide  
Tubeless rim tape  
Doc Blue  
Tire fitting aids

Set 26" 16610001  
Set 27.5" 16610002  
Set 29" 16610003

### INDIVIDUAL PARTS

Procore inner tire 26"	11600759
Procore inner tire 27.5"	11600760
Procore inner tire 29"	11600761
Procore tube 26"	10400213
Procore tube 27.5"	10400223
Procore tube 29"	10400233
AirGuide	3671

Weighing ca. 200 g per wheel. Compatible with all wheels regardless of brand. Internal rim width min. 23mm and max. 40mm. Tire Width min. 57mm.  
PROCORE IS A JOINT DEVELOPMENT OF SCHWALBE AND SYNTACE.





	Rolling	Road Grip	Off-Road Grip	Protection	Durability
TLE   Speedgrip	██████████	██████████	██████████	██████████	██████████
TLE   Apex   Speedgrip	██████████	██████████	██████████	██████████	██████████
LiteSkin   Speedgrip	██████████	██████████	██████████	██████████	██████████
DD   RaceGuard	██████████	██████████	██████████	██████████	██████████
Performance   TL Ready	██████████	██████████	██████████	██████████	██████████
Performance	██████████	██████████	██████████	██████████	██████████

**NOBBY NIC** Evolution Line, Folding tire – HS 463

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	54-559	26x2.10	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	575	20	67	100 kg	11600663.01
	57-559	26x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	635	22	67	110 kg	11600664.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	570	20	67	110 kg	11601070
60-559	26x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	680	24	67	115 kg	11600665.01	
27.5"	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	670	24	67	110 kg	11600666.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	600	21	67	110 kg	11601071
	60-584	27.5x2.35, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	720	25	67	115 kg	11600667.01
	65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	810	29	67	115 kg	11600875.01
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	910	32	67	115 kg	11600910.01
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	960	34	67	120 kg	11600912.01
75-584	27.5x3.00, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.0-2.4	15-35	1010	36	67	120 kg	11600914.01	
29"	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	710	25	67	120 kg	11600668.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	690	24	67	120 kg	11601069
	60-622	29x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	765	27	67	125 kg	11600669.01
65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	950	34	67	115 kg	11601025	





**NOBBY NIC** SPEEDGRIP

**The MTB tire with the greatest range of applications.** The all-rounder that works in every situation, no matter the weather, no matter the terrain. Widest possible range of use: for tour and all-mountain, for difficult cross-country tracks as well as technically challenging enduro trails. **Tread design:** Excellent traction and braking performance thanks to special central stud arrangement, large shoulder studs for excellent control on tricky trails. **Tubeless Easy version:** ADDIX Speedgrip. In size 27.5+ and 29+ also with Apex. **LiteSkin Version:** ADDIX Speedgrip. Only in this version with a stylish sidewall in Classic-Skin colour.

\*With ECE-R75 certification perfectly suited for an E-MTB.  
The Performance, Double Defense version.

**NOBBY NIC** Performance Line, Folding tire – HS 463

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	54-559	26x2.10	Performance, TLR	E-25	ADDIX	Black	Twin	2.0-4.0	30-55	620	22	67	100 kg	11601029
	57-559	26x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	715	25	67	110 kg	11601030
	60-559	26x2.35	DD, RaceGuard*	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	800	28	67	121 kg	11600981.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	790	28	67	115 kg	11601031
27.5"	57-584	27.5x2.25, 650B	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	745	26	67	110 kg	11601032
	60-584	27.5x2.35, 650B	DD, RaceGuard*	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	845	30	67	121 kg	11600983.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	825	29	67	115 kg	11601033
29"	57-622	29x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	790	28	67	120 kg	11601034
	60-622	29x2.35	DD, RaceGuard*	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	895	32	67	121 kg	11600988.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	880	31	67	125 kg	11601035

**NOBBY NIC** Performance Line, Wired tire – HS 463

26"	54-559	26x2.10	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	610	22	67	100 kg	11100978.01
	57-559	26x2.25	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	660	23	67	110 kg	11100896.01
27.5"	57-584	27.5x2.25, 650B	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	680	24	67	110 kg	11100897.01
29"	57-622	29x2.25	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	730	26	67	120 kg	11100898.01



**RACING RALPH** SPEED

**The perfect racer.** Faced with the extreme challenges of today's XC tracks, we have completely revised Racing Ralph. The result is a very fast and versatile XC profile, specially developed for the rear wheel. **Profile design:** Numerous grip edges in the tread center for super traction and excellent acceleration. Good rolling properties and extremely quiet.



**Tubeless Easy Version:** With ADDIX Speed for speed, stability and durability.



**RACING RAY** SPEEDGRIP

**The front wheel specialist.** The completely new, extra aggressive XC profile paired with the versatile Addix Speedgrip compound makes Racing Ray an XC weapon and an ingenious addition to Racing Ralph. **Profile design:** The shifted center blocks and stable shoulder blocks are striking. In between a sophisticated open area. This enables precise steering, reliable cornering far into the limit, sporty handling and direct feedback, together with high braking performance under all conditions.

**Tubeless Easy Version** With ADDIX Speedgrip for speed, grip and durability.



**RACING RALPH** Evolution Line, Folding tire – HS 490

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
	26"	57-559	26x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	565	20	67	110 kg	11601127
	27.5"	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	590	21	67	115 kg	11601115
	29"	54-622	29x2.10	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	2.0-4.0	30-55	595	21	67	110 kg	11601128
		57-622	29x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	625	22	67	120 kg	11601099
<b>NEW!</b>				SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.8-3.7	26-54	625	22	67	120 kg	11654049
<b>NEW!</b>		60-622	29x2.35	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.6-3.5	23-50	770	27	67	120 kg	11654029

**RACING RALPH** Performance Line, Folding tire – HS 490

<b>NEW!</b>	26"	57-559	26x2.25	Performance, TLR		<b>ADDIX</b>	Black	Twin	1.8-3.7	26-54	660	23	67	110 kg	11654069
	27.5"	57-584	27.5x2.25, 650B	Performance, TLR		<b>ADDIX</b>	Black	Twin	1.8-3.7	26-54	680	24	67	115 kg	11601116
	29"	57-622	29x2.25	Performance, TLR		<b>ADDIX</b>	Black	Twin	1.8-3.7	26-54	735	26	67	120 kg	11601114

**RACING RAY** Evolution Line, Folding tire – HS 489


	26"	57-559	26x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	565	20	67	110 kg	11601129
	27.5"	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	590	21	67	110 kg	11601113
	29"	54-622	29x2.10	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	2.0-4.0	30-55	595	21	67	110 kg	11601130
		57-622	29x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.8-3.7	26-54	625	22	67	120 kg	11601100
<b>NEW!</b>				SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.8-3.7	26-54	625	22	67	120 kg	11654050
<b>NEW!</b>		60-622	29x2.35	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Black	Snake	1.6-3.5	23-50	770	27	67	120 kg	11654028

**RACING RAY** Performance Line, Folding tire – HS 489

	27.5"	57-584	27.5x2.25, 650B	Performance, TLR		<b>ADDIX</b>	Black	Twin	1.8-3.7	26-54	680	24	67	110 kg	11601112
	29"	57-622	29x2.25	Performance, TLR		<b>ADDIX</b>	Black	Twin	1.8-3.7	26-54	735	26	67	120 kg	11601111

**ROCKET RON** SPEEDGRIP SPEED

**Lift Off!** The cross-country rocket combines speed and corner control at the highest possible level. An excellent all-rounder for racetracks. Outstanding in Tubeless Easy version or ultra light as LiteSkin option with 127-EPI-Evo-carcass. **Tread design:** Balanced proportion between stable studs and sufficient gaps for excellent rolling characteristics and amazing self-cleaning properties. 27.5+ versions with additional stud rows. **Tubeless Easy version:** ADDIX Speed or ADDIX Speedgrip. **LiteSkin version:** ADDIX Speed. With 127-EPI-Evo-carcass.



**ROCKET RON** Evolution Line, Folding tire – HS 438

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
<b>NEW!</b>	20"	57-406	20x2.25	LiteSkin	ADDIX	Black	Lite	max. 3.7	max. 54	360	13	127	115 kg	11654016	
<b>NEW!</b>	24"	60-507	24x2.35	LiteSkin	ADDIX	Black	Lite	max. 3.5	max. 50	500	18	127	115 kg	11654015	
	26"	57-559	26x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	540	19	67	110 kg	11600621.02
<b>NEW!</b>		60-559	26x2.35	LiteSkin	ADDIX	Black	Lite	max. 3.5	max. 50	570	20	127	115 kg	11654014	
	27.5"	54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	520	18	67	100 kg	11600554.02
		57-584	27.5x2.25, 650B	LiteSkin	ADDIX	Black	Lite	1.8-3.7	26-54	490	17	127	110 kg	11600476.02	
				SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	570	20	67	110 kg	11600555.02
				SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	570	20	67	110 kg	11601017
		65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	735	26	67	115 kg	11600891.01
		70-584	27.5x2.80, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	785	28	67	120 kg	11600826.01
		75-584	27.5x3.00, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.0-2.4	15-35	830	29	67	120 kg	11600794.01
	29"	54-622	29x2.10	LiteSkin	ADDIX	Black	Lite	2.0-4.0	30-55	485	17	127	110 kg	11600384.02	
				SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	560	20	67	110 kg	11600553.02
		57-622	29x2.25	LiteSkin	ADDIX	Black	Lite	1.8-3.7	26-54	520	18	127	120 kg	11600385.02	
				SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	610	22	67	120 kg	11600492.02
				SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	610	22	67	120 kg	11601018

**ROCKET RON** Performance Line, Folding tire – HS 438

	24"	54-507	24x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	435	15	67	90 kg	11600506.02	
	26"	54-559	26x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	480	17	67	100 kg	11600387.02	
		57-559	26x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	645	23	67	110 kg	11601042
	27.5"	57-584	27.5x2.25, 650B	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	670	24	67	110 kg	11601043
	29"	54-622	29x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	535	19	67	110 kg	11600389.02	
		57-622	29x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	715	25	67	120 kg	11601044





**THUNDER BURT** SPEED

**Excellent for fast and dry XC tracks.** Extremely low rolling resistance, very light - the fastest MTB tyre from Schwalbe. **Tread design:** extra-ordinary amount of small and flat central studs for fast rolling, pronounced outer studs for corner control and grip. **Tubeless Easy version:** ADDIX Speed. **LiteSkin version:** ADDIX Speed. With 127-EPI-Evo-carcass.



**FURIOUS FRED** SPEED

**The lightweight.** Only approx. 360 grams. Minimal material use, most supple 127-EPI-Evo-carcass, fastest compound. Attention: Furious Fred is a real specialist. It has limited grip and a relatively high puncture risk. **LiteSkin version:** ADDIX Speed.



**THUNDER BURT** Evolution Line, Folding tire – HS 451

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	480	17	67	100 kg	11600623.02
	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	540	19	67	110 kg	11600655.01
29"	54-622	29x2.10	LiteSkin		ADDIX	Black	Lite	2.0-4.0	30-55	435	15	127	110 kg	11600510.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	515	18	67	110 kg	11600562.02
	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	575	20	67	120 kg	11600657.01


**FURIOUS FRED** Evolution Line, Folding tire – HS 395

29"	50-622	29x2.00	LiteSkin		ADDIX	Black	Lite	2.2-4.3	32-62	360	13	127	100 kg	11600075.03
-----	--------	---------	----------	--	-------	-------	------	---------	-------	-----	----	-----	--------	-------------




### HURRICANE

**Intermediate tire for easy off-road terrain.** The new Hurricane has a modern, dynamic tread design. It rolls fast with its flat center and is whisperingly silent on asphalt. Sturdy shoulder studs offer good grip on forest roads and gravel creating excellent off-road qualities. Optimum micro-teeth on the shoulders ensure that every corner is safely taken. Hurricane is an excellent all-terrain tire for cyclists who want to be fast on the road and expect their tire to perform well off-road. Optimized for E-MTB's, the new Hurricane is now also available up to a width of 62 mm, with DoubleDefense technology for the highest demands of puncture protection.



### JUMBO JIM SPEEDGRIP

**The fat bike tire.** Extremely light. The large volume can be ridden with extremely low air pressure. Ideal on deep soils, rough and very loose terrain. Available in widths of 100, 110 or 120 millimetres. **Tubeless Easy version:** ADDIX Speedgrip. **LiteSkin version:** ADDIX Speedgrip.



**NEW! HURRICANE Performance Line, Wired tire – HS 499**

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	54-559	26x2.10					Lite	2.0-4.5	30-65	620	22	67	105 kg	11159052
27.5"	57-584	27.5x2.25, 650B					Lite	2.0-4.0	30-55	690	24	67	105 kg	11159051
			RaceGuard	E-25			Lite	2.0-4.0	30-55	735	26	67	105 kg	11159064
	62-584	27.5x2.40, 650B					Snake	1.6-2.5	23-50	885	31	67	105 kg	11159071
28"	42-622	28x1.60					Lite	3.5-6.0	50-85	555	20	67	105 kg	11159054
			RaceGuard	E-25			Lite	3.5-6.0	50-85	585	21	67	105 kg	11159066
29"	57-622	29x2.25					Lite	2.0-4.0	30-55	740	26	67	105 kg	11159048
			RaceGuard	E-25			Lite	2.0-4.0	30-55	785	28	67	105 kg	11159065
	62-622	29x2.40					Snake	1.6-3.5	23-50	940	33	67	105 kg	11159072

**JUMBO JIM Evolution Line, Folding tire – HS 466**

26"	100-559	26x4.00	LiteSkin				Lite	0.4-2.0	6-30	990	35	127	120 kg	11600714.01
			SnakeSkin, TLE	E-25			Snake	0.4-2.0	6-30	1090	38	127	120 kg	11600715.01
	110-559	26x4.40	SnakeSkin, TLE	E-25			Snake	0.4-2.0	6-30	1230	43	127	120 kg	11600815.01
	120-559	26x4.80	SnakeSkin, TLE	E-25			Snake	0.4-2.0	6-30	1290	46	127	120 kg	11600717.01

**JUMBO JIM Performance Line, Folding tire – HS 466**

26"	100-559	26x4.00	Performance				Lite	0.4-2.0	6-30	1050	37	67	120 kg	11601021
-----	---------	---------	-------------	--	--	--	------	---------	------	------	----	----	--------	----------





### BLACK JACK

**Versatile tread** with a great off-road appearance, good grip and easy rolling. Ideally suited for children and young cyclists. The special Black'n'Roll compound in sizes 12", 16" and 18" will not leave unsightly skid marks on floors.



### CX COMP

**All-terrain tire.** With an appealing semi-slick profile. For fast rolling and with good cornering grip off-road.



#### BLACK JACK Active Line, Wired tire – HS 407

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
12"	47-203	12x1.90	K-Guard	Black 'n' Roll	Black	Twin	2.0-4.5	30-65	260	9	50	50 kg	11100043.03
16"	47-305	16x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	360	13	50	55 kg	11100065.02
18"	47-355	18x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	420	15	50	65 kg	11100066.02
20"	47-406	20x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	450	16	50	65 kg	11116407.02
24"	47-507	24x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	560	20	50	70 kg	11125407.02
	54-507	24x2.10	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	670	24	50	100 kg	11126417.02
26"	47-559	26x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	605	21	50	85 kg	11131407.02
	50-559	26x2.00	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	640	23	50	90 kg	11132397.02
	54-559	26x2.10	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	740	26	50	100 kg	11132417.02
	57-559	26x2.25	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	820	29	50	110 kg	11133427.02

#### CX COMP Active Line, Wired tire – HS 369

20"	47-406	20x1.75	K-Guard	SBC	Black-Reflex	Lite	2.0-4.5	30-65	425	15	50	65 kg	11100125.02
24"	47-507	24x1.75	K-Guard	SBC	Black-Reflex	Lite	2.0-4.5	30-65	525	19	50	70 kg	11100126.01
26"	50-559	26x2.00	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	620	22	50	90 kg	11139369.02
			K-Guard	SBC	Black-Reflex	Lite	2.0-4.5	30-65	620	22	50	90 kg	11139979.01
28"	30-622	28x1.20, 700x30C	K-Guard	SBC	Black	Lite	3.0-5.5	45-80	430	15	50	55 kg	11148969.02
	35-622	28x1.35, 700x35C	K-Guard	SBC	Black	Lite	2.5-4.5	35-65	480	17	50	60 kg	11149369.02
			K-Guard	SBC	Black-Reflex	Lite	2.5-4.5	35-65	480	17	50	60 kg	11149979.01
	40-622	28x1.50, 700x38C	K-Guard	SBC	Black	Lite	2.5-4.5	35-65	550	19	50	80 kg	11150369.02
			K-Guard	SBC	Black-Reflex	Lite	2.5-4.5	35-65	550	19	50	80 kg	11150368.01



### RAPID ROB

**Top Choice for rookies.** A first-class XC tire with excellent tread design and K-Guard puncture protection. Best suited for the rear wheel in combination with (e.g.) Tough Tom. Highlight: A version with white stripes in the tread in all wheel sizes from 26" to 29".



### TOUGH TOM

**Top Choice for rookies.** Proven XC and All Mountain tread design. The right choice for rougher trails. Perfect for the front wheel in combination with (e.g.) Rapid Rob. Available in the wheel sizes 26", 27.5" and 29" as well as the super-wide 60 mm version (27.5 x 2.35).



### SPACE

**Gravity tire.** At an affordable price. Great appearance due to the striking downhill tread design.



#### RAPID ROB Active Line, Wired tire – HS 425

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	54-559	26x2.10	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	650	23	50	100 kg	11101391
	57-559	26x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	720	25	50	110 kg	11101392
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	720	25	50	110 kg	11101393
27.5"	54-584	27.5x2.10, 650B	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	680	24	50	100 kg	11101394
	57-584	27.5x2.25, 650B	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	750	26	50	110 kg	11101395
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	750	26	50	110 kg	11101396
29"	54-622	29x2.10	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	725	26	50	110 kg	11101397
	57-622	29x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	790	28	50	120 kg	11101398
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	790	28	50	120 kg	11101399

#### TOUGH TOM Active Line, Wired tire – HS 411

26"	57-559	26x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	705	25	50	110 kg	11101027.01
27.5"	57-584	27.5x2.25, 650B	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	730	26	50	110 kg	11101020.01
	60-584	27.5x2.35, 650B	K-Guard	SBC	Black	Lite	1.6-3.5	23-50	785	28	50	115 kg	11101028.01
29"	57-622	29x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	785	28	50	120 kg	11101026.01

#### SPACE Active Line, Wired tire – HS 326

26"	60-559	26x2.35	K-Guard	SBC	Black	Twin	2.0-4.0	30-55	1060	37	50	115 kg	11133328.02
-----	--------	---------	---------	-----	-------	------	---------	-------	------	----	----	--------	-------------





**SMART SAM** Performance Line, Wired tire – HS 476

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
	20"	60-406 20x2.35	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	580	20	67	90 kg	11101336	
	24"	54-507 24x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	29-55	550	19	67	100 kg	11101229.01	
		60-507 24x2.35	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	710	25	67	90 kg	11101337	
	26"	54-559 26x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	645	23	67	100 kg	11101178.01	
			RaceGuard	ADDIX	Black-Reflex	Lite	2.0-4.0	30-55	680	24	67	100 kg	11101179.01	
		57-559 26x2.25	Performance	ADDIX	Black	Lite	1.8-3.7	26-54	765	27	67	110 kg	11101181.01	
			Performance	ADDIX	White Stripes	Lite	1.8-3.7	26-54	765	27	67	110 kg	11101182.01	
	27.5"	54-584 27.5x2.10, 650B	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	665	23	67	100 kg	11101146.01	
		57-584 27.5x2.25, 650B	Performance	ADDIX	Black	Lite	1.8-3.7	26-54	740	26	67	110 kg	11101147.01	
NEW!			Performance	ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	740	26	67	110 kg	11159073	
NEW!		60-584 27.5x2.35, 650B	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	805	28	67	90 kg	11159103	
		65-584 27.5x2.60, 650B	Performance	ADDIX	Black	Lite	1.5-3.0	20-45	850	30	67	115 kg	11101154.01	
	28"	37-622 28x1.40, 700x35C	Performance	ADDIX	Black	Lite	3.5-6.0	50-85	475	17	67	100 kg	11101134.02	
			Performance	ADDIX	Black-Reflex	Lite	3.5-6.0	50-85	475	17	67	100 kg	11101137.01	
		42-622 28x1.60, 700x40C	Performance	ADDIX	Black	Lite	3.5-6.0	50-85	555	20	67	110 kg	11101135.02	
			Performance	ADDIX	Black-Reflex	Lite	3.5-6.0	50-85	555	20	67	110 kg	11101138.01	
		44-622 28x1.65	Performance	ADDIX	Black	Lite	3.0-5.0	45-70	590	21	67	110 kg	11101150.02	
			Performance	ADDIX	Black-Reflex	Lite	3.0-5.0	45-70	590	21	67	110 kg	11101151.01	
	29"	47-622 29x1.75	Performance	ADDIX	Black	Lite	3.0-5.0	45-70	650	23	67	110 kg	11101136.02	
		54-622 29x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	730	26	67	110 kg	11101139.01	
		57-622 29x2.25	Performance	ADDIX	Black	Lite	1.8-3.7	26-54	810	29	67	120 kg	11101142.01	
NEW!				Performance	ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	810	29	67	110 kg	11159074
NEW!			60-622 29x2.35	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	860	30	67	90 kg	11159102
		65-622 29x2.60	Performance	ADDIX	Black	Lite	1.5-3.0	20-45	920	32	67	115 kg	11159037	

**SMART SAM** Performance Line, Folding tire – HS 476

	26"	54-559 26x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	560	20	67	100 kg	11600916.01
		57-559 26x2.25	Performance	ADDIX	Black	Lite	1.8-3.7	26-54	625	22	67	110 kg	11600917.01





### SMART SAM


**One for all.** A captivating long runner with excellent all-round properties. For all those who like to switch between road and off-road terrain with the MTB. The modern, distinctive off-road tread design stands out due to the compact center, which provides comfortable rolling with low vibration. Edged outer blocks provide optimum off-road grip at the same time. This makes Smart Sam the perfect choice for any terrain.

### SMART SAM DD

With Double Defense (RaceGuard and all-around SnakeSkin) technology perfectly prepared for the use on an E-MTB.

### SMART SAM PLUS

First class all-rounder with extra safe Double Defense puncture protection due to the 3mm GreenGuard layer and SnakeSkin sidewall. ECE-R75 approved for great riding fun on you E-MTB.



#### SMART SAM DD Performance Line, Folding tire – HS 476

	ETRTO	Size	!	⚡	🌀	🌫️	Skin	Bar	Psi	🏋️	🚰	EPI	Load	Art.-No.	
	27.5"	65-584	27.5x2.60, 650B	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.5-3.0	20-45	970	34	67	121 kg	11600984.01
<b>NEW!</b>	29"	65-622	29x2.60	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.5-3.0	20-55	1050	37	67	121 kg	11654096

#### SMART SAM PLUS Performance Line, Wired tire – HS 476

	26"	54-559	26x2.10	DD, GreenGuard	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	895	32	67	100 kg	11101177.01
		57-559	26x2.25	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	980	35	67	121 kg	11101180.01
	27.5"	57-584	27.5x2.25, 650B	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	1025	36	67	121 kg	11101148.01
	28"	42-622	28x1.60, 700x40C	DD, GreenGuard	E-25	ADDIX	Black	Snake	3.5-6.0	50-85	835	29	67	110 kg	11101183.02
<b>NEW!</b>	29"	47-622	29x1.75	DD, GreenGuard	E-50	ADDIX	Black	Snake	3.0-5.0	45-70	905	32	67	121 kg	11159076.01
		54-622	29x2.10	DD, GreenGuard	E-50	ADDIX	Black	Snake	2.0-4.0	30-55	965	34	67	121 kg	11101143.01
		57-622	29x2.25	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	1090	38	67	121 kg	11101152.01



## TABLE TOP

**Into the Dirt!** Timo Pritzel signature tires. Dirt tires with the best rolling properties and low weight. In combination with the closed block tread design, this is the perfect basis for speed and sophisticated tricks.



### HIGHLIGHT

A version with stylish **Classic-Skin** sidewall.



## JUMPIN' JACK

**Born to jump in the dirt.** Designed for "Dirt" riding, large regular lugs give outstanding grip in sand and dirt. Special strengthening protects the sidewalls.



### TABLE TOP Performance Line, Folding tire – HS 373

ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	57-559 26x2.25	Performance	ADDIX	Classic-Skin	Lite	2.0-4.0	30-55	590	21	67	110 kg	11600837.02

### TABLE TOP Performance Line, Wired tire – HS 373

24"	57-507 24x2.25	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	605	21	67	100 kg	11100127.03
26"	57-559 26x2.25	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	670	24	67	110 kg	11100128.03


### JUMPIN' JACK Performance Line, Wired tire – HS 331

20"	54-406 20x2.10	Performance	ADDIX	Black	Twin	2.0-4.5	30-65	640	23	67	80 kg	11100134.03
	57-406 20x2.25	Performance	ADDIX	Black	Twin	2.0-4.5	30-65	765	27	67	90 kg	11100135.03



**MAD MIKE | KNOBBY**

Proven BMX profiles in an affordable standard version.



**MAD MIKE** Active Line, Wired tire – HS 137

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
16"	47-305	16x1.75	K-Guard	SBC	Black	Twin	2.5-4.5	35-65	430	15	50	40 kg	11106400.01
	57-305	16x2.125	K-Guard	SBC	Black	Twin	2.5-4.5	35-65	540	19	50	55 kg	11107400.01
20"	47-406	20x1.75	K-Guard	SBC	Black	Twin	2.5-4.5	35-65	580	20	50	50 kg	11116400.01
	57-406	20x2.125	K-Guard	SBC	Black	Twin	2.5-4.5	35-65	720	25	50	70 kg	11117400.01

**KNOBBY** Active Line, Wired tire – HS 160

20"	54-406	20x2.00	K-Guard	SBC	Black	Twin	2.5-4.5	35-65	750	26	50	75 kg	11117028.01
-----	--------	---------	---------	-----	-------	------	---------	-------	-----	----	----	-------	-------------





## FOR KIDS AND TEENS

Should the best bikes and the best equipment be reserved for “grown-ups” to ride? Absolutely not! That’s why Schwalbe has developed high-quality bicycle tires from 12” to 24” for every purpose and gathered them in the new Youth-Series.

Cool tires like Hans Dampf, Rocket Ron or Little Joe are the performance boost for super athletes and all those who want to become one. The new Schwalbe Youth-Series offers excellent bicycle tires for balance bikes or MTBs.



### HANS DAMPF

**Hans Dampf is fun!** Huge volume, aggressive tread and high-quality ADDIX Performance compound. With Tubeless Ready technology, Hans Dampf has everything that increases fun on a 24 inch bike. Extreme grip and excellent durability for the best day at the bike park and on all trails.



### ROCKET RON

**A true rocket.** Perfect for race tracks! With ultra-fast ADDIX Speed compound and super light due to 127-EPI-EVO carcass in the LiteSkin version. In 20 inch and 24 inch.



### LITTLE JOE

**For daredevils.** Little Joe is made for kids. The tread fits a mountain bike and still rolls well on the road. Little Joe is light. As a folding tire it really saves weight on the bike. Most of all in size 37-406. Little Joe is safe. The K-Guard and the 50 EPI carcass protect against punctures.

#### HANS DAMPF Performance Line, Folding tire – HS 491

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
24"	60-507	24x2.35	Performance, TLR	<b>ADDIX</b>	Black	Twin	1.6-3.5	23-50	770	27	67	115 kg	11601118

#### ROCKET RON Evolution Line, Folding tire – HS 438

<b>NEW!</b>	20"	57-406	20x2.25	LiteSkin	<b>ADDIX</b>	Black	Lite	max. 3.7	max. 54	360	13	127	115 kg	11654016
<b>NEW!</b>	24"	60-507	24x2.35	LiteSkin	<b>ADDIX</b>	Black	Lite	max. 3.5	max. 50	500	18	127	115 kg	11654015

#### ROCKET RON Performance Line, Folding tire – HS 438

24"	54-507	24x2.10	Performance	<b>ADDIX</b>	Black	Lite	2.0-4.0	30-55	435	15	67	90 kg	11600506.02
-----	--------	---------	-------------	--------------	-------	------	---------	-------	-----	----	----	-------	-------------

#### LITTLE JOE Active Line, Folding tire – HS 371A

<b>NEW!</b>	20"	37-406	20x1.40	K-Guard	Endurance	Black-Reflex	Lite	3.0-7.0	45-100	290	10	50	70 kg	11600846.02
<b>NEW!</b>		50-406	20x2.00	K-Guard	Endurance	Black-Reflex	Lite	3.0-5.0	45-70	430	15	50	75 kg	11600847.01



### TABLE TOP

**Into the Dirt!** Riding fun is not a question of wheel size. Perfectly equipped with Table Top. This is the perfect basis for speed and sophisticated tricks.



### SMART SAM

**One for all.** A great MTB tire with excellent all-round characteristics. For all kids who like to switch their MTB between road and off-road terrain. Great off-road tread design with compact centre. Edged outer blocks provide for optimum off-road grip. Smart Sam is the perfect choice for any terrain.



### BLACK JACK

**Versatile tread** with a great off-road look, good grip and easy rolling. Ideally suited for children and young cyclists. The special Black'n'Roll compound in sizes 12", 16" and 18" will not leave unsightly skid marks on floors.



### KID PLUS

**For buggies.** With extra-safe protection (Puncture Guard). The special tread compound Black'n'Roll will not leave unsightly skid marks on floors.



### TRACER

**Follow my leader.** The first special tire for bicycle trailers. Material is used only where it is needed. Thus the Tracer is at the same time lighter, more durable and more comfortable than other tires of the same size. Naturally with 50 EPI carcass, K-Guard and a single-sided reflective line.

#### TABLE TOP Performance Line, Wired tire – HS 373

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
24"	57-507	24x2.25	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	605	21	67	100 kg	11100127.03

#### SMART SAM Performance Line, Wired tire – HS 476

20"	60-406	20x2.35	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	580	20	67	90 kg	11101336
24"	54-507	24x2.10	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	550	19	67	100 kg	11101229.01
	60-507	24x2.35	Performance	ADDIX	Black	Lite	1.6-3.5	23-50	710	25	67	90 kg	11101337
29"	65-622	29x2.60	Performance	ADDIX	Black	Lite	1.5-3.0	20-45	920	32	67	115 kg	11159037

#### BLACK JACK Active Line, Wired tire – HS 407

12"	47-203	12x1.90	K-Guard	Black 'n' Roll	Black	Twin	2.0-4.5	30-65	260	9	50	50 kg	11100043.03
16"	47-305	16x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	360	13	50	55 kg	11100065.02
18"	47-355	18x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	420	15	50	65 kg	11100066.02
20"	47-406	20x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	450	16	50	65 kg	11116407.02
24"	47-507	24x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	560	20	50	70 kg	11125407.02
	54-507	24x2.10	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	670	24	50	100 kg	11126417.02

#### KID PLUS Active Line, Wired tire – HS 413

12"	47-203	12x1.75	PunctureGuard	Black 'n' Roll	Black	Twin	2.0-4.5	30-65	350	12	50	55 kg	11102413.02
14"	47-288	14x1.75	PunctureGuard	Black 'n' Roll	Black	Twin	2.0-4.5	30-65	450	16	50	60 kg	11100795

#### TRACER Active Line, Wired tire – HS 418

20"	47-406	20x1.75	K-Guard	SBC	Grey Stripes-Reflex	Lite	1.5-3.5	20-50	470	17	50	60 kg	11100448.01
-----	--------	---------	---------	-----	---------------------	------	---------	-------	-----	----	----	-------	-------------





Magic Mary

**MAGIC MARY** Evolution Line, Folding tire – HS 447

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
<b>NEW!</b>	27.5"	<b>60-584</b> 27.5x2.35, 650B	SuperGravity, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.6-3.5	23-50	1165	39	67	115 kg	11654046
<b>NEW!</b>	29"	<b>60-622</b> 29x2.35	SuperGravity, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.6-3.5	23-50	1175	41	67	115 kg	11654047

**HANS DAMPF** Evolution Line, Folding tire – HS 491

<b>NEW!</b>	27.5"	<b>60-584</b> 27.5x2.35, 650B	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.6-3.5	23-50	840	30	67	115 kg	11654042
<b>NEW!</b>		<b>65-584</b> 27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.2-2.6	17-38	900	32	67	115 kg	11654044
<b>NEW!</b>	29"	<b>60-622</b> 29x2.35	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.6-3.5	23-50	850	30	67	115 kg	11654043
<b>NEW!</b>		<b>65-622</b> 29x2.60	SnakeSkin, TLE, Apex	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.2-2.6	17-38	970	34	67	115 kg	11654045

**NOBBY NIC** Evolution Line, Folding tire – HS 463

	26"	<b>57-559</b> 26x2.25	LiteSkin		<b>ADDIX</b>	Classic-Skin	Lite	1.8-3.7	26-54	570	20	67	110 kg	11601070
	27.5"	<b>57-584</b> 27.5x2.25, 650B	LiteSkin		<b>ADDIX</b>	Classic-Skin	Lite	1.8-3.7	26-54	600	21	67	110 kg	11601071
	29"	<b>57-622</b> 29x2.35	LiteSkin		<b>ADDIX</b>	Classic-Skin	Lite	1.8-3.7	26-54	690	24	67	120 kg	11601069

**RACING RALPH** Evolution Line, Folding tire – HS 490

	29"	<b>57-622</b> 29x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.8-3.7	26-54	625	22	67	120 kg	11654049
--	-----	-----------------------	----------------	------	--------------	--------------	-------	---------	-------	-----	----	----	--------	----------

**RACING RAY** Evolution Line, Folding tire – HS 489

	29"	<b>57-622</b> 29x2.25	SnakeSkin, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	1.8-3.7	26-54	625	22	67	120 kg	11654050
--	-----	-----------------------	----------------	------	--------------	--------------	-------	---------	-------	-----	----	----	--------	----------

**SMART SAM** Performance Line, Wired tire – HS 476

<b>NEW!</b>	27.5"	<b>57-584</b> 27.5x2.25, 650B	Performance		<b>ADDIX</b>	Classic-Skin	Lite	1.8-3.7	26-54	740	26	67	110 kg	11159073
<b>NEW!</b>	29"	<b>57-622</b> 29x2.25	Performance		<b>ADDIX</b>	Classic-Skin	Lite	1.8-3.7	26-54	810	29	67	110 kg	11159074

**TABLE TOP** Performance Line, Folding tire – HS 373

	26"	<b>57-559</b> 26x2.25	Performance		<b>ADDIX</b>	Classic-Skin	Lite	2.0-4.0	30-55	590	21	67	110 kg	11600837.02
--	-----	-----------------------	-------------	--	--------------	--------------	------	---------	-------	-----	----	----	--------	-------------

**SCHWALBE G-ONE SPEED** Performance Line, Folding tire – HS 472

<b>NEW!</b>	27.5"	<b>50-584</b> 27.5x2.00, 650B	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Lite	2.5-4.5	36-65	485	17	67	100 kg	11654082
-------------	-------	-------------------------------	----------------	------	--------------	--------------	------	---------	-------	-----	----	----	--------	----------

**SCHWALBE G-ONE ALLROUND** Performance Line, Folding tire – HS 473

<b>NEW!</b>	28"	<b>35-622</b> 28x1.35, 700x35C	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Lite	3.0-5.0	45-70	425	15	67	70 kg	11654061
<b>NEW!</b>		<b>40-622</b> 28x1.50, 700x38C	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Lite	3.0-5.0	45-70	485	17	67	100 kg	11654062

## CLASSIC-SKIN - SERIES

High-end, sportive bicycle tires with stylish Classic-Skin sidewall. Unique look for MTB, Dirt, Gravel or Racing bikes. Eye-catching equipment for high-end bikes.



### SCHWALBE G-ONE BITE Performance Line, Folding tire – HS 487

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
<b>NEW!</b>	28"	40-622	28x1.50, 700x38C	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Lite	3.0-5.0	45-70	470	17	67	70 kg	11654065

### **NEW!** SCHWALBE G-ONE ULTRABITE Performance Line, Folding tire – HS 601

	28"	40-622	28x1.50, 700x38C	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Snake	3.0-5.0	45-70	480	17	67	100 kg	11654067
	29"	50-622	29x2.00	RaceGuard, TLE	E-25	<b>ADDIX</b>	Classic-Skin	Lite	2.5-4.5	35-65	580	20	67	100 kg	11654068

### SCHWALBE X-ONE ALLROUND Performance Line, Folding tire – HS 467A

<b>NEW!</b>	28"	33-622	28x1.30, 700x33C	RaceGuard, TLE		<b>ADDIX</b>	Classic-Skin	Lite	2.8-4.8	40-70	370	13	67	70 kg	11654083
-------------	-----	--------	------------------	----------------	--	--------------	--------------	------	---------	-------	-----	----	----	-------	----------

### SCHWALBE PRO ONE TT Evolution Line, Folding tire – HS 493

<b>NEW!</b>	28"	25-622	700x25C	TLE		<b>ADDIX</b> <sub>RACE</sub>	Classic-Skin	Lite	5.0-7.5	70-110	205	7	127	70 kg	11653972
<b>NEW!</b>		28-622	700x28C	TLE		<b>ADDIX</b> <sub>RACE</sub>	Classic-Skin	Lite	4.0-6.5	55-95	215	8	127	70 kg	11653973

### SCHWALBE ONE Performance Line, Folding tire – HS 462

<b>NEW!</b>	28"	25-622	700x25C	RaceGuard, TLE		<b>ADDIX</b>	Classic-Skin	Micro	5.0-7.5	70-145	270	10	67	70 kg	11654139
<b>NEW!</b>				RaceGuard*		<b>ADDIX</b>	Classic-Skin	Lite	6.0-9.0	85-130	230	8	67	70 kg	11654037
<b>NEW!</b>		28-622	700x28C	RaceGuard, TLE		<b>ADDIX</b>	Classic-Skin	Micro	4.0-6.5	55-95	290	10	67	70 kg	11654140

\*Profil HS 462A

### **NEW!** LUGANO II Active Line, Wired tire – HS 471

	28"	25-622	700x25C	K-Guard		Silica	Classic-Skin	Lite	6.0-8.0	85-115	365	13	50	65 kg	11159025
--	-----	--------	---------	---------	--	--------	--------------	------	---------	--------	-----	----	----	-------	----------

### CITY JET Active Line, Wired tire – HS 474

	26"	40-559	26x1.50	K-Guard		SBC	Classic-Skin	Lite	3.5-5.5	50-80	490	17	50	90 kg	11101103.01
		50-559	26x1.95	K-Guard		SBC	Classic-Skin	Lite	2.0-4.5	30-65	575	20	50	105 kg	11101105.01



# colour YOUR BIKE



## **BIG BEN** Active Line, Wired tire – HS 439

	ETRTO	Size	!	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	55-559	26x2.15	K-Guard	SBC	Brown-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100558
			K-Guard	SBC	Creme-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100559
28"	50-622	28x2.00	K-Guard	SBC	Brown-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100568
			K-Guard	SBC	Creme-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100569

## **LITTLE BIG BEN** Active Line, Wired tire – HS 439

28"	40-622	28x1.50, 700x38C	K-Guard	SBC	Brown-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100565
			K-Guard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100566

## **FAT FRANK** Active Line, Wired tire – HS 375

26"	60-559	26x2.35	K-Guard	SBC	Brown/Whitewall-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11100596
			K-Guard	SBC	Creme-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11133372.01
28"	50-622	28x2.00	K-Guard	SBC	Black/Coffee-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11101227
			K-Guard	SBC	Brown/Whitewall-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11100582
			K-Guard	SBC	Creme-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11152385.01

## **ROAD CRUISER** Active Line, Wired tire – HS 484

20"	47-406	20x1.75	K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101293		
24"	47-507	24x1.75	K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101262		
26"	47-559	26x1.75	K-Guard	SBC	Brown-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101266		
			K-Guard	SBC	Creme-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101267		
			K-Guard	Green Compound	Gumwall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101264		
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101265		
27.5"	37-584	27.5x1.40, 650x35B	K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	55-85	580	20	50	85 kg	11101269		
28"	32-622	28x1.25, 700x32C	K-Guard	Green Compound	Whitewall	Twin	4.5-6.5	65-95	550	19	50	80 kg	11101273		
			K-Guard	Green Compound	Gumwall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101275		
			K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101276		
			K-Guard	Green Compound	Black/Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101278		
			K-Guard	SBC	Brown-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101280		
			K-Guard	SBC	Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101282		
			K-Guard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101281		
			K-Guard	Green Compound	Whitewall	Twin	3.5-6.0	50-85	705	25	50	100 kg	11159067		
			K-Guard	Green Compound	Whitewall-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101279		
			47-622	28x1.75	K-Guard	Green Compound	Black/Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101296
					K-Guard	SBC	Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101288
K-Guard	Green Compound	Gumwall			Twin	3.0-5.0	45-70	800	28	50	110 kg	11101285			
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101286		

## COLOUR YOUR BIKE

Bicycle tires as unique as their owners. The "Colour Your Bike" tire range from Schwalbe is colorful and diverse. Eight stylish color options that make every city and urban bike a real eye-catcher, e.g. in Cream, Coffee or Whitewall.

**Big Ben**

**Little Big Ben**

**Fat Frank**



**Road Cruiser**



**Delta Cruiser Plus**

**Delta Cruiser**



### **DELTA CRUISER PLUS** Active Line, Wired tire – HS 431

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	37-590	26x1 3/8	PunctureGuard	SBC	Creme-Reflex	Twin	4.0-6.0	55-85	710	25	50	90 kg	11159005
28"	37-622	28x1.40, 700x35C	PunctureGuard	SBC	Brown-Reflex	Twin	4.0-6.0	55-85	775	27	50	90 kg	11159006
			PunctureGuard	SBC	Creme-Reflex	Twin	4.0-6.0	55-85	775	27	50	90 kg	11159007
	40-635	28x1 1/2, 700x38B	PunctureGuard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	910	32	50	100 kg	11159008

### **DELTA CRUISER** Active Line, Wired tire – HS 431

24"	37-540	24x1 3/8*	K-Guard	SBC	Whitewall	Twin	2.5-4.5	35-65	510	18	50	75 kg	11129062.01
26"	37-590	26x1 3/8, 650x35A	K-Guard	SBC	Whitewall	Twin	4.0-6.0	55-85	670	24	50	90 kg	11101083
28"	28-622	28x1.10, 700x28C	K-Guard	SBC	Gumwall	Twin	4.0-7.0	55-100	550	19	50	75 kg	11101086
			K-Guard	SBC	Whitewall	Twin	4.0-7.0	55-100	550	19	50	75 kg	11101087
	37-622	28x1.40, 700x35C	K-Guard	SBC	Creme	Twin	4.0-6.0	55-85	695	25	50	90 kg	11101091
	40-635	28x1 1/2, 700x38B	K-Guard	SBC	Creme	Twin	3.5-6.0	50-85	795	28	50	100 kg	11101094

\*Profil HS 392





TO






UR



# SCHWALBE PROTECTION

7



**7 FLAT-LESS | SMARTGUARD®  
I SMART DUALGUARD**

The most effective protection belts for bicycle and E-Bike tires. Flexible, special India rubber as a 5mm single layer (SmartGuard) or in combination with 2 layers of nylon fabric (Smart DualGuard).

**SMARTGUARD®:** The safest puncture belt for bicycle tires. Unbeatable for more than 15 years. It has proved itself in practice more than any other tire.

**NEW! SMART DUALGUARD:** The safest puncture belt for E-Bike tires. Specially developed for the requirements of E-Bike tires. Outstanding puncture protection due to the combination of SmartGuard special India rubber with 2 layers of RaceGuard fabric.

Only tires with **SMARTGUARD®** and **SMART DUALGUARD** are real **FLAT-LESS** tires. Available exclusively from Schwalbe.

6



**TUBELESS EASY**

Tubeless technology. High density fabric combined with latex sealant liquid

6



**DUALGUARD**

2 layers of nylon carcass 2.5mm flexible, special India rubber

6



**DOUBLE DEFENSE®**

**V-GUARD**  
Combined puncture protection. Extremely lightweight and cut resistant high-tech fabric under the tread and SnakeSkin fabric on the sidewalls.

6



**DOUBLE DEFENSE®**

**RACEGUARD**  
Combined puncture protection. All around SnakeSkin fabric and RaceGuard under the tread.

6



**DOUBLE DEFENSE®**

**GREENGUARD**  
Combined puncture protection. Flexible, special India rubber under the tread and SnakeSkin fabric on the sidewalls.

5



**V-GUARD**

Extremely lightweight and cut resistant high-tech fabric.

5



**GREENGUARD®**

3mm flexible, special India rubber. Partly from recycling.

5



**PUNCTUREGUARD**

3mm rubber layer.

4



**RACEGUARD®**

2 layers of crosswise Nylon fabric, 67 EPI carcass

3



**K-GUARD**

Layer from natural rubber, reinforced with Kevlar® fibres

2



**LITESKIN & PERFORMANCE**

Tires, made from high-quality carcass fabric without a separate protection belt.

1



**MINIMUM STANDARD**  
for all Schwalbe-tires: 50 EPI carcass.



# BEST USE – TOUR


PUNCTURE PROTECTION LEVEL							MODELL	LINE	PURPOSE			
7	6	5	4	3	2	1			FITNESS	CITY   TOUR	TRAVEL	ALL TERRAIN   GRAVEL
■	■	■	■	■	■	■	Marathon E-Plus	Perform.				
■	■	■	■	■	■	■	Marathon Plus	Perform.				
■	■	■	■	■	■	■	Marathon Plus Tour	Perform.				
■	■	■	■	■	■	■	Marathon Plus MTB	Perform.				
■	■	■	■	■	■	■	G-One Speed	EVO. TLE				
■	■	■	■	■	■	■	Marathon Supreme	EVO. TLE				
■	■	■	■	■	■	■	Marathon Almotion	EVO. TLE				
■	■	■	■	■	■	■	Marathon GT Tour	Perform.				
■	■	■	■	■	■	■	Big Ben Plus	Perform. DD				
■	■	■	■	■	■	■	Super Moto-X	Perform. DD				
■	■	■	■	■	■	■	G-One Allround	EVO. TLE				
■	■	■	■	■	■	■	Marathon Mondial	EVO. DD				
■	■	■	■	■	■	■	Marathon GT 365	Perform.				
■	■	■	■	■	■	■	Hurricane	Perform. DD				
■	■	■	■	■	■	■	G-One Bite	EVO. TLE				
■	■	■	■	■	■	■	G-One Ultrabite	TLE				
■	■	■	■	■	■	■	Marathon Supreme	Evolution				
■	■	■	■	■	■	■	Marathon Almotion	Evolution				
■	■	■	■	■	■	■	Marathon	Perform.				
■	■	■	■	■	■	■	Energizer Plus	Perform.				
■	■	■	■	■	■	■	Energizer Plus Tour	Perform.				
■	■	■	■	■	■	■	Road Cruiser Plus	Active				
■	■	■	■	■	■	■	Delta Cruiser Plus	Active				
■	■	■	■	■	■	■	Land Cruiser Plus	Active				
■	■	■	■	■	■	■	Kojak	Perform.				
■	■	■	■	■	■	■	G-One Speed	Perform.				
■	■	■	■	■	■	■	Marathon Race	Perform.				
■	■	■	■	■	■	■	Big Apple	Perform.				
■	■	■	■	■	■	■	Big Ben	Perform.				
■	■	■	■	■	■	■	Marathon Mondial	Perform.				
■	■	■	■	■	■	■	G-One Allround	Perform.				
■	■	■	■	■	■	■	Hurricane	Perform.				
■	■	■	■	■	■	■	Spicer	Active				
■	■	■	■	■	■	■	Big Apple	Active				
■	■	■	■	■	■	■	City Jet	Active				
■	■	■	■	■	■	■	Little Joe	Active				
■	■	■	■	■	■	■	Road Cruiser	Active				
■	■	■	■	■	■	■	Fat Frank	Active				
■	■	■	■	■	■	■	Silento	Active				
■	■	■	■	■	■	■	Big Ben	Active				
■	■	■	■	■	■	■	Delta Cruiser	Active				
■	■	■	■	■	■	■	Land Cruiser	Active				



## FLAT-LESS WITH MARATHON PLUS

Only Marathon Plus tires make your bicycle flat-less.  
The 5mm thick puncture guard protects even against thumbtacks.

[www.schwalbe.com/unplattbar](http://www.schwalbe.com/unplattbar)



### MARATHON PLUS Performance Line, Wired tire – HS 440

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	35-349	16x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.5	65-110	480	17	67	65 kg	11100756
20"	35-406	20x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.0	65-100	560	20	67	70 kg	11100757
	47-406	20x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	725	26	67	80 kg	11100758
24"	47-507	24x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	920	32	67	95 kg	11100759
26"	35-559	26x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.0	65-100	775	27	67	85 kg	11100760
	40-559	26x1.50	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.5	55-95	870	31	67	100 kg	11100761
	47-559	26x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	995	35	67	109 kg	11100762
	50-559	26x2.00	SmartGuard	E-25	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	1100	39	67	118 kg	11100763
	37-590	26x1 3/8, 650x35A	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	850	30	67	90 kg	11100764
	42-590	26x1 5/8, 650x40A	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	940	33	67	95 kg	11100765
27.5"	40-584	27.5x1.50, 650x38B	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.5	55-95	920	32	67	100 kg	11100881
28"	25-622	28x1.00, 700x25C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	6.0-8.0	85-115	595	21	67	75 kg	11100766.01
	28-622	28x1.10, 700x28C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	5.5-7.5	80-110	750	26	67	85 kg	11100767.01
	32-622	28x1.25, 700x32C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	810	29	67	90 kg	11100768
	37-622	28x1.40, 700x35C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	900	32	67	95 kg	11100769
	40-622	28x1.50, 700x38C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	960	34	67	100 kg	11100770
	47-622	28x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1100	39	67	115 kg	11100771
	40-635	28x1 1/2, 700x38B	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	1010	36	67	110 kg	11100772





## MARATHON PLUS

**The Flat-less tire.** Schwalbe's best selling model. The most puncture resistant pneumatic tire there is. In addition to the superior puncture protection it features many inner values: **Rolling resistance.** The patented, 5 mm thick SmartGuard layer, when compared to all generic products, has a significant advantage in rolling resistance. **Recycling.** Also in the SmartGuard, we use a proportion of recycled rubber from old latex products. **"Anti-aging"** side wall. It now lasts much longer before developing unsightly cracks when subjected to use with too low air pressure. **E-Bike ready.** Due to its great properties Marathon Plus is an ideal choice for E-Bikes (E-25). The main sizes are approved and tested for E-bikes up to 50 km/h.

## MARATHON PLUS TOUR

**Flat-less – with a purposeful trekking tread.**

Asphalt or off-road? Everyday use or bicycle expeditions? This versatile tire always does the job. Its robust construction handles almost any mistreatment. Protected by SmartGuard, the most effective puncture protection belt available for bicycle tires.

## MARATHON PLUS MTB

**The most puncture resistant MTB-tire approved for fast E-Bikes.** With ECE-R75 mark. On the central ribs it rolls easily over hard paths, while strong outer lugs give great offroad traction. The SmartGuard provides superior puncture protection. Good visibility even in the dark thanks to reflective lines on the sidewalls. Available in 26", 27.5" and 29".

### MARATHON PLUS TOUR Performance Line, Wired tire – HS 404

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	47-559	26x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	980	35	67	115 kg	11131404
	50-559	26x2.00	SmartGuard	E-25	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	1100	39	67	130 kg	11132404
28"	37-622	28x1.40, 700x35C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	890	31	67	105 kg	11149404
	42-622	28x1.60, 700x40C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	940	33	67	120 kg	11150405
	47-622	28x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1050	37	67	125 kg	11101057

### MARATHON PLUS MTB Performance Line, Wired tire – HS 468

26"	54-559	26x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-60	1150	41	67	121 kg	11101005
	57-559	26x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1260	44	67	125 kg	11101212
27.5"	54-584	27.5x2.10, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-60	1200	42	67	125 kg	11101024
	57-584	27.5x2.25, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1270	45	67	125 kg	11101213
29"	54-622	29x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-60	1275	45	67	125 kg	11101025
	57-622	29x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1350	48	67	132 kg	11101334

⚠ It is impossible to guarantee that a flat will never happen, but the Marathon Plus has the best defense against everyday tire wreckers such as glass, flints or metal shards. Use a pressure gauge to adjust tire pressures as the common 'thumb check' is insufficient due to the special construction of the Marathon Plus.





**MARATHON**

**The original:** The archetypal high quality touring tire. The highly elastic GreenGuard layer is 3 mm thick. One third of the GreenGuard is made up of recycled latex products. The "Anti-Aging" sidewall can withstand the typical cracking that results from overloading due to insufficient inflation pressure for much longer.

**E-Bike Ready.** You can choose every Marathon for your E-Bike (E-25). The main sizes are approved and tested for E-bikes up to 50 km/h (E-50).



**MARATHON Performance Line, Wired tire – HS 420**

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	35-349	16x1.35	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.5	65-110	420	15	67	65 kg	11100147
	47-305	16x1.75	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-5.0	50-75	500	18	67	70 kg	11100146
18"	44-355	18x1.65	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	465	16	67	70 kg	11100719
20"	40-406	20x1.50	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-7.0	55-100	530	19	67	80 kg	11100148
	47-406	20x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-75	640	23	67	80 kg	11100137
24"	47-507	24x1.75	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	800	28	67	95 kg	11100149
26"	32-559	26x1.25	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	580	20	67	80 kg	11100144
	40-559	26x1.50	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-7.0	55-100	730	26	67	100 kg	11100145
	47-559	26x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	875	31	67	109 kg	11100138
	50-559	26x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	970	34	67	118 kg	11100143
	37-590	26x1 3/8, 650x35A	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	700	25	67	90 kg	11100150
27"	32-630	27x1 1/4	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	660	23	67	90 kg	11100151
27.5"	44-584	27.5x1.65, 650x42B	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	820	29	67	105 kg	11100680
28"	23-622	28x0.90, 700x23C	GreenGuard	E-25	SpeedGrip	Black-Reflex	Twin	6.0-9.0	85-130	430	15	67	70 kg	11100495.01
	25-622	28x1.00, 700x25C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	6.0-8.0	85-115	520	18	67	75 kg	11100142.01
	28-622	28x1.10, 700x28C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	5.5-7.5	80-110	560	20	67	85 kg	11100139.01
	32-622	28x1.25, 700x32C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	640	23	67	90 kg	11100141
	37-622	28x1.40, 700x35C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	730	26	67	95 kg	11100007
	40-622	28x1.50, 700x38C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	810	29	67	100 kg	11100005
	47-622	28x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-75	985	35	67	115 kg	11100140
	50-622	28x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1080	38	67	121 kg	11100613
	40-635	28x1 1/2, 700x38B	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	830	29	67	110 kg	11100152

**Marathon Awards:**



1 2 3 4 5 **6** 7  
 SCHWALBE PROTECTION  
  
 aktiv Rad  
 fahren  
 TESTSIEGER  
 5/2018  
 TESTWINNER



### MARATHON GT TOUR

**For highest requirements.** The tire of the GT series which performs well in (almost) every terrain. With the Delta profile the GT TOUR is extremely agile but remains stable even on unpaved bike paths. Durable, puncture-free ride thanks to Endurance Compound and DualGuard puncture protection technology.



1 2 3 4 5 **6** 7  
 SCHWALBE PROTECTION  
  
 TIPP  
 Trekkingbike  
 Tip Trekkingbike 3/2017:  
 All-season tires



### MARATHON GT 365

**1 tire. 4 seasons, 365 days no tire change necessary.** The Marathon GT 365 is the first tire which you will ride safely throughout the year in almost every condition. The new lamella tread and the specially developed "FourSeason" compound provide full grip, no matter what time of the year. Of course fitted with DualGuard puncture protection technology for maximum safety.

The GT 365 is the perfect solution for almost every condition. But on icy roads only real spikes provide reliable grip.



1 2 3 **4** 5 6 7  
 SCHWALBE PROTECTION



### MARATHON RACER

**The lightest Marathon.** RaceGuard for good puncture protection. SpeedGrip Compound for the best handling characteristics. With its LiteSkin sidewall the Racer stays at an excellent weight level. A very sporty Marathon tire.



#### MARATHON GT TOUR Performance Line, Wired tire – HS 485

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	50-559	26x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-75	995	35	67	118 kg	11101292
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	60-85	765	27	67	95 kg	11101290
	40-622	28x1.50, 700x38C	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	850	30	67	100 kg	11101289
	47-622	28x1.75	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-75	1050	37	67	115 kg	11101291
	50-622	28x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.5-4.5	35-65	1120	42	67	121 kg	11159060

#### MARATHON GT 365 Performance Line, Wired tire – HS 475

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	40-406	20x1.50	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.0-6.0	45-85	580	20	67	75 kg	11101341
26"	50-559	26x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.0-5.0	30-75	990	35	67	118 kg	11101203
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.5-6.0	50-85	765	27	67	95 kg	11101204
	40-622	28x1.50, 700x38C	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.5	35-80	850	30	67	100 kg	11101205
	47-622	28x1.75	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.0	35-70	1045	37	67	115 kg	11101342
	50-622	28x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-4.5	35-65	1115	39	67	121 kg	11101343

#### MARATHON RACER Performance Line, Wired tire – HS 429

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
18"	40-355	18x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	295	10	67	70 kg	11100295
20"	40-406	20x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	340	12	67	75 kg	11100294
26"	40-559	26x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	465	16	67	95 kg	11100293
28"	30-622	28x1.20, 700x30C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.5-7.0	65-100	395	14	67	85 kg	11100291
	35-622	28x1.35, 700x35C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.5-6.5	65-95	465	16	67	95 kg	11100290
	40-622	28x1.50, 700x38C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	495	17	67	105 kg	11100289





**MARATHON MONDIAL**

The ultimate touring tire, made for roads, tracks and trails of all continents. The tread pays homage to its legendary Marathon XR predecessor. Construction and compounding are naturally the very latest Schwalbe Evo technology. TravelStar compound for the best handling characteristics, Double Defense technology makes it light, but with an extremely robust construction. The world is round. Ride it.

⚠ For great expeditions always choose the Evo version (Double Defense).



**MARATHON SUPREME**

Dynamism in its purest form. Marathon Supreme provides maximum comfort and speed. With elegant, futuristic tread design perfectly suited for fast city and touring bikes. OneStar Compound is fast and extremely reliable. The V-Guard version is lightweight. In the Tubeless-Easy version, the Marathon Supreme is unbeatably fast.

⚠ Only articles 11600831.01 and 11600823.01 are tubeless compatible.



\*(This rating refers to tubeless operation.)

**MARATHON MONDIAL Evolution Line, Folding tire – HS 428**

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	50-559	26x2.00	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake 2.5-5.0	35-70	740	26	67	130 kg	11600244.02	
27.5"	50-584	27.5x2.00, 650B	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake 2.5-5.0	35-70	780	28	67	130 kg	11600785	
28"	37-622	28x1.40, 700x35C	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake 4.0-6.0	55-85	570	20	67	105 kg	11600246.02	
	42-622	28x1.60, 700x40C	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake 3.5-6.0	50-85	650	23	67	120 kg	11600243.02	
	50-622	28x2.00	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake 2.5-5.0	35-70	825	29	67	135 kg	11600379.02	

**MARATHON MONDIAL Performance Line, Wired tire – HS 428**

26"	50-559	26x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	720	25	67	115 kg	11100307
28"	37-622	28x1.40, 700x35C	RaceGuard	E-25	Endurance	Black-Reflex	Lite	4.0-6.0	55-85	580	20	67	100 kg	11100308
	42-622	28x1.60, 700x40C	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.5-6.0	50-85	650	23	67	110 kg	11100309
	47-622	28x1.75	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.0-5.5	45-80	750	26	67	115 kg	11101344

**MARATHON SUPREME Evolution Line, Folding tire – HS 469**

26"	42-559	26x1.60	V-Guard	E-25	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	440	16	67	100 kg	11600776.01
	50-559	26x2.00	V-Guard	E-25	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	560	20	67	120 kg	11600777.01
28"	32-622	28x1.25, 700x32C	V-Guard	E-25	OneStar	Black-Reflex	Lite	4.5-6.5	65-95	380	13	67	85 kg	11600787.01
	37-622	28x1.40, 700x35C	V-Guard	E-25	OneStar	Black-Reflex	Lite	4.0-6.0	60-85	440	16	67	100 kg	11600780.01
			MicroSkin, RaceGuard, TLE	E-25	OneStar	Black-Reflex	Micro	4.0-6.0	60-85	545	19	67	100 kg	11600831.01
	42-622	28x1.60, 700x40C	V-Guard	E-25	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	490	17	67	110 kg	11600758.01
			MicroSkin, RaceGuard, TLE	E-25	OneStar	Black-Reflex	Micro	3.5-5.5	50-80	640	23	67	110 kg	11600823.01
50-622	28x2.00	V-Guard	E-25	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	640	23	67	125 kg	11600782.01	



**NEW!**




### MARATHON ALMOTION

**The next evolutionary phase.** Revised tread design, fitted with the latest tire technology. Available as tube type tires with excellent V-Guard puncture protection fabric or state-of-the-art Tubeless Easy technology. The new Marathon Almotion is safe, fast and agile. The new, powerful ADDIX compound boosts riding performance. Ideal for intensive touring by bike or e-bike (E-25).

Anyone who wants to exploit the potential of modern tire technology wholeheartedly rides Tubeless. Tubeless tires guarantee the lowest rolling resistance while maintaining a very high puncture resistance.

ⓘ Only articles 11654059 and 11654060 are tubeless compatible.



\*(This rating refers to tubeless operation.)

**NEW! MARATHON ALMOTION** Evolution Line, Folding tire – HS 603


	ETRTO	Size	!	⚡	⚙️	⦿	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	55-584	27.5x2.15, 650B	V-Guard	E-25	ADDIX	Black-Reflex	Lite	2.0-4.0	35-65	690	24	67	120 kg	11654055
28"	40-622	28x1.50, 700x38C	V-Guard	E-25	ADDIX	Black-Reflex	Lite	3.5-5.5	50-80	490	17	67	110 kg	11654056
	50-622	28x2.00	V-Guard	E-25	ADDIX	Black-Reflex	Lite	2.5-4.5	35-65	660	23	67	125 kg	11654057
			MicroSkin, RaceGuard, TLE	E-25	ADDIX	Black-Reflex	Micro	2.5-4.5	35-65	835	29	67	125 kg	11654059
	55-622	28x2.15	V-Guard	E-25	ADDIX	Black-Reflex	Lite	2.0-4.0	30-60	730	26	67	130 kg	11654058
			MicroSkin, RaceGuard, TLE	E-25	ADDIX	Black-Reflex	Micro	2.0-4.0	30-60	895	32	67	130 kg	11654060





### BIG APPLE

**Air suspension built-in.** With Balloonbike-comfort: exceptionally convenient cycling without using complicated technology! Air cushion tires are used as natural suspension. Inflated to around 2 Bar a Balloonbike rolls really easily and with a full suspension effect. For comparison: A normal tire with a width of 37 mm must be inflated to a rock-hard 4 bar, in order to roll similarly well.



#### BIG APPLE Performance Line, Wired tire – HS 430

ETRTO	Size	!	⚡	⚙️	⚫	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
18"	50-355 18x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-5.0	30-70	470	17	67	75 kg	11100684
20"	50-406 20x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	495	17	67	85 kg	11100304
	55-406 20x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	530	19	67	95 kg	11100303
24"	50-507 24x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	620	22	67	100 kg	11100302
26"	50-559 26x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	675	24	67	125 kg	11100298
	55-559 26x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	710	25	67	130 kg	11100297
	60-559 26x2.35	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	780	28	67	140 kg	11100299
28"	50-622 28x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	740	26	67	135 kg	11100305
	55-622 28x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	810	29	67	140 kg	11100306
	60-622 28x2.35	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	890	31	67	145 kg	11100417

#### BIG APPLE Active Line, Wired tire – HS 430

12"	50-203 12x2.00	K-Guard		Black 'n' Roll	Black-Reflex	Twin	2.0-4.0	30-55	285	10	50	55 kg	11100681.02
14"	50-254 14x2.00	K-Guard		SBC	Black-Reflex	Lite	2.0-4.0	30-55	340	12	50	60 kg	11100682
26"	55-559 26x2.15	K-Guard		SBC	Black-Reflex	Twin	2.0-4.0	30-55	920	32	50	115 kg	11100426.01
28"	50-622 28x2.00	K-Guard		SBC	Black-Reflex	Twin	2.5-5.0	35-70	930	33	50	115 kg	11100429.01

## BIG BEN

**The urban Balloonbike tire.** Best comfort due to its large volume. The tread design is modern and tough, providing maximum riding safety in urban traffic. **Performance Line:** More safety due to RaceGuard puncture protection. With ECE-R75 certification for fast E-Bikes (E-50).

**Active Line:** Big Ben is available in the classic colors of Cream, Coffee and Brown for the perfect urban bike look.

**Little Big Ben\*.** Big Ben is also available in the “normal” tire size 40-622 (28x1.50; 700x38C). In this version it is called “Little Big Ben”.



### BIG BEN Performance Line, Wired tire – HS 439

	ETRTO	Size	!	⚡	⚙️	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	55-406	20x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	575	20	67	95 kg	11100554
24"	55-507	24x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	700	25	67	118 kg	11100555
26"	55-559	26x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	760	27	67	128 kg	11100557
27.5"	50-584	27.5x2.00, 650B	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	745	26	67	130 kg	11100952
28"	40-622	28x1.50, 700x38C*	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.5-6.0	50-85	590	21	67	100 kg	11100564
	50-622	28x2.00	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	795	28	67	135 kg	11100567

### BIG BEN Active Line, Wired tire – HS 439

26"	55-559	26x2.15	K-Guard	SBC	Brown-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100558
			K-Guard	SBC	Creme-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100559
27.5"	50-584	27.5x2.00, 650B	K-Guard	SBC	Black	Twin	2.5-5.0	35-70	835	29	50	115 kg	11100965
28"	40-622	28x1.50, 700x38C*	K-Guard	SBC	Brown-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100565
			K-Guard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100566
			50-622	28x2.00	K-Guard	SBC	Black-Reflex	Twin	2.5-5.0	35-70	890	31	50
			K-Guard	SBC	Brown-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100568
			K-Guard	SBC	Creme-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100569













### KOJAK

**No compromises.** Its home is the road. Although the fast, sporty, tread-less slick weighs just 295 g (35-559) it still has a RaceGuard protection belt and reflective labels.



### FAT FRANK

**The stylish urban cruiser.** Fat Frank looks seductively good on any bike. Large volume and cool tread design. Special highlights are the stylish color variations in cream, black/coffee, brown-whitewall and coffee/whitewall.



#### KOJAK Performance Line, Folding tire – HS 385

ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
17"	32-369 17x1 1/4	RaceGuard	SpeedGrip	Black	Lite	5.0-8.0	70-115	195	7	67	70 kg	11600157.02
18"	32-355 18x1.25	RaceGuard	SpeedGrip	Black	Lite	5.0-8.0	70-115	190	7	67	65 kg	11600156.02
20"	35-406 20x1.35	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	230	8	67	70 kg	11600046.02
26"	35-559 26x1.35	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	295	10	67	90 kg	11600045.02
	50-559 26x2.00	RaceGuard	SpeedGrip	Black	Lite	2.0-5.0	30-75	460	16	67	130 kg	11600083.02
28"	35-622 28x1.35, 700x35C	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	330	12	67	100 kg	11600020.02

#### KOJAK Performance Line, Wired tire – HS 385

16"	32-349 16x1 1/4	RaceGuard	SpeedGrip	Black	Lite	5.0-8.0	70-115	230	8	67	65 kg	11100175.02
20"	35-406 20x1.35	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	285	10	67	70 kg	11100063.02
26"	35-559 26x1.35	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	395	14	67	90 kg	11100062.02
	50-559 26x2.00	RaceGuard	SpeedGrip	Black	Lite	2.0-5.0	30-75	570	20	67	130 kg	11100159.02
27.5"	35-584 27.5x1.35, 650B	RaceGuard	SpeedGrip	Black	Lite	4.0-6.5	55-95	410	14	67	95 kg	11100887.02

#### FAT FRANK Active Line, Wired tire – HS 375

26"	60-559 26x2.35	K-Guard	SBC	Black-Reflex	Lite	1.5-4.0	20-55	815	29	50	140 kg	11100181.01
		K-Guard	SBC	Brown/Whitewall-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11100596
		K-Guard	SBC	Creme-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11133372.01
28"	50-622 28x2.00	K-Guard	SBC	Black-Reflex	Lite	2.0-4.5	30-65	765	27	50	135 kg	11100219.01
		K-Guard	SBC	Brown/Whitewall-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11100582
		K-Guard	SBC	Black/Coffee-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11101227
		K-Guard	SBC	Creme-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11152385.01



### SPICER

**Exciting, dynamic! Active Line tire with compelling tread design and K-Guard puncture protection!** Stylish tires for every Fitness and Urban bike.



### SILENTO

**The Adventurer.** The tread center and outer lugs of Silento provide great rolling properties and good grip. With K-Guard puncture protection.



### CITY JET

**Swiftly through the city.** Reliable brand quality tire with 50 EPI carcass and K-Guard for effective puncture protection. Available in Classic-Skin option.



#### SPICER Active Line, Wired tire – HS 442

	ETRTO	Size	!	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	40-559	26x1.50	K-Guard	SBC	Black-Reflex	Lite	4.0-6.0	55-85	590	21	50	90 kg	11100534
28"	30-622	28x1.20, 700x30C	K-Guard	SBC	Black-Reflex	Lite	4.5-7.0	65-100	525	19	50	80 kg	11100538
	35-622	28x1.35, 700x35C	K-Guard	SBC	Black-Reflex	Lite	4.5-6.5	65-95	580	20	50	90 kg	11100549
	40-622	28x1.50, 700x38C	K-Guard	SBC	Black-Reflex	Lite	4.0-6.0	55-85	650	23	50	100 kg	11100551

#### SILENTO Active Line, Wired tire – HS 421

26"	47-559	26x1.75	K-Guard	SBC	Black-Reflex	Lite	2.5-4.5	35-65	625	22	50	100 kg	11100183.01
28"	37-622	28x1.40, 700x35C	K-Guard	SBC	Black-Reflex	Lite	3.0-5.0	45-70	560	20	50	90 kg	11100038.01
	42-622	28x1.60, 700x40C	K-Guard	SBC	Black-Reflex	Lite	3.0-5.0	45-70	620	22	50	100 kg	11100026.01
	47-622	28x1.75	K-Guard	SBC	Black-Reflex	Lite	2.5-4.5	35-65	695	25	50	110 kg	11100241.01

#### CITY JET Active Line, Wired tire – HS 474

26"	40-559	26x1.50	K-Guard	SBC	Black	Lite	3.5-5.5	50-80	490	17	50	90 kg	11101102
			K-Guard	SBC	Classic-Skin	Lite	3.5-5.5	50-80	490	17	50	90 kg	11101103.01
	50-559	26x1.95	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	575	20	50	105 kg	11101104
			K-Guard	SBC	Classic-Skin	Lite	2.0-4.5	30-65	575	20	50	105 kg	11101105.01









## ROAD CRUISER

**Urban, individuell and dynamic.** The Road Cruiser impresses due to its appealing tread design and plenty of colour options for bicycles from 12" up to 28" inch. The outstanding feature of the Road Cruiser, however, is in the tread and it is called Green Compound. A rubber with polymers only made from renewable and recycled raw materials in such a quality, that we use it for the first time in a conventional bicycle tire.



! Green Compound is exclusively available for tires with a black tread.

### ROAD CRUISER Active Line, Wired tire – HS 484

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
12"	50-203	12x2.00	K-Guard	Green Compound	Black	Twin	2.0-4.5	30-65	320	11	50	55 kg	11101255.01
16"	47-305	16x1.75	K-Guard	Green Compound	Black	Twin	2.5-4.5	35-65	395	14	50	65 kg	11101256
			K-Guard	Green Compound	Black-Reflex	Twin	2.5-4.5	35-65	395	14	50	65 kg	11101299
20"	47-406	20x1.75	K-Guard	Green Compound	Black	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101258
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101293
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101300
22"	44-484	22x1 1/2*	K-Guard	SBC	Black-Reflex	Twin	2.0-4.5	30-65	585	21	50	80 kg	11131603.01
	47-457	22x1.75*	K-Guard	SBC	Black-Reflex	Twin	2.0-4.5	30-65	610	22	50	80 kg	11120377.01
24"	47-507	24x1.75	K-Guard	Green Compound	Black	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101260
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101262
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101301
26"	47-559	26x1.75	K-Guard	Green Compound	Gumwall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101264
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101265
			K-Guard	SBC	Brown-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101266
			K-Guard	SBC	Creme-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101267
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101302
27.5"	37-584	27.5x1.40, 650x35B	K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	60-85	580	20	50	85 kg	11101269
			K-Guard	Green Compound	Black-Reflex	Twin	4.0-6.0	60-85	580	20	50	85 kg	11101303
	44-584	27.5x1.65, 650x42B	K-Guard	Green Compound	Black-Reflex	Twin	3.5-5.5	50-80	660	23	50	95 kg	11101304
28"	32-622	28x1.25, 700x32C	K-Guard	Green Compound	Black	Twin	4.5-6.5	65-95	550	19	50	80 kg	11101271
			K-Guard	Green Compound	Whitewall	Twin	4.5-6.5	65-95	550	19	50	80 kg	11101273
	37-622	28x1.40, 700x35C	K-Guard	Green Compound	Gumwall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101275
			K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101276
			K-Guard	Green Compound	Black-Reflex	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101305
	42-622	28x1.60, 700x40C	K-Guard	Green Compound	Black/Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101278
			K-Guard	Green Compound	Whitewall-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101279
			K-Guard	Green Compound	Whitewall	Twin	3.5-6.0	50-85	705	25	50	100 kg	11159067
			K-Guard	SBC	Brown-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101280
	47-622	28x1.75	K-Guard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101281
			K-Guard	SBC	Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101282
K-Guard			Green Compound	Black-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101306	
K-Guard			Green Compound	Gumwall	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101285	
K-Guard			Green Compound	Whitewall	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101286	
K-Guard			SBC	Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101288	
K-Guard			Green Compound	Black/Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101296	
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101307



**NEW!**



### ROAD CRUISER PLUS

**A sustainable product is sustainably strengthened.** For even more protection and longer life, the Road Cruiser with Green Compound in the Plus version is protected by the extremely effective 3 mm thick PunctureGuard.



**NEW! ROAD CRUISER PLUS** Active Line, Wired tire – HS 484

	ETRTO	Size	!	⚡	⦿	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	47-406	20x1.75	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	600	21	50	75 kg	11159080
24"	47-507	24x1.75	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	750	26	50	85 kg	11159081
26"	47-559	26x1.75	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	825	29	50	100 kg	11159082
28"	37-622	28x1.40, 700x35C	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	4.0-6.0	60-85	715	25	50	90 kg	11159083
	42-622	28x1.60, 700x40C	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	3.5-6.0	50-85	820	29	50	100 kg	11159084
	47-622	28x1.75	PunctureGuard	E-25	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	925	33	50	110 kg	11159085



**MORE RECYCLING:** We use recycled materials also for the production of bicycle tubes. More information on page 2/3.



## TREAD RUBBER WITH POLYMERS ONLY MADE FROM RENEWABLE AND RECYCLED RAW MATERIALS.

**GREEN COMPOUND.** Special technology from Schwalbe. For the first time it is possible to produce a bicycle tread rubber with polymers only made from renewable and recyclable raw materials in sophisticated standard quality (grip/durability).


#### WHY TO USE RECYCLED MATERIAL?

Recycling of rubber materials and the increased use of renewable raw materials saves large amounts of energy and resources in the production of tires.

#### WHY DOESN'T SCHWALBE USE GREEN COMPOUND FOR ALL TIRES?

We are working hard to use more recycled and renewable materials in our future compounds. But it is still not possible to make high-quality compounds for every purpose out of these new materials. However, GREEN COMPOUND excellently meets the requirements that we have for an Active Line standard tire like the proven and popular Road Cruiser.





**CLASSICS**

**Classics.** Tires in traditional sizes and classic tread designs. Active Line quality. K-Guard puncture protection. Wired tires.

**HS 110 Active Line, Wired tire**

	ETRTO	Size	!	☉	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	€
20"	37-438	20x1 3/8	K-Guard	SBC	Black-Reflex	Twin	2.5-4.0	35-55	410	14	50	60 kg	11119007.01	21,90
22"	37-489	22x1 3/8	K-Guard	SBC	Black-Reflex	Twin	2.5-4.0	35-55	520	18	50	65 kg	11122007.01	21,90

**HS 127 Active Line, Wired tire**

24"	37-540	24x1 3/8	K-Guard	GRC	Grey	Twin	2.5-4.5	35-65	495	17	50	75 kg	10281620.01	21,90
-----	--------	----------	---------	-----	------	------	---------	-------	-----	----	----	-------	-------------	-------

**HS 140 Active Line, Wired tire**

12"	47-203	12 1/2x1.75	K-Guard	SBC	White Line	Twin	2.0-3.0	30-45	235	8	50	45 kg	11102050.02	11,90
14"	37-288	14x1 3/8, 350x35A	K-Guard	SBC	White Line	Twin	2.0-3.0	30-45	365	13	50	40 kg	11104050.01	11,90

**HS 159 Active Line, Wired tire**

18"	47-355	18x1.75	K-Guard	SBC	White Line	Twin	2.5-3.0	35-44	450	16	50	65 kg	11110053.01	11,90
20"	54-428	20x2.00	K-Guard	SBC	Black	Twin	2.0-3.0	30-45	610	22	50	85 kg	11119100.01	17,90
27"	28/32-630	27x1 1/4	K-Guard	SBC	Whitewall	Twin	3.5-6.0	50-85	550	19	50	70 kg	11157063.01	17,90
	28/32-630	27x1 1/4	K-Guard	SBC	Gumwall	Twin	3.5-6.0	50-85	550	19	50	70 kg	11157073.01	17,90

**HS 166 Active Line, Wired tire**

22"	37-490	22x1 3/8, 550x35A	K-Guard	SBC	Gumwall	Twin	2.5-4.0	35-55	450	16	50	65 kg	11123070.01	17,90
-----	--------	-------------------	---------	-----	---------	------	---------	-------	-----	----	----	-------	-------------	-------

**HS 180 Active Line, Wired tire**

26"	28/32-590	26x11/8x11/4, 650x28/32A	K-Guard	SBC	Gumwall	Twin	3.5-6.0	50-85	500	18	50	65 kg	11139170.01	17,90
-----	-----------	--------------------------	---------	-----	---------	------	---------	-------	-----	----	----	-------	-------------	-------

**HS 228 Active Line, Wired tire**

22"	25-489	22x1.00	K-Guard	GRC	Grey/Black	Lite	6.0-7.5	85-110	270	10	50	55 kg	10275671.01	21,90
24"	25-540	24x1.00	K-Guard	GRC	Grey/Black	Lite	6.0-10.0	85-145	340	12	50	60 kg	10282675.01	21,90



SCHWALBE  
AIRLESS  
SYSTEM®

**NEW**  
**ALLROUND**  
40 mm  
47 mm

**URBAN**  
40 mm

**IDEAL  
ALSO FOR  
E-BIKES.**

### AIRLESS TIRE

HIGH MILEAGE.  
OUTSTANDING GRIP.

**URBAN** Art-Nr. 11101362 (40-622)

**ALLROUND** Art-Nr. 11159087 (40-622)

**ALLROUND** Art-Nr. 11159088 (47-622)

### AIRLESS TUBE

MADE OF EXPANDED  
THERMOPLASTIC  
POLYURETHANE  
Art-Nr. SAS01.01 (40 mm)  
Art-Nr. SAS12 (47 mm)

### AIRLESS RING

FIXES THE TIRE.  
Art-Nr. SAS04 (10 mm)  
Art-Nr. SAS02 (12 mm)

### 100% WORRY-FREE. NO AIR. NO FLATS. NO STRESS.

Ideal for short distances and in the city. Safe, comfortable and with the riding characteristics of pneumatic tires.

**EXCLUSIVELY  
AVAILABLE IN  
CERTIFIED  
SPECIALIST SHOPS.\***

Details about the Schwalbe Airless System at: [schwalbe.com/airless-system](https://www.schwalbe.com/airless-system)

At present only available in Germany and the Netherlands. Schwalbe Airless System is a joint development of Supreme Dutch and Schwalbe.


\* Assembly only with Schwalbe Airless Mounting tool and by a trained specialist workshop. Liability for damage resulting from improper installation is excluded.





### ICE SPIKER PRO

**Lighter, grippier, faster.** The 'turbo' of spike tires. With up to 402 spikes it bites firmly into icy roads. The tungsten carbide core of each spike is clad in weight-saving aluminum. The tire remains agile and sporty.



### WINTER

**Reduced to its essentials.** With half the amount of spikes, the Winter provides excellent control on glassy ice. Only in extreme cornering is its big brother Marathon Winter superior. With 50 EPI carcass, reflective lines and K-Guard it offers great benefits at an entry-level price.



#### ICE SPIKER PRO Evolution Line, Folding tire, Aluminium Spikes – HS 379

	ETRTO	Size	!	Spikes	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	57-584	27.5x2.25, 650B	LiteSkin	378	Winter	Black	Lite	1.8-3.7	26-54	835	29	67	110 kg	11600628
	65-584	27.5x2.60, 650B	LiteSkin	344	Winter	Black	Lite	1.5-3.0	20-45	1015	36	67	115 kg	11600991
29"	57-622	29x2.25	LiteSkin	402	Winter	Black	Lite	1.8-3.7	26-54	890	31	67	120 kg	11600272.02

#### ICE SPIKER PRO Performance Line, Wired tire, Steel Spikes – HS 379

26"	54-559	26x2.10	RaceGuard	361	Winter	Black	Lite	2.0-4.0	30-55	995	35	67	100 kg	11100937
27.5"	57-584	27.5x2.25, 650B	RaceGuard	378	Winter	Black	Lite	1.8-3.7	26-54	1100	39	67	110 kg	11100939
29"	57-622	29x2.25	RaceGuard	402	Winter	Black	Lite	1.8-3.7	26-54	1170	41	67	120 kg	11100938

#### MARATHON WINTER PLUS Performance Line, Wired tire, Steel Spikes – HS 396

20"	42-406	20x1.60	SmartGuard	168	Winter	Black-Reflex	Twin	2.0-5.0	30-70	675	24	67	70 kg	11116448.02
	55-406	20x2.15	SmartGuard	144	Winter	Black-Reflex	Twin	2.0-4.0	30-55	960	34	67	95 kg	11159003
24"	47-507	24x1.75	SmartGuard	184	Winter	Black-Reflex	Twin	2.0-5.0	30-70	960	34	67	90 kg	11125444.02
26"	47-559	26x1.75	SmartGuard	200	Winter	Black-Reflex	Twin	2.0-5.0	30-70	1025	36	67	100 kg	11136448.02
	50-559	26x2.00	SmartGuard	200	Winter	Black-Reflex	Twin	2.5-5.0	35-70	1150	41	67	105 kg	11100598.01
28"	35-622	28x1.35, 700x35C	SmartGuard	240	Winter	Black-Reflex	Twin	2.5-6.0	35-85	920	32	67	80 kg	11126448.02
	42-622	28x1.60, 700x40C	SmartGuard	240	Winter	Black-Reflex	Twin	2.0-5.0	30-70	970	34	67	90 kg	11156448.02
	50-622	28x2.00	SmartGuard	208	Winter	Black-Reflex	Twin	2.5-5.0	35-70	1265	45	67	115 kg	11100597.01

#### WINTER Active Line, Wired tire, Steel Spikes – HS 396

16"	30-349	16x1.20	K-Guard	72	Winter	Black-Reflex	Twin	4.5-8.0	65-115	465	16	50	65 kg	11100905.01
26"	47-559	26x1.75	K-Guard	100	Winter	Black-Reflex	Twin	2.0-5.0	30-70	1000	35	50	100 kg	11100599.01
28"	30-622	28x1.20, 700x30C	K-Guard	118	Winter	Black-Reflex	Twin	3.5-6.5	50-95	805	28	50	75 kg	11100600.01
	35-622	28x1.35, 700x35C	K-Guard	120	Winter	Black-Reflex	Twin	2.5-6.0	35-85	870	31	50	80 kg	11100601.01
	40-635	28x1 1/2, 700x38B	K-Guard	120	Winter	Black-Reflex	Twin	2.5-5.0	35-70	925	33	50	85 kg	11100879.01
	42-622	28x1.60, 700x40C	K-Guard	116	Winter	Black-Reflex	Twin	2.0-5.0	30-70	905	32	50	90 kg	11100602.01

#### MARATHON GT 365 Performance Line, Wired tire – HS 475

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	40-406	20x1.50	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.0-6.0	45-85	580	20	67	75 kg	11101341
26"	50-559	26x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.0-5.0	30-75	990	35	67	118 kg	11101203
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.5-6.0	50-85	765	27	67	95 kg	11101204
	40-622	28x1.50, 700x38C	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.5	35-80	850	30	67	100 kg	11101205
	47-622	28x1.75	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.0	35-70	1045	37	67	115 kg	11101342
	50-622	28x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-4.5	35-65	1115	39	67	121 kg	11101343



SCHWALBE PROTECTION



## MARATHON WINTER PLUS

**For a safer journey.** You have full control on icy roads with the Marathon Winter Plus. Even in tight bends and under violent braking everything remains under control, thanks to special Winter compound, lamella tread and up to 240 spikes. For best possible puncture protection it comes with a SmartGuard layer. Schwalbe Protection Level 7.



SCHWALBE PROTECTION



TIPP  
Trekkingbike

Tip Trekkingbike 3/2017:  
All-season tires



## MARATHON GT 365

**1 tire. 4 seasons, 365 days no tire change necessary.** The Marathon GT 365 is the first tire which you will ride safely throughout the year in almost every condition. The new lamella tread and the specially developed "FourSeason" compound provide full grip, no matter what time of the year. Of course fitted with DualGuard puncture protection technology for maximum safety.

! The GT 365 is the perfect solution for almost every condition. But on icy roads only real spike tires provide reliable grip.



## THINGS YOU SHOULD KNOW ABOUT SPIKED TIRES.

**CAN IT ALSO BE RIDDEN ON A NORMAL ROAD?** Without any problem, but if the road is only rarely covered with snow the resulting tire noise may prove annoying. HINT: At maximum pressure the tires can be ridden on ice-free roads with minimal road noise.

**AND IT WON'T SLIDE OUT IN CORNERING?** No. The spikes "claw" really well into normal asphalt roads and even fast cornering is not a problem. HINT: The spikes work best on ice when running at minimum pressure.

**AREN'T SPIKES ILLEGAL?** Bike tire spikes are no problem. Only motor vehicles spikes are prohibited in some countries, because they damage the road. Fast E-bikes are however considered motor vehicles.

**DO THE TIRES HAVE TO BE RUN IN?** In order to ensure that spikes are permanently fixed, tires should be run in for about 40km on asphalt, while avoiding any fast acceleration or heavy braking.

**WHAT IS THE LIFESPAN OF THE SPIKES?** All Schwalbe spikes have a core made of extremely hard wearing tungsten carbide, so they can cover a few thousand kilometers. It is normal for the spike edges to round off and for them to become more deeply embedded.

**WHAT ARE THE TIRES' LIMITATIONS?** In deep snow even spike tires won't help.

**IN CERTAIN AREAS SNOW RARELY STAYS AROUND LONG. ARE SPIKE TIRES STILL AN OPTION?** It would be best to mount the tires on your second bike. Depending upon the morning weather, use the most suitable bike. On icy roads, when even cars are having problems, it is a great feeling to be in full control on spike tires.

**SOME SPIKES CAME OUT. CAN THEY BE REPLACED?** Yes, we offer a set of replacement spikes incl. tool. Can be easily installed with the special tool.



1. Steel Spike (Performance & Active Line)
2. Aluminum Spike (Evolution Line)



50 Alu-Spikes, Art.-No. 5508  
50 Steel-Spikes, Art.-No. 5506  
50 Steel-Spikes incl. tool for easy insertion.  
Art.-No. 5512



TAKE A RIDE ON THE WIDE SIDE TAKE A RIDE ON THE WIDE SIDE

# Wheel Chair tires





## **28MM WIDE TIRES. COMFORTABLE. FAST. RELIABLE.**

- **MORE SUSPENSION: MORE COMFORTABLE**
- **MORE VOLUME: FEWER PUNCTURES**
- **MORE SURFACE AREA: IMPROVED GRIP**
- **LESS ROLLING RESISTANCE: HIGHER EFFICIENCY**



Wide tires tend to flatten on their width, while thinner tires have a narrower, but longer footprint. Due to the longer flattening of the narrow tire, the wheel becomes "less round" and so increases rolling resistance. Wider tires allow the wheel to remain "rounder" and accordingly roll easier.






## MARATHON PLUS

**The Flat-less tire for wheelchairs.** The Marathon has become the absolute benchmark for puncture-resistant pneumatic tires on wheelchairs. The Smart Guard protection belt is made from a proportion of recycled natural rubber. The “anti-aging” sidewall construction can withstand typical overloading caused by low inflation pressure for much longer. A brand new extra-wide and extra-comfortable version in 28x559 mm is now available.

**Note:** Use a pressure gauge to adjust tire pressures as the common ‘thumb check’ is insufficient due to the special construction of the Marathon Plus.



### MARATHON PLUS Evolution Line, Wired tire – HS 440

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
	22"	25-489 22x1.00	SmartGuard	Black 'n' Roll	Black-Reflex	Twin	6.0-10.0	85-145	470	17	67	55 kg	10275440.01
	24"	25-540 24x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	500	18	67	60 kg	10283440
			SmartGuard	Black 'n' Roll	Black-Reflex	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282440.01
<b>NEW!</b>		28-540 24x1.10	SmartGuard	Black 'n' Roll	Black	Twin	6.0-8.0	85-115	530	19	67	60 kg	10241440
		37-540 24x1 3/8	SmartGuard	Black 'n' Roll	Black	Twin	3.5-6.0	50-85	780	28	67	75 kg	10281440
	26"	25-559 26x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	520	18	67	60 kg	10231440
<b>NEW!</b>			28-559 26x1.10	SmartGuard	Black 'n' Roll	Black	Twin	6.0-8.0	85-115	550	19	67	60 kg
		25-590 26x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	570	20	67	65 kg	10284440

### MARATHON PLUS Performance Line, Wired tire – HS 440

	24"	25-540 24x1.00	SmartGuard	GRC	Grey/Black	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282540
		37-540 24x1 3/8	SmartGuard	GRC	Grey/Black	Twin	3.5-6.0	50-85	780	28	67	75 kg	10281540

## SCHWALBE IS THE ONLY MAKER TO DESIGN PNEUMATIC TIRES SPECIFICALLY FOR WHEELCHAIR USERS. OUR SOLUTIONS:

### FLAT-LESS

SmartGuard puncture protected wheelchair tires combine the comfort and light running of pneumatic tires with the puncture protection of PU tires.

### 2GRIP

Hand-friendly tires. The side walls are completely smooth, so the tires glide silkily past the hands. Patent protected and standard on all Schwalbe wheelchair tires.

### BLACK 'N' ROLL

Wheelchairs with black tires? Schwalbe has made it possible. We developed a special Black'n'Roll compound that does not leave unsightly marks on indoor floors. Additionally it is far more robust and much longer lasting.



### RIGHTRUN PLUS

The latest addition to the “Flat-less” family. The RightRun Plus offers slick tire performance with SmartGuard, “flat-less”, puncture protection.



### RIGHTRUN

Our entry level tire, but packed with features: Effective puncture protection layer, hand-friendly 2Grip side walls, and attractive two color compound. Robust Black'n'Roll tread center compound that is non-marking neatly completes the feature list.

#### RIGHTRUN PLUS Performance Line, Wired tire – HS 387

	ETRTO	Size	!	⚙️	🌪️	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
22"	25-489	22x1.00	SmartGuard	Black 'n' Roll	Grey Stripes	Twin	6.0-10.0	85-145	470	17	67	55 kg	10275397.02
24"	25-540	24x1.00	SmartGuard	Black 'n' Roll	Grey Stripes	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282397.02

#### RIGHTRUN Active Line, Wired tire – HS 387

20"	25-451	20x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	260	9	50	50 kg	10100824
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	260	9	50	50 kg	10273328.01
22"	25-489	22x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	285	10	50	55 kg	10100825
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	285	10	50	55 kg	10275387.01
24"	25-540	24x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	315	11	50	60 kg	10100826
			K-Guard	Black 'n' Roll	Blue Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282388.01
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282387.01
			K-Guard	Black 'n' Roll	Red Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282389.01
NEW!	28-540	24x1.10	K-Guard	Black 'n' Roll	Grey Stripes	Lite	5.0-8.0	70-115	330	12	50	60 kg	10159015
26"	23-559	26x7/8	K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	310	11	50	60 kg	10283387.01
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	350	12	50	60 kg	10159012
			K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	350	12	50	65 kg	10285391
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	350	12	50	65 kg	10285387.01





### DOWNTOWN

**An allrounder with grip and comfort.** With a puncture protection layer and hand-friendly 2Grip side walls.



### LAND CRUISER

**The off road wheelchair tire.** Land Cruiser is suitable for occasional off road use. Note: The inside diameter of this 24" tire is 507mm. So it is not compatible with the usual 24" wheelchair rim size of 540 mm. Ensure that both the rim and tire sizes are compatible i.e. 507 mm.



**HS 127 HS 228**

### CLASSICS

**Classics.** Tires in traditional sizes and classic tread designs. Active Line quality. K-Guard puncture protection. Wired tires.

#### **DOWNTOWN** Active Line, Wired tire – HS 342

	ETRTO	Size	!	⊗	●	Skin	Bar	Psi	g	o <sub>2</sub>	EPI	Load	Art.-No.
24"	25-540	24x1.00	K-Guard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	420	15	50	60 kg	10283342
			K-Guard	GRC	Grey/Black	Twin	6.0-10.0	85-145	420	15	50	60 kg	10282645.01
	37-540	24x1 3/8	K-Guard	GRC	Grey/Black	Twin	3.5-5.0	50-70	520	18	50	75 kg	10281643

#### **LAND CRUISER** Active Line, Wired tire – HS 450

24"	47-507	24x1.75	K-Guard	SBC	Black	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101030
	50-507	24x2.00	K-Guard	SBC	Black	Twin	2.5-5.0	35-70	770	27	50	90 kg	11101031

#### **HS 127** Active Line, Wired tire

24"	37-540	24x1 3/8	K-Guard	GRC	Grey	Twin	2.5-4.5	35-65	495	17	50	75 kg	10281620.01
-----	--------	----------	---------	-----	------	------	---------	-------	-----	----	----	-------	-------------

#### **HS 228** Active Line, Wired tire

22"	25-489	22x1.00	K-Guard	GRC	Grey/Black	Lite	6.0-7.5	85-110	270	10	50	55 kg	10275671.01
24"	25-540	24x1.00	K-Guard	GRC	Grey/Black	Lite	6.0-10.0	85-145	340	12	50	60 kg	10282675.01



### SCHWALBE ONE

**Schwalbe One.** The name alone indicates how significant this tire is for Schwalbe. With a sporty tread design, excellent Race-Compound and quality workmanship, the Schwalbe One sets a new benchmark in terms of quality and Performance. Originally developed for competitions, we have made this outstanding tire wheelchair accessible by using our WheelStar compounds. Schwalbe One is fast and reliable at the same time. The great puncture protection comes from the V-Guard, made from a special fabric, which is very light and extremely cut resistant.



### SPEEDAIR

**The Indoor sports specialist.** Exceptionally nimble and easy running. The center tread is asymmetrically designed to match the wheel camber angle of indoor wheelchairs

#### SCHWALBE ONE Evolution Line, Folding tire – HS 462A

	ETRTO	Size	!	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
24"	25-540	24x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	205	8	127	70 kg	11600870
26"	25-559	26x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	215	8	127	70 kg	11600871

#### SPEEDAIR Performance Line, Wired tire – HS 343

24"	20-540	24x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	220	8	67	55 kg	10281353.02
26"	20-559	26x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	230	8	67	55 kg	10231353.02
	20-590	26x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	245	9	67	60 kg	10285353.02
28"	23-622	700x23C	Performance	Silica	White	Lite	6.0-10.0	85-145	305	11	67	70 kg	10290353.02



# NUMBER 1 BICYCLE TUBE



## RELIABLE

Bicycle dealers appreciate its high reliability. Each tube is inflated at the factory for 24 hours and tested for leaks.

## RETAINS AIR LONGER

In manufacturing, we ensure a very high butyl content and a very high material purity. So Schwalbe tubes retain air pressure considerably longer than other tubes.



## VERSIONS FOR EVERY DEMAND

### STANDARD

High reliability.  
Proven millions of times.

### EXTRALIGHT

True reliability.  
Low weight.

# BE IN SPECIALIST TRADE!



## GROUP TUBE SYSTEM

A Schwalbe tube is extremely elastic and fits several tire sizes. For this reason we also call it a "Group Tube". For example, the 19A tube fits tire sizes from 27.5" to 29" and widths from 40mm to 62mm.

## 100% RECYCLABLE

We have developed in our own factory a special devulcanization process. As a result, we can use recycled material without any loss of quality in the production of new tubes.

\*(Tested: Schwalbe SV20 Extralight)

### XXLIGHT

When every gram counts.

### FREERIDE

Large volume.  
Low Weight.

### DOWNHILL

Extremely durable.  
Reinforced rubber valve base.





		MTB	ROAD			TOUR	29er			
26 "	26 "	26 "	28 "	28 "	28 "	28 "	29/28/27.5 "	27.5 "		
	47-559 47-571 30-584 35-584 47-584 32-590 25-559 20-571 23-571	40-559 47-559 50-559 54-559 57-559 60-559 62-559*	18-622 20-622 22-622 23-622 25-622 28-622* 22-630 25-630		28-622 30-622 28-630 32-630	40-609* 28-622 30-622 32-622 37-622 40-622 42-622 47-622* 32-630* 40-635*	50-584 60-584 62-584 40-622 47-622 50-622 57-622 62-622 40-635	40-584 47-584 50-584 54-584 57-584 60-584 62-584		
11	12	13	15	16	17	19	21			
<b>EXTRALIGHT</b>										
60g	140g	190g	105g	135g	150g	220g	205g			
<b>AV 11</b>	<b>AV 12</b>	<b>AV 13</b>	<b>AV 15</b>	<b>DV 16</b>	<b>AV 17</b>	<b>AV 19</b>	<b>AV 21</b>			
10422310	10423340	10425340 10925440(WP)	10427340	10431311	10429340 10929440(WP)	10430340 10930340(WP)	10400050			
<b>SV 11</b>	<b>DV 12</b>	<b>DV 13</b>	<b>DV 15</b>	<b>SV 16</b>	<b>DV 17</b>	<b>DV 19</b>	<b>SV 21</b>			
10422313	10423611 10923311(WP)	10425311 10925311(WP)	10427611 10927611(WP)	10431343	10429311 10929311(WP)	10430311 10930311(WP)	10400153			
<b>SV 11</b> 60mm	<b>SV 12</b>	<b>SV 13</b>	<b>SV 15</b>	<b>SV 16</b> 60mm	<b>SV 17</b>	<b>SV 19</b>				
10422363	10423343	10425343 10925443(WP)	10427343 10927443(WP)	10431363	10429343 10929443(WP)	10430343 10930343(WP)				
		<b>SV 13</b> 60mm	<b>SV 15</b> 50mm		<b>SV 17</b> 50mm					
		10425363	10400083		10400093					
			<b>SV 15</b> 60mm		<b>SV 17</b> 60mm					
			10427363 10927063(WP)		10429363					
		14	20			18	19A	21A		
<b>EXTRALIGHT</b>										
		130g	65g			105g	140g	135g		
		<b>AV 14</b>	<b>SV 20</b>			<b>SV 18</b>	<b>SV 19A</b>	<b>SV 21A</b>		
		10424340	10426343			10428343	10430943	10400163		
		<b>SV 14</b>	<b>SV 20</b> 50mm							
		10424343	10400103							
		<b>SV 14</b> 60mm	<b>SV 20</b> 60mm							
		10424363	10426363							
			<b>SV 20</b> 80mm							
			10426383							



\*not Extralight, \*\*only Extralight, WP = Workshop packing (50 tubes rolled in a carton)

		Wheelchair	DOWNHILL				DOWNHILL			Wheelchair
18 "	20 "	20 "	20 "	22 "	22 "	24 "	24 "	26 "	26 "	26 "
	47-355 50-355 54-355 57-355 60-355		54-406 57-406 60-406 62-406 65-406 70-406 75-406		25-489 28-489 25-501 28-501	40-457 47-457 50-457 54-457	18-520 20-520 22-520 23-520 25-520 28-520	54-507 57-507 60-507 62-507 65-507 70-507 75-507	25-559 28-559 32-559 35-559 37-559 40-559	25-584 28-584 20-590 25-590
5A	7A	7B	7D	8A	8B	9C	10D	11A	12A	12B
95g	105g	85g	200g	80g	140g	90g	260g	95g	120g	90g
<b>SV 5A</b>	<b>AV 7A</b>	<b>AV 7B</b>	<b>AV 7D</b>	<b>AV 8A</b>	<b>DV 8B</b>	<b>SV 9C</b>	<b>AV 10D</b>	<b>AV 11A</b>	<b>AV 12A</b>	<b>AV 12B</b>
10412513	10416310	10416290	10415740	10417240	10400011	10418343	10420740	10422240	10432340	10423290
	<b>DV 7A</b>	<b>SV 7B</b>						<b>SV 11A</b>	<b>DV 12A</b>	<b>SV 12B</b>
	10416311	10400013						10422213	10432341	10423223
	<b>SV 7A</b>								<b>SV 12A</b>	
	10416313								10432343	



## TIRE BOOSTER

With the **TIRE BOOSTER**, tubeless tire assembly can be accomplished easily. Even without a compressor. With a power of up to eleven bar. 435 g light. With a functional Mounting Strap. This allows the Tire Booster to be fixed directly to the floor pump.

Only for SV valves. Hints for use, at: [www.schwalbe.com/tubeless](http://www.schwalbe.com/tubeless)

Art.-No. 6080.01



## TUBELESS VALVES

These **Tubeless valves** are made of aluminum and are very light. The conical valve base works universally and will fit in most rims.

TL Valve, 40 mm, 2er Set  
Art.-No. 3460



## TUBELESS EASY KIT

**All in one package for a tubeless conversion.** It contains a Tubeless rim tape, two Tubeless valves, 2 bottles Doc Blue, the mounting fluid Easy Fit as well as a set of tire levers. The kit is available with rim tapes in a width of 21, 23 and 25mm. \*

Tubeless Easy Kit 21, Art.-No. 16620021  
Tubeless Easy Kit 23, Art.-No. 16620023  
Tubeless Easy Kit 25, Art.-No. 16620025



## AIRMAX PRO

The digital pressure gauge is very **precise**, measuring pressures up to 11 bar and is suitable for both Auto and Presta valves. It will also function with Schwalbe's 'classic' bicycle valve. \*

Art. No. 6010



## VALVE EXTENSION

For high pressure (Presta) valve with removable valve core. Aluminum. 2 per set.

17mm, silver, no thread, Art. No. 3453  
30 mm, black, threaded, Art. No. 3461  
65 mm, black, threaded, Art. No. 3462

⚠ The valve extensions in 30mm and 65mm are tubeless compatible.



## TUBELESS RIM TAPE

The **tubeless rim tape** is extremely user friendly and at the same time very high pressure resistant.

10 m x 19 mm, Art.-No. 887019  
10 m x 21 mm, Art.-No. 887021  
10 m x 23 mm, Art.-No. 887023  
10 m x 25 mm, Art.-No. 887025  
10 m x 27 mm, Art.-No. 887027  
10 m x 29 mm, Art.-No. 887029  
10 m x 32 mm, Art.-No. 887032  
10 m x 37 mm, Art.-No. 887037  
10 m x 42 mm, Art.-No. 887042



⚠ Only use wheels that have been specifically approved by the manufacturer for Tubeless conversion. Especially with the high-pressure demands on race bikes this is very important. We also test all current tubeless-compatible road bike rims for compatibility with our tires. An overview and all important information about tubeless can be found at: [www.schwalbe.com/de/tubeless-technology](http://www.schwalbe.com/de/tubeless-technology)

## DOC BLUE PROFESSIONAL

**Ideally suited for Tubeless conversions.** Produced by the tubeless specialists from Stan's NoTubes! Doc Blue Professional is our recommendation for use with Schwalbe TLE tires and guarantees easy handling and optimum, fastest sealing.

60-ml bottle, Art.-No. 3710  
500-ml bottle, Art.-No. 3711

⚠ **Dose:** 60 ml/tire (Race bike 30 ml). Effective ca. 2-7 Months. Thereafter dries to a rubber film. Can be renewed. Not effective on large defects (cuts/bursts).



## TIRE LEVERS

**Makes changing tires a snap.** The shape and surface of the tire lever makes the assembly and disassembly of a tire more enjoyable. \*

3 piece set, Art.-No. 1847  
(10 Sets in a display)



## MULTITOOL

**13in1 Multi tool with valve functions.** Handy tool that integrates the functions for valve cores (SV and AV) and valve extensions.

Tools: 2, 2.5, 3, 4, 5, 6, 8 mm hex 25 mm Torx, slotted screwdriver, bottle opener.

Functions: SV valve core, valve extension SV, AV valve core.

78 g, Art.-No. 6015.01



⚠ With anti-corrosion coating.

## EASY FIT

**Special assembly liquid for bicycle tires.**

A practical sponge applicator allows the liquid to be applied to the tire bead very simply - without smudging fingers.

Sponge applicator, 50 ml, Art.-No. 3700  
Rell, 1000 ml, Art.-No. 3701



## GLUELESS PATCHES

With the new self-adhesive patches from Schwalbe you can repair a flat tube fast and without any difficulty.

6 Flicker, Art.-No. 3900.01  
(20 Sets in a display)



## TREAD CUTTER

The **Tread Cutter** is the first set of pliers made specifically to fine-tune MTB tires. With it, you can cut the lugs off with a smooth edge and – thanks to the cutting-height adjustment – to your exact required height.

Art.-No. 6025



⚠ Details for use: [www.schwalbe.com/treadcutter](http://www.schwalbe.com/treadcutter)



## HIGH-PRESSURE-RIM TAPE

**The third important factor** – Besides tube and tire - for puncture protection. The rim tape effectively protects the tube against mechanical damage, for example from spoke heads and metal burrs around the spoke holes.

	ETRTO	Max bar/psi	Art.-No.		ETRTO	Max bar/psi	Art.-No.
16 "	22-305	7/100	10870060	26 "	18-559/571	10/145	10870200
18 "	18-355	10/145	10870061	27.5 "	20-584	7/100	10870252
20 "	22-406	7/100	10870062		22-584	7/100	10870250
	25-406	7/100	10870063		25-584	7/100	10870255
24 "	20-507	7/100	10870080		34-584	7/100	10870257
	22-507	7/100	10870082		38-584	7/100	10870261
	32-507	7/100	10870084		41-584	7/100	10870258
	16-540	10/145	10870086		45-584	10/145	10870260
26 "	14-559	7/100	10870094	28 "	14-622	7/100	10870310
	20-559	7/100	10870100		16-622	10/145	10870300
	22-559	7/100	10870102		18-622	10/145	10870330
	25-559	7/100	10870105		20-622	10/145	10870350.01
	32-559	7/100	10870106		22-622	10/145	10870352.01
	16-571	10/145	10870090		25-622	7/100	10870355

### Twin-pack:

26 "	14-559	7/100	11874094	28 "	16-622	10/145	11874300	
	20-559	7/100	11874100			18-622	10/145	11874330
	22-559	7/100	11874102			20-622	10/145	11874350.01
28 "	14-622	7/100	11874310		22-622	10/145	11874352.01	



## HIGH-PRESSURE-CLOTH RIM TAPE

Made from high-quality polyester that is light, yet withstands high pressures. The special adhesive prevents slipping under high loads and temperatures.

	SIZE	Max bar/psi	Art.-No.
	25m x 15mm	10/145	880018
	25m x 18mm	10/145	880017
	2m x 15mm	10/145	880016
	2m x 18mm	10/145	880015



25 m workshop roll.

Pair-set. With valve hole.

## CLOTH RIM TAPE – 50m-ROLL

This economical polyester tape is still available on a 50 m roll. Ideal for the workshop.

	SIZE	Max bar/psi	Art.-No.
	19 mm	10/145	880001
	15 mm	10/145	880002



## SATTELTASCHE

Complete with tube and two tire levers.

26" (Tube No. 13), Art.-No. 1653A

28" (Tube No. 17), Art.-No. 1653B

27.5/29" (Tube No. 19), Art.-No. 1653C

Road bike (Tube No. 15), Art.-No. 1613A.02

⚠ Available for Road bike, MTB and Touring bikes.



## MAGNETIC DUSTCAP

**This dustcap is really special.** It is equipped with a powerful neodymium magnet and acts as a spoke magnet for the bike computer. Super side effect: A cleaner bike!

SV, Art.-No. 6674.01

(15 Sets in a display)



Valve	PART	Quantity	Art.-No.
AV	Valve core	25	3610
	Rim nut	50	3601
	Dust cap	25	6610



Valve core



Rim nut



Dust cap

Valve	PART	Quantity	Art.-No.
DV	Valve core	25	3361
	Rim nut	50	3601
	Top nut	50	3602
	Dust cap	25	6611



Valve core



Rim nut



Top nut



Dust cap

Valve	PART	Quantity	Art.-No.
SV	Valve core (Incl. cap and key)	25	3363
	Rim nut	50	3620
	Dust cap	25	6613
	Dust cap, smoke grey	25	6614



Valve core



Valve key



Rim nut



Dust cap



Dust cap

Valve	PART	Quantity	Art.-No.
	Valve adapter from DV/SV to AV	1	3622
	Valve key	1	3450.01



Valve adapter



Valve key



## SIZES & LEGEND

	ETRTO	TIRES	TUBES
12 "	47-203	Black Jack, Kid Plus, HS140	1
	50-203	Big Apple, Road Cruiser	1
14 "	50-254	Big Apple	2A
	37-288	HS140	2
	47-288	Kid Plus	2
16 "	40-305	Marathon Racer	2
	47-305	Black Jack, Mad Mike, Marathon, Road Cruiser	3
	50-305	Big Apple	3
	57-305	Mad Mike	3
	30-349	Winter	4
	32-349	Kojak	4
	35-349	Marathon, Marathon Plus	4
17 "	32-369	Kojak	5
18 "	32-355	Kojak	4
	40-355	Marathon Racer	5
	42-355	Winter	5
	44-355	Marathon	5
	47-355	Black Jack, HS159	5, 5A
	50-355	Big Apple	5A
	20 "	28-406	Schwalbe Pro One, Schwalbe One
35-406		Marathon Plus, Kojak	6, 6A
37-406		Little Joe	6, 6A
40-406		Marathon, Marathon GT 365, Marathon Racer, Schwalbe G-One Speed	6,6A,7,7C
42-406		Marathon Winter Plus	7, 7C
47-406		Marathon, Marathon Plus, CX Comp, Delta Cruiser Plus, Road Cruiser, Road Cruiser Plus, Tracer, Black Jack, Mad Mike	7, 7C
50-406		Big Apple, Little Joe	7, 7C
54-406		Jumpin' Jack, Knobby	7, 7C, 7D
55-406		Big Apple, Big Ben, Big Ben Plus, Marathon Winter Plus	7, 7C, 7D
57-406		Rocket Ron, Mad Mike, Jumpin' Jack	7, 7C, 7D
60-406		Smart Sam	7, 7C, 7D
62-406		Super Moto-X	7, 7C, 7D
54-428		HS159	7
37-438		HS110	7A
25-451		Rightrun	7B
28-451	Schwalbe One	7A	
22 "	47-457	Road Cruiser	8B
	44-484	Road Cruiser	8
	25-489	Marathon Plus, Rightrun, Rightrun Plus, HS228	8A
	37-489	HS110	8
	37-490	HS166	8
	25-501	Rightrun	8A
	24 "	47-507	Marathon, Marathon Plus, Marathon Winter Plus, Road Cruiser, Road Cruiser Plus, Land Cruiser, CX Comp, Black Jack

### Quality Lines

**Evolution:** The very best possible. Highest grade materials. Latest technology.

**Performance:** Excellent quality for intensive use.

**Active:** Reliable brand quality.

### Terminology

**Apex:** Reinforced sidewall offers more protection for off road tires.

**LiteSkin:** Skin Tires have light, thin sidewalls. Advantages: Weight saving and reduced rolling resistance.

**MicroSkin:** New, patented design which makes tubeless tires very light and high pressure. capable.

**Reinforced:** Strengthened.

**SnakeSkin:** A light and flexible carcass makes the tire highly resistant to scrubbing.

**Super Gravity:** Special carcass construction is nearly as robust as a Downhill tire but lighter.

**Tubular:** The tube is sewn directly into the tire. The tire is then glued onto a special rim.

**Tubeless:** A bicycle tube is not required. Tire and rim are designed so they seal directly against one another.

**Tubeless Easy:** These tires can be converted to tubeless tires using liquid sealant. The standard for premium Schwalbe tires.

**Tubeless Ready:** Special tubeless technology for Schwalbe Performance tires. Similar to Tubeless Easy.

	ETRTO	TIRES	TUBES
26 "	50-507	Big Apple, Land Cruiser, Land Cruiser Plus	10
	54-507	Rocket Ron, Smart Sam, Black Jack	10, 10D
	55-507	Big Ben, Big Ben Plus	10, 10D
	57-507	Table Top	10, 10D
	60-507	Hans Dampf, Rocket Ron, Smart Sam	10, 10D
	23-520	Schwalbe One	9C
	20-540	Speedair	9A, 9B
	25-540	Marathon Plus, Schwalbe One, Rightrun, Rightrun Plus, Downtown, HS228	9A, 9B
	28-540	Marathon Plus, Rightrun	9, 9A, 9B
	37-540	Marathon Plus, Delta Cruiser, Delta Cruiser Plus, Downtown, HS127	9
	20-559	Speedair	11, 11A
	23-559	Rightrun	11, 11A
	25-559	Marathon Plus, Schwalbe One	11,11A,12A
	28-559	Schwalbe Pro One, Marathon Plus, Rightrun	12A
	32-559	Marathon	12A
35-559	Marathon Plus, Kojak, Insider, CX Pro	12A	
40-559	Marathon, Marathon Plus, Marathon Racer, Spicer, City Jet	12A,13, 14, 14A	
	42-559	Marathon Supreme	13,14,14A
	47-559	Marathon, Marathon Plus, Marathon Plus Tour, Marathon Winter Plus, Winter, Black Jack, Energizer Plus, Energizer Plus Tour, Road Cruiser, Road Cruiser Plus, Delta Cruiser Plus, Land Cruiser, Land Cruiser Plus, Silento	12, 13, 14, 14A
50-559	Marathon, Marathon Plus, Marathon Plus Tour, Marathon Mondial, Marathon Supreme, Marathon Winter Plus, Marathon GT 365, Marathon GT Tour, Black Jack, CX Comp, Kojak, Big Apple, Land Cruiser, Land Cruiser Plus, Delta Cruiser Plus, City Jet	13, 14, 14A	
	54-559	Nobby Nic, Rocket Ron, Rapid Rob, Smart Sam, Smart Sam Plus, Ice Spiker Pro, Hurricane, Black Jack, Marathon Plus MTB	13, 14, 14A, 13D, 13F
55-559	Big Apple, Big Ben, Big Ben Plus	13,14,13D,13F	
57-559	Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Smart Sam, Smart Sam Plus, Table Top, Rapid Rob, Tough Tom, Black Jack, Marathon Plus MTB	13, 14, 13D, 13F	
	60-559	Magic Mary, Hans Dampf, Nobby Nic, Rocket Ron, Big Apple, Space, Fat Frank	13, 14, 13D, 13F
62-559	Super Moto-X	13, 14, 13D, 13F	
65-559	Magic Mary	13D, 13F	
100-559	Jumbo Jim	13J	
110-559	Jumbo Jim	13J	
120-559	Jumbo Jim	13J	
23-571	Schwalbe One	11, 11A	
20-590	Speedair	12B	
25-590	Marathon Plus, Rightrun	12B	
28/32-590	HS180	12	
37-590	Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus	12	

### Compounds

**ADDIX:** New developed high-performance compounds. The very best compounds from Schwalbe. For MTB (Speed, SpeedGrip, Soft, Ultra Soft), Roadrace (Addix Race) and E-Bike tires (Addix-E). Addix is also available in the Performance Line.

**Black'n'Roll:** Special rubber compound for wheelchairs. Leaves no unsightly marks on indoor floors and lasts much longer than a normal grey wheelchair tire compound.

**Dual Compound:** Two different rubber compounds for optimal performance.

**Endurance:** The Marathon compound for the highest durability.

**Energizer:** Extremely grippy compound for E-Bikes.

**Four Season:** Very versatile rubber compound, specially made for conditions throughout the year.

**GRC:** Grey compound for wheelchair tires.

**Green Compound:** The most sustainable compound. With polymers only made from renewable and recycled raw materials.

**OneStar Triple Compound:** Three different rubber compounds for best performance, Very low rolling resistance for fast tires.

**Roller:** Specially designed for turbo trainers.

**SBC: Schwalbe Basic Compound:** Versatile quality compound for all applications.

**Silica:** Special filler in the rubber mixture that positively influences the rolling resistance and wet-grip.

**Speedgrip:** Sporty rubber compound with extremely low rolling resistance and exceptional grip.

**TravelStar Compound:** Triple compound. Perfectly adapted to the use on long bike tours.











**Winter:** Special compound for spike tires.





**WheelStar Compound:** The Speed-Compound specially made for wheelchair racers.

	ETRTO	TIRES	TUBES
	42-590	Marathon Plus	12
27"	28/32-630	HS159	16, 17
	32-630	Marathon	16, 17
27.5"	25-584	Schwalbe Pro One, Schwalbe One	12B
	28-584	Schwalbe Pro One	12B
	30-584	Schwalbe G-One Speed	12
	33-584	Schwalbe X-One Allround	12
	35-584	Kojak, Schwalbe G-One Allround	12
	37-584	Road Cruiser	12
	40-584	Schwalbe G-One Allround, Schwalbe G-One Bite, Marathon Plus	12, 21, 21A
	42-584	Marathon Supreme	12,21,21A
	44-584	Marathon, Road Cruiser	12,21,21A
	50-584	Marathon E-Plus, Marathon Mondial, Energizer Plus, Schwalbe G-One Speed, Hurricane, Big Ben, Big Ben Plus, Land Cruiser Plus	19,19A, 21, 21A
	54-584	Rocket Ron, Thunder Burt, Schwalbe G-One Bite, Smart Sam, Rapid Rob, Marathon Plus MTB	19,19A,21, 21A,21F
	55-584	Marathon Almotion	19,19A,21, 21A, 21F
	57-584	Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Schwalbe G-One Allround, Smart Sam, Smart Sam Plus, Hurricane, Rapid Rob, Tough Tom, Ice Spiker Pro, Marathon Plus MTB	19, 19A, 21, 21A, 21F
	60-584	Magic Mary, Dirty Dan, Rock Razor, Hans Dampf, Nobby Nic, Smart Sam, Tough Tom	19, 19A, 21, 21A, 21F
	62-584	Super Moto-X, Hurricane	19, 21, 21A, 21F
	65-584	Eddy Current Front, Eddy Current Rear, Magic Mary, Hans Dampf, Rock Razor, Nobby Nic, Rocket Ron, Ice Spiker Pro, Smart Sam	19F, 21F
	70-584	Eddy Current Front, Eddy Current Rear, Magic Mary, Hans Dampf, Nobby Nic, Rocket Ron, Schwalbe G-One Allround, Super Moto-X	19F, 21F
	75-584	Nobby Nic, Rocket Ron	19F, 21F
28"	22-622	Lugano T	
	23-622	Schwalbe Pro One, Schwalbe One, Durano DD, Durano Plus, Insider, Lugano II, Marathon, Speedair	15, 20
	25-622	Schwalbe Pro One, Schwalbe Pro One TT, Schwalbe Pro One HT, Schwalbe One, Durano DD, Durano Plus, Lugano II, Lugano II Endurance, Lugano T, Marathon, Marathon Plus	15, 20
	27-622	Schwalbe Pro One HT	
	28-622	Schwalbe Pro One, Schwalbe Pro One TT, Schwalbe E-One, Schwalbe One, Durano DD, Durano Plus, Lugano II, Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus	15, 16, 17, 18
	30-622	Schwalbe Pro One, Schwalbe One, Schwalbe G-One Speed, CX Pro, CX Comp, Winter, Marathon Racer, Spicer	17, 18
	32-622	Schwalbe E-One, Lugano II, Marathon Plus, Marathon Supreme, Marathon, Delta Cruiser Plus, Road Cruiser	17, 18

	ETRTO	TIRES	TUBES
	33-622	Schwalbe X-One Allround, Schwalbe X-One Speed, Schwalbe X-One Bite	17, 18
	35-622	Schwalbe G-One Allround, Schwalbe G-One Speed, Schwalbe X-One Allround, Kojak, CX Comp, Marathon Winter Plus, Winter, Marathon Racer, Spicer, Insider	17, 18
	37-622	Marathon Supreme, Marathon Mondial, Marathon E-Plus, Marathon Plus, Marathon Plus Tour, Marathon, Marathon GT 365, Marathon GT Tour, Energizer Plus, Energizer Plus Tour, Smart Sam, Delta Cruiser, Delta Cruiser Plus, Road Cruiser, Road Cruiser Plus, Land Cruiser, Land Cruiser Plus, Silento	17, 18
	40-622	Schwalbe G-One Allround, Schwalbe G-One Speed, Schwalbe G-One Bite, Schwalbe G-One Ultrabite, Marathon Almotion, Marathon E-Plus, Marathon Plus, Marathon, Marathon Racer, Marathon GT 365, Marathon GT Tour, Energizer Plus, Energizer Plus Tour, Little Big Ben, Delta Cruiser Plus, Spicer, CX Comp	17, 18, 19, 19A
	42-622	Marathon Supreme, Marathon Mondial, Marathon Winter Plus, Marathon Plus Tour, Smart Sam, Smart Sam Plus, Hurricane, Winter, Land Cruiser, Land Cruiser Plus, Road Cruiser, Road Cruiser Plus, Silento	17, 18, 19, 19A
	44-622	Smart Sam	17,19,19A
	47-622	Marathon Mondial, Marathon E-Plus, Marathon Plus, Marathon Plus Tour, Marathon GT 365, Marathon GT Tour, Marathon, Energizer Plus, Energizer Plus Tour, Delta Cruiser Plus, Road Cruiser, Road Cruiser Plus, Land Cruiser, Land Cruiser Plus, Silento	17,19, 19A
	50-622	Marathon E-Plus, Marathon Supreme, Marathon Almotion, Marathon Mondial, Marathon Winter Plus, Marathon, Marathon GT Tour, Marathon GT 365, Energizer Plus, Big Apple, Big Ben, Big Ben Plus, Fat Frank	19, 19A
	55-622	Marathon E-Plus, Energizer Plus, Marathon Almotion, Big Ben Plus, Big Apple	19, 19A, 19F
	60-622	Big Apple	19,19A,19F
	40-635	Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus, Winter	17, 19, 19A
29"	47-622	Smart Sam, Smart Sam Plus	17,19,19A
	50-622	Furious Fred, Schwalbe G-One Speed, Schwalbe G-One Bite, Schwalbe G-One Ultrabite	19, 19A
	54-622	Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Smart Sam, Smart Sam Plus, Rapid Rob, Marathon Plus MTB	19, 19A, 19F
	57-622	Magic Mary, Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Ice Spiker Pro, Schwalbe G-One Allround, Marathon Plus MTB, Smart Sam, Hurricane, Rapid Rob, Tough Tom	19, 19A, 19F
	60-622	Magic Mary, Dirty Dan, Rock Razor, Hans Dampf, Nobby Nic, Racing Ralph, Racing Ray, Smart Sam, Schwalbe G-One Speed	19, 19A, 19F
	62-622	Eddy Current Front, Hurricane	19,19A,19F
	65-622	Eddy Current Front, Eddy Current Rear, Magic Mary, Hans Dampf, Nobby Nic, Smart Sam	19F

**Symbols**

-  **ETRTO** **Size indication** (European Tire and Rim Technical Organization). Example: The tire sizing 37-622 indicates width (37 mm) and inner diameter (622 mm).
-  **Size** **Other sizes.** (Inch- und French sizes)
-  **Version**
-  **E-Bike Ready.** Recommendation for the use of a tire on E-bikes. For standard, slow Pedelecs (E-25) or with ECE-R-75 mark for fast E-bikes (E-50).
-  **Compound.**
-  **Colourway**
-  **Skin** **Skin** describes the sidewall.
  - **Lite.** Light and thin. Consists only of the rubberized casing.
  - **Micro.** Special cross fabric. Applied to the inner surface of a tire. Very light, cut resistant and air tight.
  - **Twin.** An additional rubber coating on the side protects against cuts and allows for uniform colouring.
  - **Snake.** Very light and effective protection using SnakeSkin fabric.
-  **Bar** Min. / max. **Pressure in bar.**
-  **Psi** Min. / max. **Pressure in psi.**
-  **Approx. weight** (Weights given are within +/- 8%)

-  **Weight in ounces.** 1 oz = 28,35 g
-  **EPI** **Carcass density.** Ends per Inch. The denser the carcass, the higher the quality of the tire. A "T" in front of the number points out a tubular carcass. This carcass is not strictly comparable. Material and manufacturing differ significantly.
-  **Index** **Special code,** which indicates the maximum load as well as the maximum speed of a tire. The load is indicated as number (e.g. 28 = 100 Kg). The speed is indicated as letter (e.g. B = 50 Km/h).
-  **Load** **Maximum Load** (per tire at max. pressure)


All photos, images, graphics and text in this catalogue are protected by copyright. In order to secure rights for use, our agreement in writing should be sought. Errors and omissions excepted. Technical details subject to change.

**More Information:** [www.schwalbe.com](http://www.schwalbe.com)





**SCHWALBE**



**SCHWALBE HEADQUARTERS**

RALF BOHLE GMBH  
51580 REICHSHOF  
GERMANY  
T +49-2265-1090  
WWW.SCHWALBE.COM

**SCHWALBE NORTH AMERICA**

FERNDALE, WA  
T +1-888-700-5860  
WWW.SCHWALBETIRES.COM

**SCHWALBE FRANCE SARL**

38510 MORESTEL  
T +33-4-74805842  
WWW.SCHWALBE.FR

**SCHWALBE NEDERLAND B.V.**

2132 PX HOOFDORP  
T +31-23-5555265  
WWW.SCHWALBE.NL

**SCHWALBE TYRES UK LTD.**

SHROPSHIRE TF1 7ET  
T +44-1952-602680  
WWW.SCHWALBE.CO.UK

**SCHWALBE ITALIA S.R.L.**

20864 AGRATE BRIANZA (MB)  
T +39-039-6058078  
WWW.SCHWALBE.IT



**FOLLOW US ON:**

FACEBOOK.COM/SCHWALBETIRES  
INSTAGRAM.COM/SCHWALBETIRES

**SCHWALBE INTERNATIONAL**  
WWW.SCHWALBE.COM/INTERNATIONAL

