



D E A L E R C A T A L O G U E

2 0 1 9



WHY KMC?

Compatibility

KMC derailleur chains are 100% compatible with all major systems. We do not distinguish between disciplines; our chains are suitable for both road and off-road. The way in which KMC chains are categorized is logical: for example any product from the X11 series will fit any 11-speed derailleur system and every possible use.

Durability

From many field tests, we can conclude that the KMC chains last longer than their equivalents offered by other brands. Our unique satisfaction warranty on many of our products is a proof of our confidence. In fact, we guarantee 10.000km+ for the e101 EPT chain in combination with our sprockets.

Easy assembly

Nearly every KMC chain is supplied with a connecting link. Assembly of the chain is fast, secure, uncomplicated and convenient. In order to shorten the chain to the required length, simply use the Chain De-Rivetter. To assemble or disassemble the MissingLink, KMC recommends the use of the Connecting- and Opening tools.







Responsibility

KMC is constantly striving to manufacture the best possible quality products with minimal environmental impact. On top of meeting European standards, KMC is the first and only chain manufacturer to measure their carbon footprint. In order to reduce emissions, energy intensive processes constantly undergo optimization. Also more obvious steps are taken like solar panels at our factories reduce, or even neutralize electricity consumption from our European operation.

KMC PRODUCT FEATURES



Unique Guarantee

The life of a KMC chain with this quality warranty is guaranteed to last longer than other brands. This durability treatment includes all DLC, e-bike, XSL, XEL and X101 chains. If you are not satisfied with the durability of your chain, fill out the form on www.kmcchain.eu/warranty-claim.



Durability Factor

The red dots represent the durability of the chain. This durability factor is used for our DLC, e-Bike and X-series chains. Five red dots indicate the maximum durability factor.



e-Bike

Our e-Bike chains are specially designed for use in combination with strong mid motors. Optimized pinpower and unsurpassed durability are the key features of our e-Bike chains.



Drive train guarantee

Introducing this solution for internal gear hub equipped (e-)bikes, drive train wear is minimised by using clever solutions to carefully match chain, chain wheel and sprocket, KMC's e101 EPT chain in combination with KMC's 3 mm wide chain ring/sprockets ensure a mileage over 10,000km - quaranteed!



KMC's e1 EPT chain in combination with KMC's narrow chain ring/sprockets ensure a mileage over 3,500km - quaranteed!



DLC

The main characteristic of the Diamond Like Coating is reduction of abrasive wear. Besides this, its surface hardness is higher than most coatings, this ensures a long-term function, optical stability and higher durability.

Diamond durability guarantees unsurpassed durability for all DLC12, DLC11 and DLC10 chains.



EPT

KMC's latest breakthrough in rust protection. EcoProTeQ treatment doubles the rust resistance compared to the RB treatment. Benefits of the smoother coating are less noise, optimum performance, maximum rust resistance and great look.



Ti-N

KMC's special Titanium Nitride coating not only looks fantastic, it has an ultrasmooth surface and is extremely durable.



Non Directional

Our chains are compatible with all major shifting systems, there is no given direction.



Super Light

KMC's X11SL weighs 242 grams/118 Links only, being the very lightest of all 11-speed chains.



X-Bridge

Specially designed outer plate to enable fast, smooth and precise shifts.

INDEX

DLC

4-7

e-Bike

8 - 15

Sprockets & Chainrings

16-19

X-Series

20 - 29

Z-Series & S-Series

30 - 33

B1, K1 & HL

34 - 35

Workshop Solutions

36 - 39

Marketing Material


40 - 41







KMC DLC technology



Excellent shifting performance

The Double X Bridge and chamfering on the inner and outer plates create the prefect harmony between the chain and the other parts of the drive train and results in the best possible shifting performance.

Eye Catcher!

KMC's DLC chains are a great way to complete the looks of your bike. With its black base and numerous colour options you will easily find the perfect one to match your bike!

Extreme Durability

The main feature, besides its looks, is the unsurpassed durability. The fabulous durability of the chain in combination with the low friction extends the lifespan of the drive train significantly.



Diamond-hard surface

The Titanium Carbon Nitride DLC coating contributes to enhancing shifting performance and smoothness.



KMC Super Light Chain

Hollow pin, slotted inner and outer plates reduce the weight per link to 2,08 grams! (DLC11)

DLC SERIES

- Compatible with SRAM 12-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC12



DLC 12-speed

- Durability Factor: ● ●
- Diamond Like Coating
- Hollow pin design
- DLC Black, Black/Red, Black/Blue, Black/Green, Black/Orange, Black/Yellow • High precision chamfering for excellent
- shifting performance
- 260 grams per 126 Links only!





DLC12 Black 126 Links - 1/20 box product nr.: BD12B0126



DLC12 Black/Red 126Links - 1/20 box product nr.: BD12BR126



DLC12 Black/Blue 126 Links - 1/20 box



DLC12 Black/Green 126Links - 1/20 box product nr.: BD12GG126



DLC12 Black/Orange 126 Links - 1/20 box product nr.: BD12B0126



DLC12 Black/Yellow 126Links - 1/20 box product nr.: BD12BY126











DLC SERIES

- For Road, MTB, Gravel and Cyclo Cross
- Compatible with all 11- speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC SERIES

- For Road, MTB, Gravel and Cyclo Cross
- Compatible with all 10- speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC11

DLC 11-speed

















- Diamond Like Coating
- Hollow pin, open inner and outer plate design
- DLC Black, Black/Blue, Black/Celeste, Black/Orange, Black/Pink, Black/Red, Black/Green, Black/Yellow
- Super Light, 247 grams per 118 Links only!











DLC 11 Black 118 Links - 1 / 20 box product nr.: BD11B0118



DLC 11 Black/Blue 118 Links - 1/20 box product nr.: BD11BB118



DLC 11 Black/Celeste 118 Links - 1/20 box product nr.: BD11BG118



DLC 11 Black/Orange 118 Links - 1/20 box product nr.: BD11B0118



DLC 11 Black/Pink 118 Links - 1/20 box product nr.: BD11BP118



DLC 11 Black/Red 118 Links - 1 / 20 box product nr.: BD11BR118



DLC 11 Black/Green 114 Links - 1/20 box product nr.: BD11GG118



118 Links - 1 / 20 box product nr.: BD11BY118 DLC 11 Black/Yellow











Black/Green

DLC 10-speed

Diamond Like Coating

• Durability Factor: • • • • •

• Hollow pin, open inner and outer plate

• Super Light, 257 grams per 116 Links only!

• DLC Black, Black/Blue, Black/Red,





DLC10 Black/Black 116 Links - 1/20 box product nr.: BD10B0116



DLC10 Black/Red 116 Links - 1/20 box product nr.: BD10BR116



DLC10 Black/Blue 116 Links - 1 / 20 box



DLC10 Black/Green 116 Links - 1/20 box product nr.: BD10GG116




















KMC REPORTINES THE DRIVE TRAIN



Introducing this solution for internal gear hub equipped (e-)bikes, drive train wear is minimised by using clever solutions to carefully match chain, chain wheel and sprocket, KMC's e101 EPT chain in combination with KMC's 3mm wide chain ring/sprockets ensure a mileage over 10,000km - guaranteed!

For narrow drive trains KMC offers a perfect combination of KMC's e1 and narrow sprockets which guarantee a mileage over 3,500km.

- Maximum Durability
- High Efficiency
- Low Maintenance
- No Rust
- Easy Upgrade











E-BIKE SERIES

• Special design for mid-motor e-Bike

• Including MissingLink





e-Bike systems

e11

11-speed



• Durability Factor: • • • •

- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeQ Anti Rust



product nr.: C11EPTNRO

7155751896755

2pcs/card







40ncs/hox

product nr.: WC11EPTNR







e11 EPT 122 Links - 1 / 30 box product nr.: BE11TEP22







e9

9-speed



• Durability Factor: ● ● ● ●

- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeO Anti Rust technology



product pr.: CO9FPTNRO

2pcs/card







e9 Silver 136 Links - 1 / 30 box product nr.: BE09TNP36



e9 EPT 136 Links - 1 / 30 box product nr.: BE09TEP36



e9 EPT 50m reel + 40 CL





e10

10-speed



• Durability Factor: ● ● ● ●

- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeQ Anti Rust technology











40pcs/box product nr.: WC10EPTNR

e10 Silver 122 Links - 1/30 box product nr.: BE10TNP22



e10 EPT 136 Links - 1/30 box product nr.: BE10TEP36







e1

Internal gear hub



- Durability Factor: ● ●
- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Developed for mid-motor e-Bikes and high end internal gear hub
- Size: 1/2" x 3/32" Narrow









40pcs/box product nr.: WC01EPTNR






e1 Silver 110 Links - 1 / 30 box

e1 Silver 50m reel + 40 CL

product nr.: BE1NP0110















• Special design for mid-motor e-Bike

• Including Connecting Link

Compatible with





e-Bike systems

e101

Internal gear hub



- Durability Factor: ● ●
- Super rigid: maximum efficiency!
- Finish: EcoProTeQ Anti Rust technology
- Size: 1/2" x 1/8" Wide



product nr.: C101EPTNR







product nr.: WC101EPNR





e101EPT 112 Links - 1 / 30 box







Z1eHX Narrow

Internal gear hub



- Increased Pin-Power
- High tensile strength

- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Size: 1/2" x 3/32" Narrow















Z1eHX Silver 112 Links - 1 / 60 box



Z1eHX Silver 50m reel + 40 CL product nr.: WRZ1ENNP0



Z1eHX EPT 112 Links - 1 / 60 box



Z1eHX EPT 128 Links - 1 / 60 box product nr.: BZ1ENEP28



Z1eHX EPT 50m reel + 40 CL product nr.: WRZ1ENEPT





Internal gear hub



- Increased Pin-Power
- High tensile strengthh
- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Size: 1/2" x 1/8" Wide











Z1eHX Silver 112 Links - 1/60 box product nr.: BZ1EWNP12







Z1eHX EPT 112 Links - 1/60 box product nr.: BZ1EWEP12



50m reel + 40 CL product nr.: WRZ1EWEPT









KMC E-BIKE SOLUTIONS

DRIVE TRAIN BUNDLES FOR e-BIKE

KMC was the first chain supplier offering specific chains for e-Bikes with mid motor. Consequently we extended our product range by offering drive sprockets for Bosch Gen 2 and Gen 3 mid motors and sprockets for internal gear hubs. Narrow tolerance, top end material and sufficient corrosion resistance enable a perfect interaction with our chains. It has been proven that our e1 chain in combination with KMC original sprockets significantly increases drive train durability.

However, also on e-Bikes with derailleur the engine drive sprocket quality plays an important role. In fact all drive train parts interact and influence the individual wear of its parts, therefore it is paramount that quality of drive train parts are matching. KMC e11, e10 and e9 are reinforced chains, specially made for bikes equipped with strong mid-engines in combination with 11-, 10- or 9-speed derailleur shifting systems.

Taking the more frequent shifting movements under load into consideration, the reinforced e-chain allows enhanced safety reserve. Besides that our e-chains offer unsurpassed durability by using the most advanced chain technology.

Compatible with





e-Bike systems*

10.000km+ and 3.500km+

For Bosch Gen 2 and Gen 3 engines we offer drive train bundles with the highest possible durability. The first time in KMC's history we guarantee a certain mileage: 3.500 km+ we guarantee for the combination of our e1EPT chain, Bosch Gen 2 or Gen 3 narrow drive sprocket and KMCs narrow rear sprocket for Shimano or Enviolo.

A new benchmark was set with the 10.000 km+ drive train: We combine our e101 chain with wide sprockets. Both chain and sprocket are being produced with highest precision, while the wider surface contact area adds another building block to further maximizing the drive train's durability.

Drive train durability on e-Bikes with mid engine

KMC e101 chain + KMC sprocket Wide

10,000km+

KMC e1 chain + KMC sprocket Narrow

3,500km+



Standard

Sprocket/Chain Compatibility chart											
KMC Sprockets	Product nr.	Teeth	Size	KMC e11	KMC e10	KMC e9	KMC e1	KMC e101			
Bosch 3 offset	BFCB0138	38	11/128"	•	•	•	•				
Bosch 3 flat	BFCB0038	38	11/128"	•	•	•	•				
Bosch 3 flat	BFCB0044	44	11/128"	•	•	•	•				
Bosch 2	BSFB5015	15	11/128"	•	•	•	•				
Bosch 2	BSFB5018	18	11/128"	•	•	•	•				
Bosch 2	BSFB5019	19	11/128"	•	•	•	•				
Bosch 2	BSFB5020	20	11/128"	•	•	•	•				
Bosch 2	BSFB5021	21	11/128"	•	•	•	•				
Bosch 2	BSFB5818	18	1/8"					•			
Bosch 2	BSFB5819	19	1/8"					•			
Bosch 2	BSFB5820	20	1/8"					•			
Bosch 2	BSFB5821	21	1/8"					•			
Enviolo	BSRN5020	20	3/32"				•				
Enviolo	BSRN5820	20	1/8"					•			
Shimano	BSRS5017	17	3/32"				•				
Shimano	BSRS5018	18	3/32"					•			
Shimano	BSRS5019	19	3/32"				•				
Shimano	BSRS5020	20	3/32"				•				
Shimano	BSRS5818	18	1/8"				•				
Shimano	BSRS5819	19	1/8"					•			
Shimano	BSRS5820	20	1/8"					•			



KMC e-Bike Compatibility chart														
KMC Model	Links	Mid motor	Hub motor	11-speed Cassette	10-speed Cassette	9-speed Cassette	1/2" x 3/32" Drive train	1/2" x 1/8" Drive train	Chain- tensioner	Chainglider [®]	Anti-Rust	Durability warranty	KMC Nr.	EAN
e11 Silver	122	•	•	•					•			•	BE11TNP22	4715575890005
e11 EPT	122	•	•	•					•		•	•	BE11TEP22	4715575890029
e10 Silver	122	•	•		•				•			•	BE10TNP22	4715575890043
e10 EPT	136	•	•		•				•		•	•	BE10TEP36	4715575890067
e9 Silver	136	•	•			•			•			•	BE09TNP36	4715575890074
e9 EPT	136	•	•			•			•		•	•	BE09TEP36	4715575890081
e1 Silver	110	•	•				•		•	•		•	BE1NP0110	4715575890142
e1 EPT	110	•	•				•		•	•	•	•	BE1EPT110	4715575890173
e1 EPT	130	•	•				•		•	•	•	•	BE1EPT130	4715575881294
e101 EPT	112	•	•					•	•	•	•	•	BE101EP12	4715575897479
Z1eHX Narrow Silver	112	•	•				•		•	•			BZ1ENNP12	4715575891026
Z1eHX Narrow EPT	112	•	•				•		•	•	•		BZ1ENEP12	4715575897646
Z1eHX Narrow EPT	128	•	•				•		•	•	•		BZ1ENEP28	4715575897653
Z1eHX Wide Silver	112	•	•					•	•	•			BZ1EWNP12	4715575890982
Z1eHX Wide EPT	112	•	•					•	•	•	•		BZ1EWEP12	4715575897639
Z1 Wide EPT	128	•						•	•	•	•		BZ1WEP128	4715575897776

SPROCKETS

Optimized for e-Bike


- Maximum durability
- High efficiency
- High-end Chromoly hardened steel
- Easy upgrade

Compatible with



e-Bike systems

11/128" Extra Narrow



Bosch Gen 2

Type Finish : Chromoly Black

:11/128"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5015

Bosch Gen 2

: Chromoly Black

: 11/128"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5018

Bosch Gen 2

Type :19T : Chromoly Black

: 11/128"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5019

Bosch Gen 2

:20T Type

: Chromoly Black

: 11/128"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5020

Bosch Gen 2

:21T Type

: Chromoly Black

:11/128" Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5021





























Finish : Chromoly Black Size :1/8"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5818



1/8" Wide

Type : Chromoly Black Finish

:1/8" Size

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5819



:20T Type : Chromoly Black

:1/8"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5820

Bosch Gen 2

Type : Chromoly Black

:1/8"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSFB5821





719189 051131









KMC rear SPROCKET

Shimano



SPROCKETS

Optimized for e-Bike

- Maximum durability
- High efficiency
- High-end Chromoly hardened steel
- Easy upgrade

Compatible with

719189051063


8 719189 051070

8 710180 051186



e-Bike systems

3/32" Narrow & 1/8" Wide







Shimano

Type

Finish : Chromoly Black

: 3/32"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSRS5017

Shimano

: Chromoly Black

: 3/32"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSRS5018

Shimano

Type

: Chromoly Black Finish

: 1 in sleeve, 25 in mastercarton

Product no.: BSRS5019

Shimano

Type :20T Finish : Chromoly Black

Size

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSRS5020

Shimano

:18T Type

Finish : Chromoly Black

:1/8"

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BRSR5818

Shimano

Type

: Chromoly Black Finish

Size :1/8"

: 1 in sleeve, 25 in mastercarton

Product no.: BSRS5819

Shimano

Finish

: Chromoly Black

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSRS5820

SPROCKETS & CHAIN RINGS



Optimized for e-Bike

3/32" Narrow & 1/8" Wide



Enviolo

Type :20T

: Chromoly Black Finish :3/32" Size

: 1 in sleeve, 25 in mastercarton Packing

Product no.: BSRN5020

Enviolo

Type

Finish : Chromoly Black

Packing : 1 in sleeve, 25 in mastercarton

Product no.: BSRN5820

Chainrings



Bosch Gen 3

: 38T offset - Direct Mount

: Chromoly Black :11"/128" Size

Chain Line : 50,5 mm

: 1 in sleeve, 10 in mastercarton

Product no.: BFCB0138

Bosch Gen 3

: 38T flat - Direct Mount

: Chromoly Black :11"/128" Chain Line : 47,5 mm

Packing :1 in sleeve, 10 in mastercarton

Product no.: BFCB0038

Bosch Gen 3

: 44T flat - Direct Mount Type Finish : Chromoly Black

Size :11"/128" Chain line : 47,5 mm

Packing :1 in sleeve, 10 in mastercarton

Product no.: BFCB0044











KMC 12-speed technology



Cutting Edge Technology

By adopting cutting edge forging technology, KMC sets a new benchmark for chain production. Extremely precise engineering ensures phenomenal shifting performance and highest chain life.

Asymmetrical chamfering avoids interference

Precisely calculated for outer plates, the four smart chamfering areas ingeniously avoid interference between chain and cassette teeth to guarantee quiet and safe performance. Compatible with both single (1x) and multiple chain rings.



X-SERIES

- Compatible with SRAM 12-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X12

12-speed



- Durability Factor: • • •
- Finish: Ti-N Gold/Black, Titanium Nitride Gold coated, Silver/Black, Nickel plated or EcoProTeQ Anti Rust technology
- High precision chamfering for excellent shifting performance
- 268 grams per 126 Links



X12 Ti-N Gold/Black 126 Links - 1/30 box product nr.: BX12TB126



X12 Ti-N Gold 126 Links - 1 / 30 box product nr.: BX12TI126



X12 Silver/Black 126 Links - 1/30 box product nr.: BX12NP126



X12 Silver 126 Links - 1/30 box product nr.: BX12NP126



X12 EPT 126 Links - 1 / 30 box product nr.: WPX12N126















- Compatible with all 11-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X-SERIES

X11SL

11-speed



- Durability Factor: • • •
- Finish: Ti-N Gold/ Black, Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate
- Super Light, 242 grams per 118 Links only!













X11EL



-0-0-



• Durability Factor: • • • • •

• Open inner- and outer plate design • Extra Light, 256 grams per 118 links.

• Finish: Blacktech, Ti-N Gold or Nickel Plated

11-speed









X11SL Ti-N Gold 118 Links - 1/30 box product nr.: BX11SLT18



X11SL Silver 118 Links - 1/30 box product nr.: BX11SLN18











11-speed



- Durability Factor: ● ●
- Finish: EcoProTeQ Anti Rust technology Silver/Black, or Grey
- Elongated Double X Bridge



X11 EPT 118 Links - 1/60 box product nr.: BX11EP118



X11 Silver/Black 118 Links - 1 / 60 box product nr.: BX11NB118



X11 Silver/Black 114 Links - 1/60 box product nr.: BX11NB114



X11 Silver/Black 114 L - 25pcs/Box + 25 CL product nr.: WPX11NB14



X11 Silver/Black 50m reel + 40 CL




X11 Grey 118 Links - 1/60 box product nr.: BX11GG118



X11 Grey 114 Links - 1/60 box product nr.: BX11GG114























X11EL Ti-N Gold 118 Links - 1/30 box product nr.: BX11ELT18

4 715575 890265

X11EL Blacktech 118 Links - 1/30 box product nr.: BX11ELB18



X11EL Silver 118 Links - 1/30 box product nr.: BX11ELN18



Steve Cummings, Team Dimension Data. X11SL Ti-N Gold. Tour de France stage winner in 2015 and 2016





• Compatible with all 10-speed drive train systems

- Elongated X Bridge
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X-SERIES

X10SL

10-speed





- Durability Factor: ● ●
- Finish: Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate
- Super Light, 253 grams per 114 Links only!









X10SL Ti-N Gold 114 Links - 1/30 box product nr.: BX10SLT14



X10 SL Silver 114 Links - 1 / 30 box product nr.: BX10SLN14

X10EL Ti-N Gold 114 Links - 1/30 box product nr.: BX10ELT14

X10EL Silver 114 Links - 1 / 30 box product nr.: BX10ELN14

4 715575 890388



X10





• Finish: Nickel plated, Silver/Black or EcoProTeQ Anti-Rust technology





X10 EPT 114 Links - 1 / 60 box product nr.: BX10EP114



X10 Silver/Black 114 Links - 1/60 box product nr.: BX10NB114



114 L - 25pcs/Box + 25 CL product nr.: WPX10NB14



X10 Silver/Black 50m reel + 40 CL



X10 Grey 114 Links - 1/60 box product nr.: BX10GG114



X10 Grey 114 L - 25pcs/Box + 25 CL product nr.: WPX10G114



50m reel + 40 CLI product nr.: WRX10G000







10-speed



2pcs/card product nr.: C10GR0000

- Durability Factor: • •
- Finish: Ti-N Gold or Nickel plated
- Open inner- and outer plate design
- Extra Light, 262 grams per 114 Links only!











2pcs/card product nr.: CC10EPTR00









Jordan Sarrou, Team KMC - EKOÏ - SR Suntour. X12 Ti-N Gold/Black





X-SERIES

- Compatible with all 9-speed drive train systems
- Size: 1/2" x 11/128"

2pcs/card product nr.: CO9EPTRO0

• Including MissingLink

X9SL

9-speed



2pcs/card product nr.: C09GR0000

- Finish: Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate
- Super Light, 272 grams per 114 Links only!

40pcs/box product nr.: WC09EPTR0

X9SL Ti-N Gold 114 Links - 1 / 30 box product nr.: BX09SLT14



X9 SL Silver 114 Links - 1/30 box product nr.: BX09SLN14







9-speed

• Durability Factor: • • • • •

Anti-Rust technology or Grey

• Finish: Ti-N Gold, Nickel plated, EcoProTeQ

X9 Ti-N Gold 114 Links - 1/30 box product nr.: BX09TI114



X9 Silver 114 Links - 1 / 60 box product nr.: BX09NP114



X9 EPT 114 Links - 1/60 box product nr.: BX09EP114



X9 Silver/Grey 114 Links - 1/60 box product nr.: BX09NG114



X9 Silver/Grey 114L - 25pcs/Box + 25CL product nr.: WPX9NG114





X9 Silver/Grey 50m reel + 40 CL product nr.: WR09NG000






X9 Grey 114 Links - 1 / 60 box product nr.: BX09GG114



X9 Grey 114L - 25pcs/Box + 25 CL product nr.: WPX9G0114



















Yana Belomoina, CST Sandd American Eagle Mountainbike Racing Team. X12 Ti-N Gold/Black. Winner of the 2017 UCI World Cup and European Champion 2017. Photo: Irmo Keizer.



X-SERIES

- Specially designed for Track
- Size: 1/2" x 1/8"
- Including MissingLink

- Compatible with all 8-speed drive train systems
- Size: 1/2" x 3/32"
- Including MissingLink


X8

8-speed



- Finish: Nickel plated, Silver/Grey or EcoProTeQ Anti-Rust technology
- Elongated X Bridge







X8 EPT 114 Links - 1/60 box product nr.: BX08EP114



X8 Silver/Grey 114 Links - 1 / 60 box product nr.: BX08NG114



X8 Silver/Grey 114L - 25pcs/Box + 25 CL product nr.: WPX8NG116





X8 Silver/Grey





Single Speed



- Super rigid: maximum efficiency!
- Finish: Brass or Nickel Plated
- Bushed
- Size: 1/2" x 1/8" Wide



Silver 112 Links - 1 / 30 box product nr.: BX101N112

Gold 112 Links - 1 / 30 box product nr.: BX101G112















2pcs/card product nr.: C78EPTR73



40pcs/box product nr.: WC78EPTR0





Andreas Graf, Hrinkow Advarics Cycleang: Winner Madison Worldcup 2018 Foto: Eisenbauer





Z-SERIES

Z8

8-speed

ANTI-RUST NON-directional

2 Set auf Karte Art. Nr.: C78EPTR73



• Finish: EcoProTeQ Anti-Rust technology, Silver/Grey, Grey

Z8 EPT 114 Links - 1 / 60 box product nr.: BZ08EP114



Z8 Silver/Grey 7,3mm 114 Links - 1 / 60 box product nr.: BZ08NG114




















Z-SERIES

Z1 Narrow

Internal gear hub



Half Link Narrow

• Finish: EcoProTeQ Anti-Rust technology



• Size: 1/2"x3/32" Narrow



10pcs/Bag product nr.: 0L332000







Z1 Narrow EPT 112 Links - 1/60 box product nr.: BZ1NEPT12



Z1 Narrow EPT







Z1 Narrow Brown 114 L - 25pcs/Box + 25 CL product nr.: WPZ1NB112



Z1 Narrow Brown











• Pin-Length: 7,30mm



Z7 Grey/Brown 114 Links - 1 / 60 box product nr.: BZO7GB114







40 Sets per Box Art. Nr.: WC78EPTRO











Z6

Z7


6-speed



• Finish: Grey • Inner plate chamfering















Z-SERIES

S-SERIES

Z1 Wide

Internal gear hub









- Finish: EcoProTeQ Anti-Rust technology, Gold, Nickel Plated, Brown
- No Drop inner plate
- Size: 1/2" x 1/8" Wide













Z1 Wide EPT 128 Links - 1/60 box product nr.: BZ1WEP128



Z1 Wide EPT 128 L - 25pcs/Box + 25 CL product nr.: WPZ1WEP12









Z1 Wide Gold 112 Links - 1/60 box product nr.: BZ1WG0112



Z1 Wide Silver 112 Links - 1 / 60 box product nr.: BZ1WNP112



Z1 Wide Brown 112 Links - 1/60 box product nr.: BZ1WBR112



Z1 Wide Brown 112 L - 25pcs/Box + 25 CL product nr.: WPZ1WB112





Z1 Wide Brown



S1 Wide

Internal gear hub

- Finish: RB Anti-Rust Coating, Brown
- Size: 1/2" x 1/8" Wide



S1 Wide RB 112 Links - 1 / 60 box product nr.: BS1WRB112



S1 Wide RB 50m reel + 40 CL product nr.: WRS1WRB00





S1 Wide Brown 112 Links - 1 / 60 box product nr.: BS1WBR112



S1 Wide Brown 112 L - 25pcs/Box + 25 CL product nr.: WPS1WB112





S1 Wide Brown 50m reel + 40 CL product nr.: WRS1WB000




















BUSHED & HALF LINK CHAINS

KOOL CHAINS

B1

Internal gear hub





- Bushed Construction
- Sizes: 1/2"x1/8" Wide and 1/2"x3/32" Narrow











B1 Narrow Silver 112 Links - 1 / 60 box product nr.: BB1NNP112



B1 Narrow RB 112 Links - 1/60 box product nr.: BB01NRB12



B1 Narrow Black 112 Links - 1/60 box product nr.: BB1NB0112



B1 Wide Silver 112 Links - 1 / 60 box product nr.: BB1WNP112



B1 Wide RB 112 Links - 1 / 60 box product nr.: BB1 WRB112



B1 Wide Black 112 Links - 1/60 box product nr.: BB1WB0112

HL Wide Silver 100 Links - 1/60 box product nr.: BHL1WN100

4 715575 891507



Single Speed



- Finish: Ti-N Gold, Nickel plated, Silver/Black • Super Light, 349 grams per 100 Links only! and 308 grams per 100 Links for K1 Narrow
- Hollow pin, open inner and outer plate
- Sizes: 1/2"x1/8" Wide and 1/2"x3/32" Narrow

K1SL Narrow Ti-NGold 100 Links - 1/30 box product nr.: BK1SLNT00



100 Links - 1 / 30 box product nr.: BK1SLNN00 K1SL Narrow Silver



K1 Narrow Silver 100 Links - 1/60 box product nr.: BK1NNP100



K1SL Wide Ti-N Gold 100 Links - 1/30 box product nr.: BK1SLWT00



K1SL Wide Silver 100 Links - 1/30 box



K1 Wide Silver/Black 100 Links - 1/60 box product nr.: BK1WNB110



K1









Single Speed



- Finish: Nickel plated
- Size: 1/2"x1/8" Wide
- Half Link design
- Super smooth & adjustable
- Bullet Pin





10pcs/bag product nr.: CLBP7890



WORKSHOP SOLUTIONS

REEL HOLDERS

50 meter reel for the efficient workshop

For professional dealers with a busy workshop, KMC now offers many chain models on workshop reels. The key models are available packed on 50 meter reels, ranging from Single Speed up to 11-speed chains.

Because of the increasing difference in chain lengths, especially for e-Bikes, a dealer has to hold more stock or order more regularly. The 50 meter reels offer the advantage of flexibility, you can shorten to the desired length with less waste and lower cost. Obviously, KMC will include the right connecting links for proper and secure assembly.

For easy dispensing of the reels KMC offers 2 solutions: a single reel holder for wall or work bench mounting (for work bench there is a special adapter) or a professional mobile reel center which can hold 3 reels. The reel center can be adjusted to proper working height making the busy workshop more efficient. The mechanic can quickly cut the chain to length, use the proper connector and finish his work faster.





Table Adapter Adapter for Reel Holder

Reel Holder Size: H: 200 - W: 150 - D: 320

WORKSHOP SOLUTIONS

TOOLS

Pliers



MissingLink connector tool 1/50 box

product nr.: TOOLOOMLC



MissingLink removing tool

1/50 box product nr.: TOOLOOMLR



MissingLink connector tool

Specially shaped to prevent damaging the chain when closing the MissingLink.

MissingLink removing tool

Specially shaped to prevent damaging the chain when opening the MissingLink.

Chain De-Rivetter



Chain De-Rivetter

KMC's Chain De-Rivetter is the perfect tool for cutting your new chain to its required length. For Single Speed to 12-Speed chains. Including 1 spare pin.



Chain De-Rivetter 1 card

product nr.: TOOLOOOCD



Chain De-Rivetter spare pin 1 card product nr.: TOOLOSPCD



Chain checker



Digital chain checker

KMC's Digital Chain Checker is the perfect tool to measure your chain exactly.

Digital chain checker 1/10/50 box product nr.: TOOLOODCC






Regular chain checker

By using regularly, this Chain Checker quickly gives you information about your chain's condition.


Regular chain checker 1/100 box product nr.: TOOLOORCC




MissingLink Tire Lever



MARKETING MATERIAL





Sticker XS 22mm product nr. STICKNXS Sticker S 80mm product nr. STICKENS Sticker M 250mm product nr. STICKENM



Key Ring chain product nr. KEYRINNS



Key Ring foam product nr. KEYRINGS



Logo Tube product nr. LOGOTUBE



KMC Bag product nr. BAG00001



Chain Stay Protector Black/Gold product nr. CHAINSBG



Chain Stay Protector Black/Silver product nr. CHAINSBS







KMC CHAIN EUROPE BV
Businesspark Friesland West 33
8447SL Heerenveen The Netherlands
Tel: +31 513 65 06 90
www.kmcchain.eu

