SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

BIKE7 DEGREASE AEROSOL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **Registration number REACH** Product type REACH

: BIKE7 DEGREASE AEROSOL : Not applicable (mixture)

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

BIKE 7* Industrielaan 5B B-2250 Olen +32 14 85 97 37 **▲** +32 14 85 97 38 info@tec7.be *BIKE 7 is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen +32 14 85 97 37 🛥 +32 14 85 97 38 info@tec7.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

category 3

| 1 | Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 | | | | | | |
|---|---|------------|---|--|--|--|--|
| | Class | Category | Hazard statements | | | | |
| | Aerosol | category 1 | H222: Extremely flammable aerosol. | | | | |
| | Aerosol | category 1 | H229: Pressurised container: May burst if heated. | | | | |
| [| STOT SE | category 3 | H336: May cause drowsiness or dizziness. | | | | |

H412: Harmful to aquatic life with long lasting effects.

Aquatic Chronic 2.2. Label elements

Reason for revision: 3 Revision number: 0400

.

| Contains: hydrocarbo | ons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics. | | |
|--|--|---|---------------|
| Signal word | Danger | | |
| H-statements | | | |
| H222 | Extremely flammable aerosol. | | |
| H229 | Pressurised container: May burst if heated. | | |
| H336 | May cause drowsiness or dizziness. | | |
| H412 | Harmful to aquatic life with long lasting effect | 5. | |
| P-statements | | | |
| P101 | If medical advice is needed, have product con | tainer or label at hand. | |
| P102 | Keep out of reach of children. | | |
| P210 | Keep away from heat, hot surfaces, sparks, op | en flames and other ignition sources. No smoking. | |
| P211 | Do not spray on an open flame or other ignition | on source. | |
| Created by: Brandweerinformati | ecentrum voor gevaarlijke stoffen vzw (BIG) | Publication date: 2010-07-09 | -en |
| Technische Schoolstraat 43 A, B- http://www.big.be © BIG vzw | 2440 Geel | Date of revision: 2019-06-26 | -17438-660-en |

Product number: 49027

134-

1/12

P251

P304 + P340 P405 P410 + P412

Do not pierce or burn, even after use. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122°F.

Dispose of contents/container in accordance with local/regional/national/international regulation.

Supplemental information EUH066

P501

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name REACH Registration No | CAS No EC No List No | Conc. (C) | Classification according to CLP | Note | Remark |
|---|----------------------------|-----------|---|------------|------------|
| hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119471843-32 | 927-241-2 | C≤70% | Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 3; H412 | (1)(10) | UVCB |
| propane 01-2119486944-21 | 74-98-6 200-827-9 | C≤20% | Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10) | Propellant |
| butane 01-2119474691-32 | 106-97-8 203-448-7 | C≤10% | Flam. Gas 1; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10) | Propellant |

(1) For H-statements in full: see heading 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Wash immediately with lots of water. Do not apply (chemical) neutralizing agents without medical advice. Take victim to a doctor if irritation persists.

After eve contact:

Rinse with water. Do not apply (chemical) neutralizing agents without medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical advice. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation: Central nervous system depression. Narcosis. After skin contact: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin. After eye contact: No effects known. After ingestion: No effects known. 4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Reason for revision: 3

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher.

5.1.2 Unsuitable extinguishing media:

Small fire: Quick-acting CO2 extinguisher, Water (water can be used to control jet flame), Foam.

Major fire: Water (water can be used to control jet flame), Foam.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed. Pressurised container: May burst if heated.

5.3. Advice for firefighters

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistant risk of physical explosion. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing. Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Dam up the liquid spill.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Remove contaminated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Keep out of direct sunlight. Ventilation at floor level. Fireproof storeroom. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, ignition sources.

7.2.3 Suitable packaging material:

Aerosol.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

| Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1- C3) | Time-weighted average exposure limit 8 h | 1000 ppm |
|--|--|------------|
| | Short time value | 980 ppm |
| | Short time value | 2370 mg/m³ |

Reason for revision: 3

| rance | | | | |
|--|---|---|----------------|------------------------|
| n-Butane | | erage exposure limit 8 h (VL: Valeur n | on | 800 ppm |
| | réglementaire indi | • | | 1000 / 3 |
| | réglementaire indi | erage exposure limit 8 h (VL: Valeur n | on | 1900 mg/m ³ |
| L | | cative | | |
| Germany | | | | |
| Butan | Time-weighted ave | erage exposure limit 8 h (TRGS 900) | | 1000 ppm |
| | Time-weighted ave | erage exposure limit 8 h (TRGS 900) | | 2400 mg/m ³ |
| Propan | Time-weighted ave | erage exposure limit 8 h (TRGS 900) | | 1000 ppm |
| | Time-weighted ave | erage exposure limit 8 h (TRGS 900) | | 1800 mg/m³ |
| ик | | | | |
| Butane | Time-weighted ave (EH40/2005)) | erage exposure limit 8 h (Workplace e | exposure limit | 600 ppm |
| | Time-weighted ave (EH40/2005)) | erage exposure limit 8 h (Workplace e | exposure limit | 1450 mg/m ³ |
| | Short time value (\ | Short time value (Workplace exposure limit (EH40/2005)) | | |
| | Short time value (\ | Workplace exposure limit (EH40/2005 | 5)) | 1810 mg/m³ |
| USA (TLV-ACGIH) | | | | |
| Butane, all isomers | Short time value (| TLV - Adopted Value) | | 1000 ppm |
| b) National biological limit values | | | | |
| | vailable these will be listed below. | | | |
| .2 Sampling methods | valuable these will be listed below. | | | |
| If applicable and available it will b | e listed below. | | | |
| .3 Applicable limit values when us | sing the substance or mixture as intended | | | |
| If limit values are applicable and a | vailable these will be listed below. | | | |
| .4 Threshold values | | | | |
| DNEL/DMEL - Workers | isoalkanes, cyclics, < 2% aromatics | | | |
| Effect level (DNEL/DMEL) | Type | Value | Remark | |
| DNEL | Long-term systemic effects inhalation | 871 mg/m ³ | Remark | |
| DNLL | Long-term systemic effects dermal | 77 mg/kg bw/day | | |
| | | // mg/kg bw/ddy | | |
| DNFL/DMFL - General nonulation | | | | |
| DNEL/DMEL - General population hydrocarbons, C9-C10, n-alkanes, | isoalkanes, cyclics, < 2% aromatics | | | |
| | isoalkanes, cyclics, < 2% aromatics Type | Value | Remark | |
| hydrocarbons, C9-C10, n-alkanes, | | Value 185 mg/m ³ | Remark | |
| hydrocarbons, C9-C10, n-alkanes, Effect level (DNEL/DMEL) | Туре | | Remark | |

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Measure the concentration in the air regularly.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

| Protective gloves against chemicals (EN 374). | | | | | | | | |
|---|-------------------------------|---------|------------------|--|--|--|--|--|
| | Measured breakthrough time | Remark | Protection index | | | | | |
| nitrile rubber | > 480 minutes | 0.35 mm | Class 6 | | | | | |

c) Eye protection: Protective goggles.

d) Skin protection:

Head/neck protection. Protective clothing. 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

Reason for revision: 3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical form | Aerosol |
|---------------------------|--|
| Odour | Characteristic odour |
| Odour threshold | No data available |
| Colour | No data available on colour |
| Particle size | Not applicable (mixture) |
| Explosion limits | 0.8 - 9.5 vol % |
| Flammability | Extremely flammable aerosol. |
| Log Kow | Not applicable (mixture) |
| Dynamic viscosity | 1 mPa.s ; 20 °C ; Liquid |
| Kinematic viscosity | 1 mm²/s ; 40 °C ; Liquid |
| Melting point | No data available |
| Boiling point | -45 °C - 165 °C ; Liquid |
| Evaporation rate | 0.56 ; Butyl acetate ; Liquid |
| Relative vapour density | >1 |
| Vapour pressure | 8530 hPa ; 20 °C |
| Solubility | Water ; insoluble |
| Relative density | 0.75 ; 20 °C ; Liquid |
| Decomposition temperature | No data available |
| Auto-ignition temperature | No data available |
| Flash point | No data available |
| Explosive properties | No chemical group associated with explosive properties |
| Oxidising properties | No chemical group associated with oxidising properties |
| рН | No data available |

9.2. Other information Absolute density

750 kg/m³ ; 20 °C ; Liquid

SECTION 10: Stability and reactivity

10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value | Remark |
|----------------------|-----------|--------------------|-----------------|---------------|----------------|--------------------|--------|
| | | | | | | determination | |
| Oral | LD50 | Equivalent to OECD | > 5000 mg/kg bw | | Rat (male / | Read-across | |
| | | 401 | | | female) | | |
| Dermal | LD50 | Equivalent to OECD | > 3160 mg/kg bw | 24 h | Rabbit (male / | Experimental value | |
| | | 402 | | | female) | | |
| Inhalation (aerosol) | LC50 | Equivalent to OECD | > 5.6 mg/l air | 4 h | Rat (male / | Experimental value | |
| | | 403 | - | | female) | - | |

Reason for revision: 3

Publication date: 2010-07-09 Date of revision: 2019-06-26

Product number: 49027

Conclusion

Not classified for acute toxicity

Corrosion/irritation

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| _ | | | | | | | | | | |
|---|-------------------|--------|---------------------------|---------------|-----------------------------|---------|---------------|------------------|--|--|
| | Route of exposure | Result | Method | Exposure time | Time point | Species | Value | Remark | | |
| | | | | | | | determination | | | |
| | Eye | 0 | Equivalent to OECD 405 | | 1; 24; 48; 72; 168 hours | Rabbit | Read-across | Single treatment | | |
| | Skin | | Equivalent to OECD 404 | 4 h | 24; 48; 72 hours | Rabbit | Read-across | | | |

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Respiratory or skin sensitisation

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method | • • • • • • | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|---------------------------|-------------|---------------------------|------------------------|---------------------|--------|
| Skin | Not sensitizing | Equivalent to OECD 406 | | 24; 48 hours | Guinea pig (female) | Read-across | |

Conclusion

Not classified as sensitizing for skin

Specific target organ toxicity

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Organ | Effect | Exposure time | | Value determination |
|-------------------------|-----------|---------------------------|------------------------|-------|--------------------------|---------------------------------------|------------------------|------------------------|
| Oral (stomach tube) | NOAEL | Equivalent to OECD 422 | > 1000 mg/kg bw/day | | No effect | | Rat (male / female) | Read-across |
| Dermal | | | | | | | | Data waiving |
| Inhalation (vapours) | NOAEC | Equivalent to OECD 413 | > 10400 mg/m³ air | | | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Read-across |
| Inhalation | | | STOT SE cat.3 | | Drowsiness, dizziness | | | Literature study |

Conclusion

May cause drowsiness or dizziness. Not classified for subchronic toxicity

Mutagenicity (in vitro)

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result | Method | Test substrate | Effect | Value determination | Remark | | | | |
|-------------------------|----------|--------------------------|-----------|---------------------|--------|--|--|--|--|
| Negative with metabolic | OECD 471 | Bacteria (S.typhimurium) | No effect | Read-across | | | | | |
| activation, negative | | | | | | | | | |
| without metabolic | | | | | | | | | |
| activation | | | | | | | | | |

Conclusion

Not classified for mutagenic or genotoxic toxicity

Mutagenicity (in vivo)

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 3

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result | Method | Exposure time | Test substrate | Organ | Value determination |
|----------|--------------------|-------------------|---------------------|-------|---------------------|
| Negative | Equivalent to OECD | 5 days (6h / day) | Rat (male / female) | | Read-across |
| | 478 | | | | |

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of | Parameter | Method | Value | Exposure time | Species | Effect | Organ | Value |
|------------|-----------|---------------|--------------|----------------------|--------------|-----------------|-------|---------------|
| exposure | | | | | | | | determination |
| Inhalation | NOAEC | Equivalent to | ≥ 2200 mg/m³ | 105 weeks (6h / day, | Rat (female) | No carcinogenic | | Read-across |
| (vapours) | | OECD 453 | air | 5 days / week) | | effect | | |

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics Method Value Effect Value Parameter Species Organ Exposure time determination ≥ 5220 NOAFI 10 days (6h / day) No effect Developmental toxicity Equivalent to Rat Experimental OECD 414 mg/m³ air value NOAEL > 5220 10 days (6h / day) Maternal toxicity Equivalent to Rat No effect Read-across OECD 414 mg/m³ air Effects on fertility NOAEL Equivalent to > 1000 14 weeks (6h / day, No effect Read-across Rat (male / OECD 413 mg/kg 5 days / week) female) bw/day

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

BIKE7 DEGREASE AEROSOL

No (test)data on the mixture available

Classification is based on the relevant ingredients hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Parameter | Method | Value | Organ | Effect | Exposure time | Value determination |
|-----------|--------|-------|-------|-----------------------------|---------------|----------------------------|
| | | | | Skin dryness or cracking | | Literature study Skin |

Conclusion

Repeated exposure may cause skin dryness or cracking.

Chronic effects from short and long-term exposure

BIKE7 DEGREASE AEROSOL

No effects known.

SECTION 12: Ecological information

12.1. Toxicity

BIKE7 DEGREASE AEROSOL No (test)data on the mixture available Classification is based on the relevant ingredients

Reason for revision: 3

| nydrocarbons, C9-C10, n-alkane | s, isoalkanes, cy | clics, < 2% aroi | <u>matics</u> | | | | | |
|---|-------------------|------------------|----------------------|-----------|-------------------------------------|-----------------------|---------------------|--------------------------------|
| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
| Acute toxicity fishes | LC50 | OECD 203 | 10 mg/l - 30 mg/l | 96 h | Oncorhynchus mykiss | Semi-static system | Fresh water | Experimental value; GLP |
| Acute toxicity crustacea | EL50 | OECD 202 | 22 mg/l - 46 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; GLP |
| Toxicity algae and other aquatic plants | NOEL | OECD 201 | < 1 mg/l | 72 h | Pseudokirchneri ella subcapitata | Static system | Fresh water | Experimental value; GLP |
| Long-term toxicity fish | NOEL | | 0.182 mg/l | 28 day(s) | Oncorhynchus mykiss | | Fresh water | QSAR; Nominal concentration |
| Long-term toxicity aquatic crustacea | NOELR | | 0.317 mg/l | 21 day(s) | Daphnia magna | | Fresh water | QSAR; Nominal concentration |

Conclusion

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation water

| | Method | Value | Duration | Value determination | | | | | |
|---|---|----------|-------------------|---------------------|--|--|--|--|--|
| | OECD 301F: Manometric Respirometry Test | 89 % | 28 day(s) | Experimental value | | | | | |
| | | | | | | | | | |
| P | Phototransformation air (DT50 air) | | | | | | | | |
| | Method | Value | Conc. OH-radicals | Value determination | | | | | |
| | AOPWIN v1.92 | 18.679 h | 1.5E6 /cm³ | Calculated value | | | | | |

Conclusion

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

BIKE7 DEGREASE AEROSOL

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|--------------------------|-------|-------------|---------------------|
| | Not applicable (mixture) | | | |

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| value |
|-------|
| |

| Method | Remark | Value | Temperature | Value determination |
|--------|--------|-------|-------------|---------------------|
| | | 4.66 | | Experimental value |
| | | | | |

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

(log) Koc

| Parameter | | | | Method Valu | | Value | | Value determination | | |
|----------------------|---|--|---------------------|-------------|---------------|----------------|------------------|-------------------------|----|--|
| log Koc | | | SRC PCKOCWIN v2.0 2 | | 2.380 | | Calculated value | | | |
| Percent distribution | | | | | | | | | | |
| Method | Method Fraction air Fraction biota Fraction | | Fraction | | Fraction soil | Fraction water | | ter Value determination | | |
| | | | sediment | t | | | | | | |
| Fugacity Model | 34.9 % | | 0.553 % | | 1.19 % | 63.4 % | | Calculated val | ue | |
| Level III | | | | | | | | | | |

Conclusion

Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Other adverse effects

BIKE7 DEGREASE AEROSOL

Fluorinated greenhouse gases (Regulation (EU) No 517/2014)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Reason for revision: 3

Publication date: 2010-07-09 Date of revision: 2019-06-26

Product number: 49027

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Specific treatment. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point. 13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

| 14. <u>1. UN number</u> | |
|--|---|
| UN number | 1950 |
| 14.2. UN proper shipping name | |
| Proper shipping name | Aerosols |
| 14.3. Transport hazard class(es) | |
| Hazard identification number | |
| Class | 2 |
| Classification code | 5F |
| 14.4. Packing group | |
| Packing group | |
| Labels | 2.1 |
| 14. <u>5. Environmental hazards</u> | |
| Environmentally hazardous substance mark | no |
| 14.6. Special precautions for user | |
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for |
| | liquids. A package shall not weigh more than 30 kg. (gross mass) |

Rail (RID)

| 14. <u>1. UN number</u> | |
|--|---|
| UN number | 1950 |
| 14.2. UN proper shipping name | |
| Proper shipping name | Aerosols |
| 14.3. Transport hazard class(es) | |
| Hazard identification number | 23 |
| Class | 2 |
| Classification code | 5F |
| 14.4. Packing group | |
| Packing group | |
| Labels | 2.1 |
| 14. <u>5. Environmental hazards</u> | |
| Environmentally hazardous substance mark | no |
| 14.6. Special precautions for user | |
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) |

Inland waterways (ADN)

| 14.1. UN number | | |
|------------------------|------------------------------|--------|
| UN number | 1950 | |
| | | |
| Reason for revision: 3 | Publication date: 2010-07-09 | |
| | Date of revision: 2019-06-26 | |
| Revision number: 0400 | Product number: 49027 | 9 / 12 |

| 14.2. UN proper shipping name | |
|--|---|
| Proper shipping name | Aerosols |
| 14.3. Transport hazard class(es) | |
| Class | 2 |
| Classification code | 5F |
| 14. <u>4. Packing group</u> | |
| Packing group | |
| Labels | 2.1 |
| 4. <u>5. Environmental hazards</u> | |
| Environmentally hazardous substance mark | no |
| 4.6. Special precautions for user | |
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) |

Sea (IMDG/IMSBC)

| 14. <u>1. UN number</u> | | |
|---|---|--|
| UN number | 1950 | |
| 14.2. UN proper shipping name | | |
| Proper shipping name | aerosols | |
| 14.3. Transport hazard class(es) | | |
| Class | 2.1 | |
| 14. <u>4. Packing group</u> | | |
| Packing group | | |
| Labels | 2.1 | |
| 14.5. Environmental hazards | 5. Environmental hazards | |
| Marine pollutant | - | |
| Environmentally hazardous substance mark | no | |
| 6. Special precautions for user | | |
| Special provisions | 190 | |
| Special provisions | 277 | |
| Special provisions | 327 | |
| Special provisions | 344 | |
| Special provisions | 381 | |
| Special provisions | 63 | |
| Special provisions | 959 | |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) | |
| 14.7. Transport in bulk according to Annex II of Marpol and the | IBC Code | |
| Annex II of MARPOL 73/78 | Not applicable | |
| | | |

Air (ICAO-TI/IATA-DGR)

| 14. <u>1. UN number</u> | |
|--|---------------------|
| UN number | 1950 |
| 14.2. UN proper shipping name | |
| Proper shipping name | Aerosols, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| 14.4. Packing group | |
| Packing group | |
| Labels | 2.1 |
| 14. <u>5. Environmental hazards</u> | |
| Environmentally hazardous substance mark | no |
| 14.6. Special precautions for user | |
| Special provisions | A145 |
| Special provisions | A167 |
| Special provisions | A802 |
| Passenger and cargo transport | |
| Limited quantities: maximum net quantity per packaging | 30 kg G |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

| VOC content | Remark |
|-------------|--------|
| 100 % | |

Reason for revision: 3

695 g/l

Ingredients according to Regulation (EC) No 648/2004 and amendments ≥30% aliphatic hydrocarbons

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

| and use of certain dangerous | substances, mixtures and articles. | |
|---|---|--|
| | Designation of the substance, of the group of substances or of the mixture | Conditions of restriction |
| • hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics | substances or of the mixture Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1. | Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even wit ornamental aspects, Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: c an be used as fuel in decorative oil lamps for supply to the general public, and, |
| • hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not. | Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration, artificial snow and frost, "whoopee" cushions, silly string aerosols, imitation excrement, decorative flakes and foams, artificial cobwebs, stink bombs. Without prejudice to the application of other Community provisions on the classification packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: |
| | 1 | |

BIKE7 DEGREASE AEROSOL

Waterbezwaarlijkheid Z (2); Algemene Beoordelingsmethodiek (ABM)

National legislation France BIKE7 DEGREASE AEROSOL

No data available

National legislation Germany

Reason for revision: 3

| hydrocarbons, C9-C10, n-all TA-Luft | kanes, isoalkanes, cyclics, < 2% aromatics 5.2.5/I |
|--|---|
| TA-Luft | 5 2 5/1 |
| | |
| No data available | |
| No data available Other relevant data | |

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H-statements referred to under heading 3:

- H220 Extremely flammable gas.
- H222 Extremely flammable aerosol.
- H226 Flammable liquid and vapour.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

| (*) | INTERNAL CLASSIFICATION BY BIG |
|--------------|--|
| ADI | Acceptable daily intake |
| AOEL | Acceptable operator exposure level |
| CLP (EU-GHS) | Classification, labelling and packaging (Globally Harmonised System in Europe) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No Effect Level |
| EC50 | Effect Concentration 50 % |
| ErC50 | EC50 in terms of reduction of growth rate |
| LC50 | Lethal Concentration 50 % |
| LD50 | Lethal Dose 50 % |
| NOAEL | No Observed Adverse Effect Level |
| NOEC | No Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent, Bioaccumulative & Toxic |
| PNEC | Predicted No Effect Concentration |
| STP | Sludge Treatment Process |
| vPvB | very Persistent & very Bioaccumulative |

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3