

SUNRACE





2017 - 2018 / Product Catalogue

Introduction



For 45 years, SunRace have been producing quality bicycle transmissions and drivetrain components.

This catalogue illustrates the complete range of SunRace cycle components including the latest innovations in Shifters, Front & Rear Derailleurs, Cranksets, Cassettes & Freewheels, Chains, Hubs Bottom Bracket Axles and Brakes.



Top of the line 12-speed MTB components.

MZ 12s



P.06

Top of the line 11x1, 11x2 and 11x3 speed MTB components.

MX 11s



P.08

11x1, 11x2 and 11x3 speed MTB components.

MS 11s



P.10

Top of the line 10x1, 10x2 and 10x3 speed MTB components.

MX 10s



P.11

10x1, 10x2 and 10x3 speed MTB components.

MS 10s



P.12

CONTENTS

SunRace 9x3, 9x2 and 9x1 speed MTB group.

m9



P.14

SunRace performance 8x3 speed MTB group.

m6



P.18

SunRace entry 8x3 speed MTB group.

m5



P.19

SunRace MegaDrive 7x3 speed MTB group.

m4



P.20

SunRace 7x3 and 6x3 speed MTB group.

m3



P.21



m2

SunRace entry 7x3 and 6x3 speed MTB group.



P.22

MOS SUNRACE

SunRace friction 7x3, 6x3 and 5x3 speed MTB group.



P.24

E-BIKE SUNRACE

E-Bike freewheels in 10, 9 and 8 speed.



P.21

Small Wheel

Small Wheel specific cassettes & hubs.



P.26

MDH

Downhill specific cassettes.



P.27

CONTENTS

Top of the line 11x2 speed Road components.

**NRZ
RX11s**



P.28

Driven RZ, top of the line 10x2 speed Road group.

**NRZ
10s**



P.29

Driven RX, ultra high performance 10x2 speed Road group.

**RX
10s**



P.30

SunRace performance 10x2 speed Road group.

RS



P.32

R9

SunRace performance 9x2 and 9x3 speed Road group.



P.34

R8

SunRace 8x2 and 8x3 speed Road group.



P.36

R30
SUNRACE

SunRace 7x2 and 6x2 speed Road group.



P.38

RO3
SUNRACE

SunRace entry friction Road group.



P.39

MZ 12-Speed

SLIPPER RACE 12-Speed



CSMZ91 WT5 10-50T
 [12-Speed Wide Ratio]
 [A7075 42T-50T Sprocket]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 579g



CSMZ90 WA5 11-50T
 [12-Speed Wide Ratio]
 [A7075 42T-50T Sprocket]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 586g



DLMZ30 RW [Gear Display Type]
 [Dual Release]
 [Alloy Large Lever]
 [Stainless Bolt]
 [Slick-Stainless Cable]
 139g



DLMZ3N RW
 [Without Gear Display]
 125g



DLMZ3I RW
 [SHIMANO® I-SPEC® II Compatible*]
 123g

* SHIMANO® and I-SPEC® are registered trademarks of Shimano, Inc.



RDMZ90 MD
[12-Speed]
[Adjustable Chain Stabilizer]
[Carbon Cage]
[Forged Alloy Links]
[7075 Pulleys]
[Sealed Cartridge Bearings]
278g



O[TiN-Black]



T[TiN-Gold]



S[Silver]

CN12H
[12-Speed]
[Chromized Hollow Pins & Rollers]
[Chromoly Plates]
O[TiN-Black] / T[TiN-Gold] / S[Silver]
231g [110L]




CN12S
[12-Speed]
[Chromized Pins & Rollers]
[Chromoly Plates]
S[Silver]
250g [110L]





CSMX9 ETY 10-42T
 [11-Speed Wide Ratio]
 [A7075 Largest Sprocket]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 413g



CSMX80 EA5 11-50T
 EAZ 11-46T
 [11-Speed Wide Ratio]
 [A7075 Largest 2 Sprockets]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 512g[A5] / 464g[AZ]



CSMX8 EA5 11-50T
 EAZ 11-46T
 EAY 11-42T
 EAX 11-40T
 [11-Speed Wide Ratio]
 [A7075 Largest Sprocket]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 560g[A5] / 485g[AZ]
 419g[AY] / 412g[AX]



DLMX30 RE/LL [Gear Display Type]
 [Dual Release]
 [Alloy Large Lever]
 [2/3 Mode Converter]
 [Stainless Bolt]
 [Slick-Stainless Cable]
 279g/pair

STMX30 RE/LL
 [Dual Release Shift]
 [Alloy Large Shift Lever]
 [Alloy Forged Brake Lever]
 [2/3 Mode Converter]
 [Stainless Bolt]
 [Slick-Stainless Cable]
 423g / pair



DLMX3N RE/LL
 [Without Gear Display]
 251g/pair



DLMX3I RE/LL
 [SHIMANO® I-SPEC® II Compatible*]
 247g/pair

* SHIMANO® and I-SPEC® are registered trademarks of Shimano, Inc.



RDMX70 MD
 [11-Speed]
 [Adjustable Chain Stabilizer]
 [Alloy Cage]
 [Forged Alloy Links]
 [7075 Pulleys]
 [Sealed Cartridge Bearings]
 283g



- FCMX0X 40T
- X08 38T
- X0W 36T
- X0V 34T
- X0U 32T
- X0T 30T

[Narrow-Wide Tooth]
 [Alloy Chainring]
 [Alloy Forged Cranks]
 [SCM435 Bolts & Nuts]
 [Chromoly Axle]
 911~941g[incl. BB]



BBM97 (S1)
 125g



BLMX30
 [Hydraulic Disc Brake]
 [SHIMANO® I-SPEC® II Compatible*]
 [Alloy Forged Brake Lever]
 [Stainless Bolt]



BCM30



HBMX92 [142mm x12mm]
X90 [135mm x10mm]
 [A7075 Alloy Cassette Carrier]
 [Sealed Cartridge Bearings]
 [Only for CSMX9 Cassette]
 310g[w/o QR]




O[TiN-Black]



T[TiN-Gold]

CN11Z (T)
 [11-Speed]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 245g [110L]



DRMS30
 S [160mm]
 M [180mm]
 L [203mm]
 [Stainless Steel]


HBMX82 [142mm x12mm]
X80 [135mm x10mm]
 [For MTB Cassette]



CN11X (S)
 [11-Speed]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 S[Silver]
 245g [110L]



* SHIMANO® and I-SPEC® are registered trademarks of Shimano, Inc.



CSMS8 EAZ 11-46T
EAY 11-42T
EAX 11-40T
EAW 11-36T
[11-Speed Wide Ratio]
[Alloy Spiders]
X[Metallic Silver] / E[ED Black]
534g[AZ] / 465g[AY]
429g[AX] / 360g[AW]



CSMS7 EAY 11-42T
EAX 11-40T
[11-Speed Wide Ratio]
[Steel Spiders]
X[Metallic Silver] / E[ED Black]
507g[AY] / 471g[AX]



RDMS70 MD
[11-Speed]
[Adjustable Chain Stabilizer]
[Alloy Cage]
[Alloy Links]
301g



FCMSOX 40T
S08 38T
S0W 36T
S0V 34T
S0U 32T
S0T 30T
[Narrow-Wide Tooth]
[Steel Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
991~1081g[incl. BB]



BBM97 (S1)
125g



CN11S (S)
[11-Speed]
[Chromized Pins & Rollers]
[Chromoly Hollow Outer Plates]
S[Silver]
252g [110 L]



CN11A (S)
[11-Speed]
[Chromized Pins]
[Chromoly Plates]
S[Silver]
266g [110 L]





CN11H (S)
[11-Speed]
[Chromized Hollow Pins & Rollers]
[Chromoly Plates]
S[Silver]
247g [110 L]



CSMX3 TAZ 11-46T
 TAY 11-42T
 TAX 11-40T
 [10-Speed Wide Ratio]
 [A7075 Largest Sprocket]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 436[AZ] / 393g[AY] / 385g[AX]



O[Black Chrome]
 CSMX0 TAW 11-36T
 [10-Speed]
 [Alloy Spiders]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 341g



X[Metallic Silver]



RDMX10 MD / LD
 [10-Speed]
 [Adjustable Chain Stabilizer]
 [Alloy Cage]
 [Alloy Links]
 301g



CNR1Z (T)
 [10-Speed]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 T [Titanium-Nitride]
 244g [110 L]



CNR1X (S)
 [10-Speed]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 S[Silver]
 244g [110 L]



ms 10-Speed

SunRace
10x11/2/3 Speed



FCMS66 36-22T
[10-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
975g[incl. BB]



FCMS50 40-30-22T
[10-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
1071g[incl. BB]



FCMS58 48-36-26T
[10-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
1231g[incl. BB]

DLMS30 RT/LL [Gear Display Type]
[Dual Release]
[Alloy Large Lever]
[2/3 Mode Converter]
[Stainless Bolt]
[Slick-Stainless Cable]
279g/pair



STMS30 RT/LL
[Dual Release Shift]
[Alloy Large Shift Lever]
[Alloy Forged Brake Lever]
[2/3 Mode Converter]
[Stainless Bolt]
[Slick-Stainless Cable]
423g / pair




BBM97 (S1)
125g

DLMS10 RT/LL [Gear Display Type]
[Dual Release]
[Composite Levers]
[2/3 Mode Converter]
[SCM435 Bolt]
[Slick-Galvanized Cable]
287g/pair



STMS10 RT/LL
[Dual Release Shift]
[Composite Shift Levers]
[Alloy Brake Lever]
[2/3 Mode Converter]
[SCM435 Bolt]
[Slick-Galvanized Cable]
429g/pair



DRMS30
S [160mm]
M [180mm]
L [203mm]
[Stainless Steel]



DLMS3N RT/LL
[Without Gear Display]
251g/pair

DLMS3I RT/LL
[SHIMANO® I-SPEC® II Compatible*]
247g/pair



BLMS30
[Hydraulic Disc Brake]
[SHIMANO® I-SPEC® II Compatible*]
BCMS30
[Alloy Brake Lever]

* SHIMANO® and I-SPEC® are registered trademarks of Shimano, Inc.



X[Metallic Silver]

CSMS3 TAZ 11-46T
TAY 11-42T
TAX 11-40T

[10-Speed Wide Ratio]
[Alloy Spiders]

X[Metallic Silver] / E[ED Black]
486[AZ] / 448g[AY] / 414g[AX]



E[ED Black]

CSMS2 TAZ 11-46T
TAY 11-42T
TAX 11-40T

[10-Speed Wide Ratio]
[Steel Spiders]

X[Metallic Silver] / E[ED Black]
538g[AZ] / 494g[AY] / 458g[AX]



[CSMS3]



[CSMS2]



RDMS10 MD / LD

[10-Speed]
[Adjustable Chain Stabilizer]
[Alloy Links]
342g



FDMS66 2D/LD/MD*/SD*
[10-Speed]
[Double]
136g[LD]

FDMS28 2D/LD/MD*/SD*
[10-Speed]
[48-36-26T]
149g[LD]

FDMS20 2D/LD/MD*/SD*
[10-Speed]
[40-30-22T]
145g[LD]

[Top Swing]
[Dual Pull]
[Alloy Base Bracket & Clamp]
[Stainless Bolts]
*[Multi Clamp Insert]



CN10H (S)
[10-Speed]
[Chromized Hollow Pins]
[Chromoly Plates]
S[Silver]
247g [110 L]



S[Silver]



I[Silver/Gray]



B[Black]

CN10S
[10-Speed]
[Chromized Pins & Rollers]
[Chromoly Plates]
S[Silver] / I[Silver/Gray]
266g [110 L]

CN10A
[10-Speed]
[Chromized Pins]
[Chromoly Plates]
S[Silver] / I[Silver/Gray] / B[Black]
266g [110 L]



X[Metallic Silver]

CSMS0 TAW 11-36T
TAV 11-34T

[10-Speed]
[Alloy Spiders]
X[Metallic Silver] / E[ED Black]
348g[AW] / 315g[AV]



E[ED Black]

CSMS1 TAW 11-36T
TAV 11-34T

[10-Speed]
[Steel Spiders]
X[Metallic Silver] / E[ED Black]
390g[AW] / 328g[AV]



[CSMS0]



[CSMS1]



DLM930 R9/LL
[Dual Release]
[Alloy Large Lever]
[2/3 Mode Converter]
[Stainless Bolt]
[Slick-Stainless Cable]
279g/pair



DLM900 R9/LL
[Dual Release]
[Composite Levers]
[2/3 Mode Converter]
[SCM435 Bolt]
[Slick-Galvanized Cable]
287g/pair



FDM966 2D/LD/MD*/SD*
[9-Speed]
[Double]
136g[LD]

STM930 R9/LL
[Dual Release Shift]
[Alloy Large Shift Lever]
[Alloy Forged Brake Lever]
[2/3 Mode Converter]
[Stainless Bolt]
[Slick-Stainless Cable]
423g/pair



STM900 R9/LL
[Dual Release]
[Composite Shift Levers]
[Alloy Brake Lever]
[2/3 Mode Converter]
[SCM435 Bolt]
[Slick-Galvanized Cable]
439g/pair



FDM924 2D/LD/MD*/SD*
[9-Speed]
[44-32-22T / 48-36-26T]
149g[LD]



DLM90 R9/L3
[Composite Levers]
[Stainless Bolt]
[Slick-Galvanized Cable]
315g/pair



BLM930 R/L
[Alloy Forged Lever]
[Alloy Bracket]
100g/side

FDM920 2D/LD/MD*/SD*
[9-Speed]
[40-30-22T]
145g[LD]

[Top Swing]
[Dual Pull]
[Alloy Base Bracket & Clamp]
[Stainless Bolts]
*[Multi Clamp Insert]



SLM96 R9/R8/RF/L3/LF
[Alloy Lever & Clamp]
[Adjustable Lever Position]
172g/pair



FCM80X 40T
808 38T
80W 36T
80V 34T
80U 32T
80T 30T
[Narrow-Wide Tooth]
[Steel Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Square Taper]




FCM966 36-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
975g[incl. BB]



FCM958 48-36-26T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
1231g[incl. BB]



BBM97 (S1)
125g



FCM954 44-32-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
1083g[incl. BB]



FCM950 40-30-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Chromoly Axle]
1071g[incl. BB]



BBS15

BSK [BC-68/119mm] (FCM926/FCM910/FCM800)
BSN [BC-68/122mm] (FCM918/FCM914)
BS9 [BC-68/129mm] (FCM904)



FCM926 36-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Square Taper]



FCM918 48-36-26T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Square Taper]



FCM904 44-32-22T
[9-Speed]
[Alloy Forged Cranks]
[Square Taper]



FCM914 44-32-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Square Taper]



FCM910 40-30-22T
[9-Speed]
[Alloy Outer Chainring]
[Alloy Forged Cranks]
[SCM435 Bolts & Nuts]
[Square Taper]



E[ED Black]

CSM990 9AX 11-40T
 [9-Speed Wide Ratio]
 [Alloy Spider]
 [Alloy Lockring]
 [Lightweight Design]
 E[ED Black]
 425g



E[ED Black]

CSM980 9AX 11-40T
 [9-Speed Wide Ratio]
 [Lightweight Design]
 E[ED Black]
 500g



N[Nickel]

CSM98 9AW 11-36T
 9BW 12-36T
 [9-Speed]
 [Lightweight Design]
 N[Nickel] / E[ED Black]
 436g[AW] / 441g[BW]



E[ED Black]



N[Nickel]

CSM96 9AV 11-34T
 9AU 11-32T
 9AS 11-28T
 [9-Speed]
 [Lightweight Design]
 N[Nickel]
 358g[AV] / 346g[AU] / 276g[AS]



U[Zinc]



B[Black]



CSM90 9AW 11-36T
 9AV 11-34T
 9AU 11-32T
 [9-Speed]
 [Lightweight Design]
 U[Zinc] / B[Black]
 436g[AW] / 358g[AV] / 346g[AU]



RDM97 LD
 [9-Speed]
 [1x / 2x 11-40T]
 [3x 11-36T]
 [Alloy Bracket]
 [Alloy Plate Body]
 [Alloy Outer Link]
 335g



RDM91 LD
 [9-Speed]
 [1x / 2x 11-40T]
 [3x 11-36T]
 [Alloy Bracket]
 [Composite Plate Body]
 [Steel Links]
 342g



HBM96 F/R9
 304g[F] / 492g[R]



CNM9Z
 [9-Speed]
 [Hollow Pins & Plates]
 [Chromized Pins]
 T[Titanium-Nitride]
 254g [110L]



CNM9X
 [9-Speed]
 [Hollow Pins & Plates]
 [Chromized Pins]
 S[Silver]
 254g [110L]



CNM99
 [9-Speed]
 [Chromized Hollow Pins]
 S[Silver]
 256g [110L]



CNM94
 [9-Speed]
 [Chromized Pins]
 [Chromoly Plates]
 S[Silver] / 1[Silver/Gray] / B[Black] / Y[Gray]
 273g [110L]



FCM600 42-32-22T
[8/7-Speed]
[Alloy Forged Cranks]
[Square Taper]



[M]



[3]



[2]



BBS15 BSP
[BC-68/123mm]



HBM63 F/R8



N[Nickel]

CSM680 8AX 11-40T
[8-Speed Wide Ratio]
[Lightweight Design]
N[Nickel] / E[ED Black]
456g



E[ED Black]



CSM66 8AV 11-34T
8AU 11-32T
8BV 12-34T
8BU 12-32T
[8-Speed]
[Lightweight Design]
N[Nickel]



FDM300 LD/MD*/SD*
[8/7-Speed]
[42-32-22T / 48-38-28T]
[Top Swing]
[Dual Pull]
[Alloy Base Bracket & Clamp]
*[Multi Clamp Insert]



CNM89
[8-Speed]
[Hollow Pins]
S[Silver]



DLM500 R8/L3
 [Dual Release]
 [Alloy Large Lever]
 [SCM435 Bolt]
 [Slick-Galvanized Cable]



STM500 R8/L3
 [Dual Release]
 [Alloy Large Shift Lever]
 [Alloy Brake Lever]
 [SCM435 Bolt]
 [Slick-Galvanized Cable]



BLM500 R/L
 [Alloy Lever]
 [Alloy Bracket]
 105g/side



BCM51
 [103mm Alloy Arms]
 [BSM60 Alloy Cartridge Pads]



BBS15 BSU
 [BC-68/127mm]



FCM500 42-34-24T
 [8/7-Speed]
 [Alloy Forged Cranks]
 [Square Taper]



HBM53 F/R8



[M]



[3]



[2]



CSM55 8AV 11-34T
8AU 11-32T B[Black]
 [8-Speed]
 [Lightweight Design]
 U[Zinc] / B[Black]



CSM400 8BU 12-32T
 [8-Speed]
 [Lightweight Design]
 E[ED Black]



MFM56 8CV 13-34T
 [8-Speed]
 [Lockring Design]
 U[Zinc]


FDM500 LD/MD*/SD*
 [8/7-Speed]
 [42-34-24T]
 [Top Swing]
 [Dual Pull]
 [Alloy Base Bracket & Clamp]
 *[Multi Clamp Insert]



RDM57 LD
 [8/7-Speed]
 [11-34T]



CNM84
 [8-Speed]
 S[Silver] / B[Black] / Y[Gray]



SUNRACE
 8x3 speed

m4



DLM400 R8/R7/L3
 [Dual Release]
 [Composite Levers]
 [SCM435 Bolt]
 [Slick-Galvanized Cable]



STM400 R8/R7/L3
 [Dual Release]
 [Composite Shift Lever]
 [Alloy Brake Lever]
 [SCM435 Bolt]
 [Slick-Galvanized Cable]



HBM45 F/R8/R7
 [QR or Nuted Type]



CSM63 7AS 11-28T
 7BS 12-28T
 [7-Speed]
 [Lightweight Design]
 N[Nickel]



CSM40 7AV 11-34T
 7AS 11-28T
 7BV 12-34T
 [7-Speed]
 [Lightweight Design]
 U[Zinc] / B[Black]



RDM41 LD
 [8/7-Speed]
 [11-34T]
 [13T Tension Pulley]



FCM40X 40T [B]
 408 38T
 40W 36T
 40V 34T
 40U 32T
 40T 30T
 [Narrow-Wide Tooth]
 [Alloy Forged Cranks]
 [Steel Chainring]



MFM4S 7CV 13-34T
 [7-Speed]
 [Lockring Design]
 U[Zinc+ED Black]



MFM300 7CV 13-34T
 7DV 14-34T
 [7-Speed]
 [Lockring Design]
 E[ED Black]
 2[Brown+ED Black]



CNM54
 [7/6-Speed]
 Y[Gray]



BLM400 R/L
 [Alloy Lever]
 [Alloy Bracket]
 105g/side





DLM33 R8/R7/R6/L3
[Composite Levers]



TSM37 R7/R6/L3/LF
[Cyclops Display]
[Light Action Shift - Both Directions]



BCM31
[103mm Alloy Arms]
[BSM30 Pads]

BCM32
[110mm Alloy Arms]
[BSM30 Pads]



FCM300 48-38-28T
[8/7-Speed]
[Alloy Forged Cranks]
[Square Taper]



[2]



[3]



[M]

[1]



BBS15 BS9
[BC-68/129mm]



FDM300 LD/MD*/SD*
[8/7-Speed]
[42-32-22T / 48-38-28T]
[Top Swing]
[Dual Pull]
[Alloy Base Bracket & Clamp]
* [Multi Clamp Insert]



MFM30 7CS 13-28T
[7-Speed]
[Lockring Design]
[Lightweight Design]
C[CP]



MFM3S 7CS 13-28T
[7-Speed]
[Lockring Design]
[Lightweight Design]
U[Zinc]



MFM20 6DS 14-28T
[6-Speed]
[Lightweight Design]
U[Zinc]



RDM37 LD/LB/SD/SB
[7-Speed]
[13-30T]
[Indexed Adjuster]



RDM36 SD/SB
[6-Speed]
[13-30T]
[Indexed Adjuster]



CNM54
[7/6-Speed]
Y[Gray]



7x3 & 6x3 speed Performance

START RACE



G[Gray]

TSM21 R8//R7/R6/R5/L3/LF
[Cable Adjuster]
[Light Action Shift – Both Directions]
[TPR Grip]



2[Blue]

R[Red]

O[Orange]



SLM2T R7/R6/R5/LF



TSM27 R7/R6/R5/L3/LF
[Cable Adjuster]
[Light Action Shift - Both Directions]
[TPR Grip]



TSM28 R7/R6/R5/L3/LF
[Cable Adjuster]
[Light Action Shift - Both Directions]
[TPR Grip]



FDM2S SB*/ST*/MB/MT
[7/6-Speed]
[42-34-24T]
[Heat Treated Chainguide]
S[28.6mm] / M[31.8mm]
B[Bottom Pull] / T[Top Pull]
*[Multi-Clamp Insert]



FDM2A SB*/ST*/MB/MT
[7/6-Speed]
[48-38-28T]
[Heat Treated Chainguide]
S[28.6mm] / M[31.8mm]
B[Bottom Pull] / T[Top Pull]
*[Multi-Clamp Insert]



RDM2T LD/LB
SD/SB
[7/6-Speed]
[13-28T]
[Indexed Adjuster]



RDM15 LD/LB
SD/SB
[5-Speed]
[14-28T]
[Indexed Adjuster]



CNM54
[7/6-Speed]
Y[Gray]



[E]



[2]

MFM300 7CV 13-34T
7DV 14-34T
[7-Speed]
[Lockring Design]
E[ED Black]
2[Brown + ED Black]



[1]



[2]

MFM2A 7CS 13-28T*
7DS 14-28T
6DS 14-28T
5DS 14-28T
[7, 6 and 5-Speed]
[Lockring Design]
1[Zinc+Black Combination]
2[Brown+Black Combination]
*not available in Brown+Black



TSM10 RF/LF
[Light Action Shift - Both Directions]
[TPR Grip]
[Friction]



SLM10 RF/LF
[Alloy Levers]
[Clicking Sound]
[Friction]



MFM05 7DS 14-28T
6DS 14-28T
5DS 14-28T
[7, 6 and 5-Speed]
[Friction]



FDM06 SB
[Double]
[Friction]



FDM05 SB/MB
[48-38-28T]
[Friction]



RDM10 LD/LB
[Friction]
[CP]



CNM22
[Friction]
[1/2" x 3/32"]
B[Black]



MFEZ1 TAW 11-36T
[10-speed]
[Alloy Spiders]
[Alloy Spacers]
[Lockring Design]
[Replaceable Cogs]
C[CP]
653g



MFEX9 9AU 11-32T
[9-speed]
[Alloy Spider]
[Alloy Spacers]
[Lockring Design]
[Lightweight Design]
[Replaceable Cogs]
C[CP]
595g



MFE90 9CU 13-32T
[9-speed]
[Lockring Design]
[Lightweight Design]
C[CP]



MFE61 8CV*13-34T
MFE60 8CU 13-32T
MFE60 8CS 13-28T
[8-speed]
[Lockring Design]
[Lightweight Design]
C[CP]
*34T in ED Black

Small Wheel



CSS cassettes and HBSX hubs are designated for small wheel bicycles riding on paved road. These parts are not designated for MTB riding off road.

[9T]



CSSX0 ENW 9-36T
ENU 9-32T

[11-Speed]
[Alloy Spider & Spacers]
[Lightweight Design]
X[Metallic Silver]
345g[NW] / 313g[NU]

CSSS0 TNU 9-32T
TNS 9-28T

[10-Speed]
[Alloy Spider & Spacers]
[Lightweight Design]
X[Metallic Silver]
296g[NU] / 252g[NS]

CSS90 9NS 9-28T
[9-Speed]
[Lightweight Design]
N[Nickel]
271g[NS]



HBSX0 RE/RT/R9
[A7075 Alloy Cassette Carrier]
[Sealed Cartridge Bearings]
[Only for CSS 9T Cassettes]
[w/o QR]
307g[RE] / 309g[RT]
312g[R9]

[10T]



CSSX6 ETU 10-32T
ETS 10-28T

[11-Speed]
[Alloy Spider & Spacers]
[Alloy Lockring]
[Lightweight Design]
X[Metallic Silver]
311g[TU] / 286g[TS]



HBSX6 RE
[A7075 Alloy Cassette Carrier]
[Sealed Cartridge Bearings]
[Only for CSS 10T Cassettes]
[w/o QR]
292g[RT]



O[Black Chrome]



X[Metallic Silver]



CSD11X
 [7-Speed]
 [11-speed Chain Compatibility]
 [Alloy Spider]
 [Alloy Protector]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 224g

CSD10X
 [7-Speed]
 [10-speed Chain Compatibility]
 [Alloy Spider]
 [Alloy Protector]
 [Alloy Lockring & Spacers]
 O[Black Chrome] / X[Metallic Silver]
 224g



E[ED Black]



X[Metallic Silver]



CSD110
 [7-Speed]
 [11-speed Chain Compatibility]
 [Composite Protector]
 X[Metallic Silver] / E[ED Black]
 234g

CSD100
 [7-Speed]
 [10-speed Chain Compatibility]
 [Composite Protector]
 X[Metallic Silver] / E[ED Black]
 234g

NRZ 11s

RX 11s



CSRZ1 EAS 11-28T
EAU 11-32T

[11-Speed]
[Alloy Spider]
[Alloy Spacer]
[Alloy Lockring]
T[Titanium-Nitride]
278g[AS] / 290g[AU]



CN11Z
[11-Speed]
[Hollow Pins & Plates]
[Chromized Hollows Pins & Rollers]
T[Titanium-Nitride]
245g [110L]



DLRX30 RE/L2 [Gear Display Type]
[Dual Release]
[Alloy Large Lever]
[Stainless Bolt]
[Slick-Stainless Cable]
279g/pair



DLRX31 RE/L2
[SHIMANO® I-SPEC® II Compatible*]
247g/pair

DLRX3N RE/L2
[Without Gear Display]
251g/pair




CN11X
[11-Speed]
[Hollow Pins & Plates]
[Chromized Hollows Pins & Rollers]
S[Silver]
245g [110L]



O[Black Chrome] X[Metallic Silver]

CSRX1 EAS 11-28T
EAU 11-32T
EAV 11-34T
EAW 11-36T
[11-Speed]
[Alloy Spiders]
[Alloy Lockring & Spacers]
O[Black Chrome] / X[Metallic Silver]
278g[AS] / 290g[AU] / 304g[AV] / 360g[AW]



CSRS3 EAU 11-32T
[11-Speed]
[Steel Spider]
X[Metallic Silver] / E[ED Black]
332g



CSRX8 EAX 11-40T
EAY 11-42T
[11-Speed Wide Ratio]
[A7075 Largest Sprocket]
[Alloy Spiders]
[Alloy Lockring & Spacers]
[For 11-Speed Road Hub]
O[Black Chrome] / X[Metallic Silver]
392g[AX] / 404g[AY]

* SHIMANO® and I-SPEC® are registered trademarks of Shimano, Inc.



STRZ RT/L2
 [Carbon Reinforced Brake Lever]
 [7075 Forged Alloy Up-Shift Lever]
 [Teflon® Coated Cable]
 383g/pair



BCRZ3 F/R
 [Quick-Release]
 [CNC Alloy Caliper]
 [Titanium Hardware]
 [Cartridge Brake Shoe Pads]
 [Convex Washer Adj. Shoes]
 [SwissStop® Yellow King™ Pads]
 [For Carbon Rim]
 281g/pair



BCRZ2 F/R
 [Quick-Release]
 [CNC Alloy Caliper]
 [Titanium Hardware]
 [Cartridge Brake Shoe Pads]
 [Convex Washer Adj. Shoes]
 [SwissStop® GHP11™ Pads]
 281g/pair

FDRZ BB
 [10-Speed]
 [56~50T Double]
 [Carbon Reinforced Cage]
 [Forged Alloy Links]
 102g



CNR1Z
 [10-Speed]
 [Hollow Pins & Plates]
 [Chromized Hollows Pins & Rollers]
 T[Titanium-Nitride]
 244g [110L]

RDRZ2 SD
 [10 & 9-Speed]
 [11-28T]
 [Carbon Reinforced Link]
 [Carbon Cage]
 [Carbon Cable Adj.]
 [7075 Pulleys]
 [Ceramic Cartridge Bearings]
 [7075 Bracket Bolt]
 202g





STRX RT/L2
[Forged Alloy Brake Lever]
[7075 Forged Alloy Up-Shift Lever]
[Teflon® Coated Cable]
387g/pair



O[Black Chrome]



X[Metallic Silver]




FCRX6 [D1] 50-34T FCRX1 [D1] 53-39T
X7 [D1] 50-36T X3 [D1] 52-39T
[BCD 110mm] [BCD 130mm]
[10-Speed]
[6061 Forged Alloy Crank]
[Chromoly ISIS Axle]
[7075 Chainrings]
[7075 Bolts & Nuts]
[7075 Axle Bolt]
944~956g [incl. BB]



BBR1 [D1]
[Int. BB FCRX]
125g

- | | | |
|-------|-----|--------|
| CSRX0 | TAQ | 11-25T |
| | TAS | 11-28T |
| | TAU | 11-32T |
| | TAV | 11-34T |
| | TBS | 12-28T |

[10-Speed]
[Alloy Spider]
[Alloy Spacer]
[Alloy Lockring]
O[Black Chrome] / X[Metallic Silver]
236g[AQ] / 245g[AS]
304g[AU] / 320g[AV] / 290g [BS]





RDRX2 SD
 [10 & 9-Speed]
 [11-28T]
 [Forged Alloy Links]
 [Alloy Cage]
 [7075 Pulleys]
 [Sealed Cartridge Bearings]
 [7075 Bracket Bol]
 211g



BCRX3 F/R
 [Quick-Release]
 [CNC Alloy Caliper]
 [Chromoly Hardware]
 [Cartridge Brake Shoe Pads]
 [Convex Washer Adj. Shoes]
 [SwissStop® Yellow King™ Pads]
 [For Carbon Rim]
 325g/pair



BCRX2 F/R
 [Quick-Release]
 [CNC Alloy Caliper]
 [Chromoly Hardware]
 [Cartridge Brake Shoe Pads]
 [Convex Washer Adj. Shoes]
 [SwissStop® GHPII™ Pads]
 325g/pair



FDRX BB
 [10-Speed]
 [56~50T Double]
 [Forged Alloy Links]
 99g



CNR1X
 [10-Speed]
 [Hollow Pins & Plates]
 [Chromized Hollows Pins & Rollers]
 S[Silver]
 244g [110L]



RS

SUNRACE
10 x 2 Speed



DLRS30 RT/L3/L2 [Gear Display Type]
[Dual Release]
[Alloy Large Lever]
[Stainless Bolt]
[Slick-Stainless Cable]
279g/pair



DLRS3I RT/L3/L2
[SHIMANO® I-SPEC® II Compatible*]
247g/pair



DLRS3N RT/L3/L2
[Without Gear Display]
251g/pair



STFS30 RT/L3/L2
[Dual Release]
[Alloy Large Shift Lever]
[Alloy Forged Brake Lever]
[Stainless Bolt]
[Slick-Stainless Cable]
423g/pair



CSRS0 TAQ 11-25T
TAS 11-28T
TAU 11-32T
CSMS0 TAV 11-34T

[10-Speed]
[Alloy Spider]
X[Metallic Silver]
242g[AQ] / 250g[AS] / 309g[AU] / 325g[AV]



CSRS1 TAS 11-28T
TAU 11-32T
CSMS1 TAV 11-34T

[10-Speed]
[Steel Spider]
X[Metallic Silver]
267g[AS] / 322g[AU] / 338g[AV]





STRS1 RT/L2
 [Forged Alloy Brake Lever]
 [Rubber Cushioned Up-Shift Lever]
 [Teflon® Coated Cable]
 418g/pair



RDRS2 SD
 [10 & 9-Speed]
 [11-28T]
 [Alloy Link]
 [Alloy Cage]
 [Sealed Cartridge Bearing Pulleys]
 [7075 Bracket Bolt]
 212g



BCRS F/R
 [Quick-Release]
 [Forged Alloy Caliper]
 [Cartridge Brake Shoe Pads]
 [Convex Washer Adj. Shoes]
 368g/pair



FCRS6 (S1) 50-34T **FCRS1 (S1) 53-39T**
 [BCD 110mm] [BCD 130mm]
 [10-Speed]
 [6061 Forged Alloy Crank]
 [Alloy Chainrings]
 [7075 Bolts & Nuts]
 [7075 Axle Bolt]
 944~949g [incl.BB]



BBRS (S1)
 [Int. BB FCRS]
 125g



FDRS0 BB/LB/MB
 [10-Speed]
 [56~50T Double]
 [Forged Alloy Links]
 99g



CN10H (S)
 [10-Speed]
 [Chromized Hollow Pins]
 [Chromoly Plates]
 S[Silver]
 247g [110 L]



CN10S (S)
 [10-Speed]
 [Chromized Pins & Rollers]
 [Chromoly Plates]
 S[Silver] / 1[Silver/Gray]
 266g [110 L]

CN10A (S)
 [10-Speed]
 [Chromized Pins]
 [Chromoly Plates]
 S[Silver] / 1[Silver/Gray] / B[Black]
 266g [110 L]



R9

SUNRACE
9 X 2/3 Speed



DLR930 R9/L3/L2
[Dual Release]
[Alloy Large Lever]
[Stainless Bolt]
[Slick-Stainless Cable]
279g/pair

STF930 R9/L3/L2

[Dual Release]
[Alloy Large Shift Lever]
[Alloy Forged Brake Lever]
[Stainless Bolt]
[Slick-Stainless Cable]
423g/pair



CSR91 9AQ 11-25T
9AS 11-28T
9BQ 12-25T

[9-Speed]
[Alloy Lockring]
[Lightweight Design]
N[Nickel]
284g[AQ] / 264g[AS]
293g[BQ]

CSM96 9AS 11-28T
9AU 11-32T
9AV 11-34T

[9-Speed]
[Lightweight Design]
N[Nickel]
273g[AS] / 346g[AU]
358g[AV]



STR91 R9/L2/L3
[Forged Alloy Brake Lever]
[Rubber Cushioned Up-Shift Lever]
418g/pair



SLR91 R9/LF
[High-Polished]
B [28.6mm]
C [44mm]
F [50mm]
100g/pair



SLR96 R9/LF
B [Bar End]
210g/pair



FDR99 BB/LB/MB
[9-Speed]
[50T Triple]
[Forged Alloy Links]
99g[B]



FDR90 BB/LB/MB
[9-Speed]
[56~50T Double]
[Forged Alloy Links]
99g[B]



CNM99
[9-Speed]
[Chromized Hollow Pins]
S [Silver]
256g [110L]



CNM94
[9-Speed]
[Chromoly Plates]
S [Silver] / 1 [Silver/Gray] / B [Black] / Y [Gray]
273g [110L]



FCR9F 50-34T
 FCR9A 53-39T
 [9-Speed]
 [Alloy Chainrings]
 [SCM435 Bolts & Nuts]
 [6061 Forged Alloy Crank]
 600g[9F] / 697g[9A]



FCR96 50-34T
 FCR91 53-39T
 [9-Speed]
 [SCM435 Bolts & Nuts]
 [6061 Forged Alloy Crank]
 831g[96] / 889g[91]



RDR91 SD/LD
 [9-Speed]
 [11-28T]
 [Alloy Bracket & Outer Link]
 257g[SD] / 279g[LD]



BBS18
 BSA [BC-68/103mm] (FCR9F)
 BSF [BC-68/111mm] (FCR9A)
 [Alloy Cups]
 [Alloy Sleeve]



BBS15
 BSA [BC-68/103mm] (FCR96)
 BSF [BC-68/111mm] (FCR91)



BCR91 F/R
 [Quick-Release]
 [Alloy Caliper]
 [Cartridge Brake Shoe Pads]
 B[Black]
 350g/pair

R8

SUNRACE
8 X 2/3 Speed



DLR800 R8/L3/L2
[Dual Release]
[Composite Levers]
[Slick-Galvanized Cable]



STF800 R8/L3/L2
[Dual Release]
[Composite Shift Levers]
[Slick-Galvanized Cable]



CSR86 8AO 11-23T
8AS 11-28T
8BQ 12-25T
CSM66 8AU 11-32T
8AV 11-34T
CSR63 7AP 11-24T
7BP 12-24T
[8 & 7-Speed]
[Lightweight Design]
N[Nickel]



STR81 R8/L2/L3
[Forged Alloy Brake Lever]
[Rubber Cushioned Up-Shift Lever]



SLR80 R8/LF
[High-Polished]
Braze on: R8/LF B [28.6mm]
C [44mm]
F [50mm]
Clamp: 8F H [22.2mm]
G [25.4mm]
D [28.6mm]



FDR87 BB/MB/SB
[8-Speed]
[52T Triple]
[Forged Alloy Links]



FDR80 BB/MB/SB
[8-Speed]
[56~50T Double]
[Forged Alloy Links]



CNM89
[8-Speed]
[Hollow Pins]
S[Silver]



CNM84
[8-Speed]
S[Silver] / B[Black] / Y[Gray]



FCR86 50-34T
[8-Speed]
[6061 Forged Alloy Crank]
[SCM435 Bolts & Nuts]



FCR81 53-39T
FCR83 52-42T
FCR87 52-42-30T
[8-Speed]
[6061 Forged Alloy Crank]
[SCM435 Bolts & Nuts]




RDR81 SD/LD
[8-Speed]
[11-28T]
[Alloy Bracket & Outer Link]



BBS15
BSB [BC-68/107mm] (FCR81/83)
BSA [BC-68/103mm] (FCR86)
BSF [BC-68/111mm] (FCR87)



BCR81 F/R
[Quick-Release]
[Alloy Caliper]
B[Black]





BLR31
[Forged Alloy Lever]
[Composite Bracket]



SLR30
Braze on: R7/R6/LF B[28.6mm]
C[44mm]
Clamp: 7F/6F H[22.2mm]
G[25.4mm]
D[28.6mm]



FCR31 53-39T
FCR33 52-42T
[7/6-Speed]
[6061 Forged Alloy Crank]
[SCM435 Bolts & Nuts]
[Friction]



BBS15 BSB
[BC-68/107mm]



FDR31 SB/MB
[53~52T Double]
[Friction]



MFR30 7CQ 13-25T
[7-Speed]
[Lockring Design]
[Lightweight Design]
C[CP]



MFR2A 6DP 14-24T
[6-Speed]
1 [Zinc+Black Combination]



MFM2A 7CS 13-28T*
7DS 14-28T
6DS 14-28T
5DS 14-28T
[7, 6 and 5-Speed]
[Lockring Design]



1 [Zinc+Black Combination]
2 [Brown+Black Combination]
**not available in Brown+Black*



CNM54
[7/6-Speed]
Y[Gray]




RDR37 SD
[7/6-Speed]
[13-28T]



BLR02
[Forged Alloy Lever]
[Forged Alloy Bracket]



SLR03 FF/RF
H[22.2mm]
D[28.6mm]
[Friction]




BLR03
[Forged Alloy Levers]
[Forged Alloy Bracket]



CNM22
[Friction]
[1/2" x 3/32"]
B[Black]

Bottom Brackets



BB140
 [Hollow SCM435 Axle]
 [Alloy Cups]
 [Alloy Sleeve]
 [Alloy Stopper]
 [Sealed Cartridge Bearings x 4]



BB130
 [Hollow SCM435 Axle]
 [Alloy Cups]
 [Eng. Polymer Sleeve]
 [Alloy Stopper]
 [Sealed Cartridge Bearings]



BB120
 [Hollow SCM435 Axle]
 [Alloy Cups]
 [Alloy Sleeve]
 [SCM415 Stopper]
 [Sealed Cartridge Bearings]



BB110
 [Hollow SCM435 Axle]
 [Steel Cups]
 [Steel Sleeve]
 [SCM415 Stopper]
 [Sealed Cartridge Bearings]

(Square Taper)



BBS18 / BBS19*
 [Steel Axle]
 [Alloy Cups]
 [Alloy Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]
 *tapered center sleeve



BBS19



BBS15 / BBS16*
 [Steel Axle]
 [Steel Cups]
 [Steel Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]
 *tapered center sleeve



BBS16



BBS08 / BBS07* B[BC1.37]
 [Steel Axle]
 [Eng. Polymer Cups]
 [Steel Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]
 *without sleeve



BBS07



BBS08 5[35mm]
 8[38mm]
 4[40mm]
 [Steel Axle]
 [Eng. Polymer Cups]
 [Steel Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]

Bottom Brackets



BBS05
 [Steel Axle]
 [Steel Cups]
 [Eng. Polymer Sleeve]
 [Ball Cage Bearings]



BBT08 B[BC1.37]
 [Steel Axle]
 [Eng. Polymer Cups]
 [Steel Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]



BBT08 5[35mm]
 8[38mm]
 4[40mm]
 [Steel Axle]
 [Eng. Polymer Cups]
 [Steel Sleeve]
 [Eng. Polymer Stopper]
 [Sealed Cartridge Bearings]

ISIS M12 & M15 Axle Bolts



BAI42
 [M12 Chromoly Bolt]
 [Alloy Cap]

BAI30
 [M15 Alloy Bolt]
 [Alloy Cap]

BAI20
 [M15 Chromoly Bolt]
 [Alloy Cap]



BAI41
 [M12 Chromoly Bolt]
 [Plastic Cap]

BAI08
 [M15 Chromoly Bolt]
 [Plastic Cap]

M8 BB Axle Bolts



BAS15
 [M8 Chromoly Bolt]
 [Plastic Cap]



BAS05
 [M8 Chromoly Bolt]

Outer Casings / Inner Cables

[Shift]



OCSXP - XP Index Type Ø4mm

Color options available




OCSSP - SP Index Type Ø4mm B[Black] / Y[Gray]
Pre-lubricated with silicone grease



OCS2S - 2SP Index Type Ø4mm B[Black] / Y[Gray]
Pre-lubricated with silicone grease

Color options available



Ferrules



OFS90
[Alloy]
[Sealed]
[ID4mm]



OFS80
[Alloy]
[ID4mm]



OFS50
[Brass]
[ID4mm]



OFS10
[Plastic]
[ID4mm]



Crimps



INS60
[Alloy]
[ID 1.6mm]

[A]



[G]



- ICSTF - Teflon® Stainless Ø1.1mm
- ICSXS - Extra Slick Stainless Ø1.1mm
- ICSSS - Slick Stainless Ø1.1mm
- ICSXG - Extra Slick Galvanized Ø1.1mm
- ICSSG - Slick Galvanized Ø1.1mm
- ICSRG - Regular Galvanized Ø1.2mm
[Shift Cable]

Outer Casings / Inner Cables

[Brake]




OCB2X - 2X Type Ø5mm S [Silver]

Color options available



OCB2P - 2P Type Ø5mm B[Black] / Y[Gray]
Pre-lubricated with silicone grease

Color options available



- ICBTF - Teflon® Stainless Ø1.5mm
- ICBSS - Slick-Stainless Ø1.5mm
- ICBSG - Slick Galvanized Ø1.5mm
- ICBRG - Regular Galvanized Ø1.6mm
[Universal Brake Cable]

Ferrules



OFB90
[Alloy]
[Sealed]



OFB80
[Alloy]
[ID5mm]



OFB50
[Brass]
[ID5mm]



OFB10
[Plastic]
[ID5mm]



- ICRTRF - Teflon® Stainless Ø1.5mm
- ICRSS - Slick Stainless Ø1.5mm
- ICRRG - Regular Galvanized Ø1.6mm
[Road Brake Cable]

Crimps



INB60
[Alloy]
[ID 2.2mm]

[A]



[B]



[G]



[R]



[2]

Chains

(12-Speed)



[O]



[T]



[S]

CN12H
[12-Speed]
[Chromized Hollow Pins & Rollers]
[Chromoly Plates]
O[TiN-Black] / T[TiN-Gold] / S[Silver]
231g [110L]



CN12S
[12-Speed]
[Chromized Pins & Rollers]
[Chromoly Plates]
S[Silver]
250g [110L]

(11-Speed)



CN11Z (T)
[1/2" x 11/128"]
[Chromized Hollow Pins & Rollers]
[Chromoly Hollow Plates]
T[TiN-Gold]
245g [110L]



CN11X (S)
[1/2" x 11/128"]
[Chromized Hollow Pins & Rollers]
[Chromoly Hollow Plates]
S[Silver]
245g [110L]



CN11S (S)
[1/2" x 11/128"]
[Chromized Pins & Rollers]
[Chromoly Hollow Outer Plates]
S[Silver]
252g [110L]



CN11Z (O)
[1/2" x 11/128"]
[Chromized Hollow Pins & Rollers]
[Chromoly Plates]
O[TiN-Black]
247g [110L]



CN11H (S)
[1/2" x 11/128"]
[Chromized Hollow Pins & Rollers]
[Chromoly Plates]
S[Silver]
247g [110L]



CN11A (S)
[1/2" x 11/128"]
[Chromized Pins & Rollers]
S[Silver]
266g [110L]

(10-Speed)



CNR1Z (T)
 [1/2" x 11/128"]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 T[Titanium-Nitride]
 244g [110L]



CNR1X (S)
 [1/2" x 11/128"]
 [Chromized Hollow Pins & Rollers]
 [Chromoly Hollow Plates]
 S[Silver]
 244g [110L]



CN10H (S)
 [1/2" x 11/128"]
 [Chromized Hollow Pins]
 [Chromoly Plates]
 S[Silver]
 247g [110 L]



CN10S
 [1/2" x 11/128"]
 [Chromized Pins & Rollers]
 [Chromoly Plates]
 S[Silver] / 1 [Silver/Gray]
 266g [110L]



CN10A
 [1/2" x 11/128"]
 [Chromized Pins]
 [Chromoly Plates]
 S[Silver] / 1 [Silver/Gray] / B[Black]
 266g [110L]

Chains

(9-Speed)



CNM9Z (T)
[1/2" x 11/128"]
[Chromized Hollow Pins]
[Chromoly Hollow Plates]
T[Titanium-Nitride]
254g [110L]



CNM9X (S)
[1/2" x 11/128"]
[Chromized Hollow Pins]
[Chromoly Hollow Plates]
S[Silver]
254g [110L]



CNM99 (S)
[1/2" x 11/128"]
[Chromized Hollow Pins]
[Chromoly Plates]
S[Silver]
256g [110L]



CNM94 (S)
[1/2" x 11/128"]
[Chromized Pins]
[Chromoly Plates]
S[Silver]
273g [110L]



CNM94 (1)
[1/2" x 11/128"]
[Chromized Pins]
[Chromoly Plates]
1[Silver/Gray]
273g [110L]



(Y)



(B)

CNM94
[1/2" x 11/128"]
[Chromized Pins]
[Chromoly Plates]
Y[Gray] / B[Black]
273g [110L]

(8-Speed)



CNM89 (S)
[1/2" x 3/32"]
[Chromized Hollow Pins]
S[Silver]
257g [110L]



CNM84 (S)
[1/2" x 3/32"]
S[Silver]
274g [110L]



(Y)



(B)

CNM84
[1/2" x 3/32"]
Y[Gray] / B[Black]
274g [110L]

(7 & 6-Speed)

(Friction)



CNM54 (Y)
[1/2" x 3/32"]
Y[Gray]



CNM22 (B)
[1/2" x 3/32"]
B[Black]

(Fixed / BMX)



CNX46 (S)
[1/2" x 1/8"]
S[Silver]



CNX58 (S)
[1/2" x 3/32"]
S[Silver]



CNX56 (S)
[Hollow Pins]
[1/2" x 1/8"]
S[Silver]



CNX59 (S)
[Hollow Pins]
[1/2" x 3/32"]
S[Silver]

Chains

[Single Speed / Internal Gear Hub]



CNS1X (D)
[1/2" x 1/8"]
D[Dacromet]



CNS12
[1/2" x 1/8"]
[Hollow Outer Plates]
S[Silver]



(D)



(B)

CNS10
[1/2" x 1/8"]
D[Dacromet] / B[Black]



CNS22 (D)
[1/2" x 3/32"]
D[Dacromet]

[Guide Pins]

- CNP11 [11 Speed]
- CNP10 [10 Speed]
- CNP09 [9 Speed]
- CNPX1 [1/8" CNX]
- CNPX3 [3/32" CNX]



[Easy Links]

- CNQ12 [12 Speed]
- CNQ11 [11 Speed]
- CNQ10 [10 Speed]
- CNQ09 [9 Speed]
- CNQ87 [8/7 Speed]
- CNQX1 [1/8" CNX]



Brake Pads for Disc Brakes

SHIMANO® COMPATIBLE



DPS30



DPS20



DPS15



DPS10

HAYES® COMPATIBLE



DPH35



DPH25

MAGURA® COMPATIBLE



DPMM1



DPML7



DPMJ1

AVID® COMPATIBLE



DPA10

FORMULA® COMPATIBLE



DPF10

TEKTRO® COMPATIBLE



DPT10

Service Parts

SUNRACE

Brake Shoes for Road



BSRZ3
[Alloy Cartridge Body]
[Titanium Hardware]
[SwissStop® Yellow King™ Pads]
[For Carbon Rim]
[Convex Washer Adj. Shoes]



BSRZ2
[Alloy Cartridge Body]
[Titanium Hardware]
[SwissStop® GHPII™ Pads]
[Convex Washer Adj. Shoes]



BSRX3
[Alloy Cartridge Body]
[Chromoly Hardware]
[SwissStop® Yellow King™ Pads]
[For Carbon Rim]
[Convex Washer Adj. Shoes]



BSRX2
[Alloy Cartridge Body]
[Chromoly Hardware]
[SwissStop® GHPII™ Pads]
[Convex Washer Adj. Shoes]




BSRS
[Alloy Cartridge Body]
[Chromoly Hardware]
[Convex Washer Adj. Shoes]



BSR90
[Alloy Cartridge Body]
[Chromoly Hardware]



BSR80



Brake Pads for Road



BPRZ3
[SwissStop® Yellow King™ Pads]
[For Carbon Rim]



BPRX2
[SwissStop® GHPII™ Pads]



BPR90



Brake Shoes for ATB/MTB



BSM96
[Alloy Cartridge Body]
[Chromoly Hardware]
[BPM96 Pad]



BSM90
[Alloy Cartridge Body]
[Chromoly Hardware]
[Satin Finish]
[BPM90 Pad]



BSM60
[Alloy Cartridge Body]
[Chromoly Hardware]
[BPM60 Pad]



BSM30
[T3/T4 Type]



BSM20
[T2 Type]



A[Silver] B[Black]



BCMSP.M2F 90°
M2R 135°



Brake Pads for ATB/MTB



BPM96
[Tri-Compound Rubber]
[All Weather]
[Mud-Proof]
[High Performance]
[Squeal-Free]



BPM95
[Tri-Compound Rubber]
[All Weather]
[High Performance]



BPM90



BPM60



BCMSP.B1



Service Parts

SUMRACE



SP880 R[Red]
Rear Derailleur Pulley
[11T]
[7075 Alloy/CNC]
[Ceramic Cartridge Bearing]



SP860 G[Gold]
S [Silver]
Rear Derailleur Pulley
[11T]
[7075 Alloy/CNC]
[Sealed Cartridge Bearing]




SP856
Rear Derailleur Pulley
[11T]
[Sealed Cartridge Bearing]



SP853
Tension Pulley
[11T]
[Steel Bushing]



SP852
Guide Pulley
[11T]
[Steel Bushing]



SP850
Rear Derailleur Pulley
[10T]



QRM1R



QRM1F

Quick Release
[Titanium Axle & Lever]
[Alloy Nut]



QRZ7R



QRZ7F

Quick Release
[Titanium Axle]
[Alloy Lever & Nut]



QRX7R



QRX7F

Quick Release
[SCM435 Axle]
[Alloy Lever & Nut]

ISIS M12 & M15 Axle Bolts



BAI42
[M12 Chromoly Bolt]
[Alloy Cap]



BAI41
[M12 Chromoly Bolt]
[Plastic Cap]

BAI30
[M15 Alloy Bolt]
[Alloy Cap]

BAI08
[M15 Chromoly Bolt]
[Plastic Cap]

BAI20
[M15 Chromoly Bolt]
[Alloy Cap]

M8 BB Axle Bolts



BAS15
[M8 Chromoly Bolt]
[Plastic Cap]



BAS05
[M8 Chromoly Bolt]



SPSTC.A010.G00
Cable Adjuster



SP131
Casing Stop



S[Silver] G[Gold]

SP210
Bolt & Nut Set for Chainrings
[7075 Alloy]



SPFDC.A01L.BD0 [Ø 34.9]
SPFDC.A01M.BD0 [Ø 31.8]
SPFDC.A01S.BD0 [Ø 28.6]
Front Derailleur Clamp
[Forged Alloy]
[Ø 34.9, Ø 31.8, Ø 28.6mm Option]



SP550
Rear Derailleur Bracket



TLEF1



TLCS1



TLFW1

TLEF1
Freewheel Locking Tool
[for MFEZ/X]

TLCS1
Cassette Locking Tool

TLFW1
Freewheel Removal Tool



GPM50
End Grip - TPR
O[Open 80mm]
C[Closed 86mm]

Service Parts

SUNRACE



SP711 [11T]
 SP712 [12T]
 SP721 [11T Campy]
 SP722 [12T Campy]
 Lockring for Cassettes
 [Forged Alloy]



CRMX00.40 [40T]
 CRMX00.38 [38T]
 CRMX00.36 [36T]
 CRMX00.34 [34T]
 CRMX00.32 [32T]
 CRMX00.30 [30T]
 Chaining
 [Narrow-Wide Tooth]
 [7075 Alloy]
 [BCD Ø96mm]



CRMS00.40 [40T]
 CRMS00.38 [38T]
 CRMS00.36 [36T]
 CRMS00.34 [34T]
 CRMS00.32 [32T]
 CRMS00.30 [30T]
 Chaining
 [Narrow-Wide Tooth]
 [BCD Ø96mm]



CRMX0.44 [44T,w/CNC]
 CRMX0.32 [32T]
 CRMX0.22 [22T]
 Chaining Combinations
 [Alloy]



CRRX0.53 [53T]
 CRRX0.52 [52T]
 CRRX0.39 [39T]
 CRRX0.50 [50T]
 CRRX0.34 [34T]
 CRRX1.50 [50T]
 CRRX1.36 [36T]
 Chaining Combinations
 [7075 Alloy/CNC]



CRRS0.53 [53T,w/CNC]
 CRRS0.39 [39T]
 CRRS0.50 [50T,w/CNC]
 CRRS0.34 [34T]
 Chaining Combinations
 [Alloy]



SunRACE

HP - Header Plastic



HC - Header Cover



ZB - Zipper Bag



Notes

SUMMERRACE



Notes

SUNRACE

Notes

SUNRACE



Notes

SUNRACE




Notes

SUMMERRACE



The Original And Best est. 1902

Look for Sturmey-Archer 2017-2018 catalogue.



STURMEY ARCHER



More Teeth
BIGGER BITE
Black & Metallic Silver



SunRace

Sun Race SturmeY-Archer Inc.
No.51, Haishan Central Street, Luzhu District,
Taoyuan City, 33856 Taiwan
Tel:+886 (3) 354-3900
Fax:+886 (3) 354-2858
E-mail:info@sunrace.com

Sun Race SturmeY-Archer Europe
Nijverheidsweg 19A,
3641 RP Mijdrecht, The Netherlands
Tel:+31 (20) 609-0221
Fax:+31 (20) 609-0211
E-mail:info@sunrace.nl

Sun Race SturmeY-Archer USA
952 School Street, #409
Napa, CA 94559 U.S.A.
Tel:+1 (707) 259-6700
Fax:+1 (707) 259-6710
E-mail:info@sunraceusa.com

www.sunrace.com
www.sturmeY-archer.com
www.sturmeY-archerheritage.com